

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



6257 Mnd.

Mnd. 1901

Manda's

Stock List • • of •

Everything

Pertaining to Horticulture..

Now in Stock at

The Universal



Horticultural Establishment.

W. A. MANDA, Proprietor,
SOUTH ORANGE, N. J.

INTRODUCTION.

Please send in your orders early, writing your name and address plainly; also giving mode of shipment. I would recommend express, if by mail, add enough money to cover postage. Kindly induce your friends to send their orders with yours, and give me ample time to fill same carefully.

On my part, I will do everything in my power to please you, giving you the best quality of goods at the lowest living prices. I do not offer premiums or other nostrums, nor do I offer anything I have no faith in.

I guarantee the safe arrival of all goods sent by express, but cannot be held responsible for anything sent by mail or freight; nor can I be held responsible for money sent in unregistered letters, or for failure or shortage of crops, stock being exhausted when order is filled, or any accidents or delays in delivery beyond my control.

While I exercise the greatest care to supply new, genuine, and unadulterated seeds, I still give no warranty, express or implied, as to description, quality, productiveness, or any other matter, of any Seeds, Plants, or Bulbs that I send out, and will not be in any way responsible for the crop. Every order received for articles named in this catalogue will be executed on these conditions only.

Correspondence is solicited from collectors or raisers of new varieties of plants, seeds, or bulbs, with the view of purchasing or exchanging same.

If at any time you are in need of a good gardener or assistant, write me, as I can recommend you reliable men whom I know personally.

I am pleased at any time to receive visitors who are interested in plants of any description, and, as I have the largest and most varied collection of choice and rare subjects, it will repay any one, even should he come a long distance, to inspect the plant. Here you will see plants from all parts of the globe, and among others the unique and celebrated **George Washington Palm**, which was owned by the first **President of the United States**, and is the admiration of every visitor.

The Nurseries are situated on the Delaware, Lackawanna & Western Railroad, adjoining the depot of South Orange. There are eighty-three trains daily, so visitors will have only a few minutes to wait, trains being so frequent. There are also electric cars from Newark to South Orange, connecting with the Pennsylvania Railroad and Jersey Central Railroad every ten minutes. Taking it all in all, it is the most accessible Nursery in the country.

Trusting to hear from you and your friends who are interested in gardening, and assuring you of my best efforts to give satisfaction,

Yours respectfully,

W. A. MANDA.

Become a Customer, and you will receive The Century Edition of Pocket Garden Dictionary for 1901.



Seed List.

I am preparing an entirely new Catalogue for the coming season—the beginning of a new century—and therefore will only publish, this year, a list of the stock which I carry. This is the Seed portion ; same will be followed by a list of the Plants which I have. In looking over this, you will readily see that no other house in the country carries such a great variety as you will find here.

I am also sending a Novelty Catalogue as usual, which contains a great many things of sterling merit.

Thanking you for past patronage, and awaiting your future commands,

Respectfully yours,

W. A. MANDA.



CHOICE VEGETABLE SEEDS.

ASPARAGUS.

| | Per pkt. | Oz. | $\frac{1}{4}$ lb. | 1 lb. |
|-----------------------|----------|--------|-------------------|--------|
| Colossal..... | \$0 05 | \$0 10 | \$0 15 | \$0 60 |
| Palmetto..... | 5 | 10 | 20 | 75 |
| Barr's Mammoth..... | 5 | 10 | 20 | 75 |
| Argenteuil Giant..... | 5 | 10. | 25 | 75 |

ARTICHOKE.

| | Per pkt. | oz. | $\frac{1}{4}$ lb. |
|----------------------|------------|--------|-------------------|
| French Globe..... | \$0 10 | \$0 30 | \$1 00 |
| Large Paris..... | | 10 | 50 |
| Jerusalem Artichoke. | See Roots. | | |

BEANS.



DWARF OR SNAP BEANS.

| | Qt. | Pk. |
|-----------------------------|--------|--------|
| Best of All..... | \$0 30 | \$1 50 |
| Improved Valentine..... | 30 | 2 00 |
| Dwarf Horticultural..... | 30 | 1 50 |
| Early Mohawk..... | 25 | 1 50 |
| Extra Early Refugee..... | 30 | 1 50 |
| Extra Early Valentine..... | 30 | 1 50 |
| Long Yellow Six Weeks..... | 25 | 1 50 |
| Round Yellow Six Weeks..... | 25 | 1 25 |
| Refugee, or 1000 to 1..... | 30 | 1 50 |

DWARF WAX BEANS.

| | Qt. | Pk. |
|----------------------------------|--------|--------|
| Currie's Rust Proof..... | \$0 35 | \$2 00 |
| Black-Eyed Wax..... | 25 | 1 75 |
| Golden-Eyed Wax..... | 30 | 1 75 |
| Improved Golden Wax..... | 30 | 1 75 |
| Improved Prolific Black Wax..... | 30 | 1 75 |
| Perfection Wax..... | 35 | 2 00 |
| Refugee Wax..... | 35 | 2 00 |
| Wardwell's Kidney Wax..... | 35 | 2 00 |

WHITE BEANS.

| | Qt. | Pk. |
|--|--------|--------|
| Burpee's Bush-Lima..... | \$0 40 | \$2 50 |
| Dwarf Sieva. (Henderson's Bush Lima).... | 40 | 2 50 |
| Dreer's Bush Lima..... | 50 | 3 00 |
| White Marrow..... | 20 | 1 00 |
| White Valentine..... | 30 | 2 50 |

POLE OR RUNNING BEANS.

| | Qt. | Pk. |
|---|--------|--------|
| Challenger..... | \$0 40 | \$2 25 |
| Dutch Case Knife..... | 35 | 1 75 |
| Dreer's Improved Lima..... | 40 | 2 25 |
| Golden Cluster..... | 40 | 2 25 |
| Horticultural, or Speckled Cranberry..... | 40 | 1 75 |
| Jersey Extra Early. Lima..... | 40 | 2 25 |
| King of the Garden Lima..... | 40 | 2 00 |
| Large White Lima..... | 35 | 2 25 |
| Small White Lima..... | 40 | 2 00 |

BEET.

| | Pkt. | Oz. | $\frac{1}{4}$ lb. | 1b. |
|-----------------------------|--------|--------|-------------------|--------|
| Bastian..... | \$0 05 | \$0 10 | \$0 20 | \$0 50 |
| Dewing's Early..... | 5 | 10 | 20 | 55 |
| Extra Early Egyptians..... | 5 | 10 | 20 | 55 |
| Extra Early Eclipse..... | 5 | 10 | 20 | 45 |
| Early Bassano..... | 5 | 10 | 20 | 55 |
| Edmand Blood Turnip..... | 5 | 10 | 20 | 50 |
| Early Blood Turnip..... | 5 | 10 | 20 | 45 |
| Lentz Extra Early Turnip... | 5 | 10 | 20 | 50 |
| Long Smooth Blood Red.... | 5 | 10 | 20 | 45 |

BEETS—MANGEL-WURZEL, SUGAR, ETC.

| | Oz. | $\frac{1}{4}$ lb. | 1b. |
|------------------------------------|--------|-------------------|--------|
| Champion Yellow Globe..... | \$0 10 | \$0 15 | \$0 40 |
| Golden Tankard Mangel-Wurzel | 10 | 15 | 40 |
| Long Yellow Mangel-Wurzel | 10 | 15 | 40 |
| Mammoth Lung Red Mangel-Wurzel.. | 10 | 15 | 40 |

BROCCOLI.

| | Pkt. | Oz. |
|-------------------|--------|--------|
| Early White | \$0 10 | \$0 50 |

BRUSSELS SPROUTS.

| | Pkt. | Oz. | $\frac{1}{4}$ lb. |
|--------------------------------|--------|--------|-------------------|
| Best French, or Roseberry..... | \$0 05 | \$0 20 | \$0 60 |
| Improved Dwarf..... | 5 | 25 | 70 |

CABBAGE.

| | Pkt. | Oz. | $\frac{1}{4}$ lb. |
|-----------------------------|--------|--------|-------------------|
| American Drumhead..... | \$0 05 | \$0 25 | \$0 80 |
| Drumhead Savoy | 5 | 25 | 80 |
| Early Dwarf Savoy..... | 5 | 20 | 75 |
| Early Jersey Wakefield..... | 5 | 35 | 1 25 |
| Early York..... | 5 | 20 | 60 |
| Early Winnigstadt | 5 | 20 | 60 |
| Etampes..... | 5 | 20 | 60 |
| Fottler Brunswick..... | 5 | 25 | 80 |
| Improved Early Summer | 5 | 35 | 1 00 |
| Premium Flat Dutch..... | 5 | 30 | 1 00 |
| Red Dutch | 5 | 25 | 80 |
| Selected All-Seasons..... | 5 | 25 | 80 |
| Succession..... | 5 | 30 | 1 00 |

CARROT.

| | Pkt. | Oz. | $\frac{1}{4}$ lb. | Lb. |
|-----------------------------|--------|--------|-------------------|--------|
| Altringham..... | \$0 05 | \$0 10 | \$0 20 | \$0 75 |
| Champion Feeder..... | 5 | 15 | 30 | 1 25 |
| Early Forcing..... | 5 | 15 | 30 | 1 00 |
| Half-Long Nantes..... | 5 | 10 | 25 | 80 |
| Half-Long Chantenay..... | 5 | 10 | 25 | 80 |
| Half-Long Carentan..... | 5 | 10 | 25 | 80 |
| Half-Long Danvers..... | 5 | 10 | 25 | 80 |
| James Intermediate..... | 5 | 10 | 25 | 80 |
| Long White..... | 5 | 10 | 25 | 75 |
| Long Scarlet Exhibition ... | 5 | 10 | 25 | 80 |
| Long Orange Imp | 5 | 10 | 25 | 80 |

CARDOON.

| | Pkt. | Oz. |
|------------------|--------|--------|
| Large Solid..... | \$0 10 | \$0 40 |

CAULIFLOWER.

| | Pkt. | Oz. |
|------------------------------------|--------|--------|
| Extra Early Dwarf Erfurt | \$0 50 | \$6 00 |
| Early Snowball | 25 | 3 00 |
| Lenormand Short-Stem | 10 | 75 |
| Large Algiers | 10 | 65 |

CELERY.

| | Pkt. | Oz. | ¼ lb. |
|---------------------------------|--------|--------|--------|
| Boston Market Dwarf | \$0 05 | \$0 25 | \$0 75 |
| Giant Gold Heart | 5 | 25 | 75 |
| Giant Pascal | 10 | 25 | 75 |
| Golden Self-Blanching | 10 | 40 | 1 25 |
| Golden Dwarf | 5 | 30 | 80 |
| Half-Dwarf | 5 | 25 | 75 |
| Improved Dwarf White | 5 | 25 | 75 |
| Major Clark's Pink | 5 | 25 | 75 |
| Perfection Heartwell | 5 | 25 | 75 |
| Rose Dwarf | 5 | 25 | 75 |
| White Plume | 10 | 30 | 80 |

CELERIAC, OR TURNIP-ROOTED CELERY.

| | Pkt. | Oz. | ¼ lb. |
|-------------------------------|--------|--------|--------|
| Large Erfurt | \$0 10 | \$0 25 | \$0 75 |
| Large Smooth Prague | 10 | 25 | 75 |

CHERVIL.

| | Pkt. | Oz. |
|---------------------------|--------|--------|
| Curled | \$0 05 | \$0 15 |
| Tuberous-Rooted | 5 | 20 |

CHICORY.

| | Pkt. | Oz. | ¼ lb. |
|----------------------------------|--------|--------|--------|
| Witloof | \$0 05 | \$0 10 | \$0 30 |
| Large-Rooted Magdeburg | 5 | 10 | 25 |

CORN SALAD, OR FETTICUS.

| | Pkt. | Oz. | ¼ lb. |
|---------------------------|--------|--------|--------|
| Large-Seeded | \$0 05 | \$0 10 | \$0 25 |
| Green-Cabbaging | 5 | 10 | 30 |

CRESS, OR PEPPERGRASS.

| | Pkt. | Oz. | ¼ lb. |
|-----------------------------|--------|--------|--------|
| Extra Curled | \$0 05 | \$0 10 | \$0 20 |
| American, or Land | 5 | 10 | 30 |

WATER CRESS.

| | Pkt. | Oz. | ¼ lb. |
|------------------------------|--------|--------|--------|
| The Common Variety | \$0 10 | \$0 30 | \$1 50 |
| True Erfurt | 15 | 75 | 2 50 |

CORN, SWEET OR SUGAR.**EXTRA EARLY.**

| | Qt. | Pk. |
|----------------------------|--------|--------|
| Early White Cory | \$0 25 | \$1 00 |
| Early Cory | 25 | 1 00 |
| Marblehead | 25 | 1 00 |
| Minnesota | 25 | 1 00 |
| Perry's Hybrid | 25 | 1 00 |

CORN, SWEET OR SUGAR.—Continued.**INTERMEDIATE.**

| | | |
|--------------------|--------|--------|
| Amber Cream..... | \$0 25 | \$1 00 |
| Crosby..... | 25 | 1 00 |
| Everbearing..... | 25 | 1 00 |
| Moore Concord..... | 25 | 1 00 |
| None Such..... | 25 | 1 00 |

GENERAL CROP.

| | | |
|--------------------------|--------|--------|
| Early Mammoth..... | \$0 25 | \$1 00 |
| Stowell's Evergreen..... | 25 | 1 00 |

LATE.

| | | |
|------------------------|--------------|--------|
| Country Gentleman..... | \$0 25 | \$1 25 |
| Egyptian..... | 25 | 1 00 |
| Late Mammoth..... | 25 | 1 00 |
| Fodder Corn..... | 2 00 per bu. | |

CUCUMBER.

| | Pkt. | Qt. | ¼ lb. |
|-------------------------------------|--------|--------|--------|
| Boston Pickling..... | \$0 05 | \$0 10 | \$0 25 |
| Early Frame..... | 5 | 10 | 25 |
| Early Russian..... | 5 | 10 | 25 |
| Early White Spine..... | 5 | 10 | 25 |
| Everbearing..... | 5 | 10 | 25 |
| Evergreen White Spine..... | 5 | 10 | 25 |
| Green Prolific Pickling..... | 5 | 10 | 25 |
| Improved White Spine Arlington..... | 5 | 10 | 25 |
| Jersey Pickling..... | 5 | 10 | 25 |
| Long Green..... | 5 | 10 | 25 |
| Nicholas Medium Green..... | 5 | 10 | 25 |
| Peerless..... | 5 | 10 | 25 |
| Small Gherkin..... | 5 | 15 | 35 |
| Tailby Hybrid..... | 5 | 10 | 25 |

ENGLISH CUCUMBERS FOR FRAMES AND GREENHOUSE.

| | Pkt. |
|------------------------|--------|
| Duke of Edinburgh..... | \$0 25 |
| Prescott Wonder..... | 25 |
| Telegraph..... | 25 |

DANDELION.

| | Pkt. | Oz. | ¼ lb. |
|--------------------|--------|--------|--------|
| French Garden..... | \$0 05 | \$0 40 | \$1 35 |

EGG PLANT.

| | Pkt. | Oz. |
|-------------------------------|--------|--------|
| Black Pekin..... | \$0 10 | \$0 40 |
| Improved New York Purple..... | 10 | 40 |

ENDIVE.

| | Pkt. | Oz. | ¼ lb. |
|--------------------------|--------|--------|--------|
| Broad-Leaved Green..... | \$0 05 | \$0 20 | \$0 60 |
| Green Curled Winter..... | 5 | 20 | 60 |
| Large Green Curled..... | 5 | 20 | 60 |
| Moss Curled..... | 5 | 20 | 60 |

GARLIC.

| | Oz. | ¼ lb. |
|------------------|--------|--------|
| Garlic Sets..... | \$0 05 | \$0 10 |

KALE, OR BORECOLE.

| | Pkt. | Oz. | $\frac{1}{4}$ lb. |
|------------------------|--------|--------|-------------------|
| Tall Green Scotch..... | \$0 05 | \$0 10 | \$0 30 |
| Tall Purple..... | 5 | 15 | 40 |

KOHL-RABI.

| | Pkt. | Oz. | $\frac{1}{4}$ lb. |
|---------------------------|--------|--------|-------------------|
| Early White Vienna..... | \$0 05 | \$0 25 | \$0 75 |
| Early Purple Vienna..... | 5 | 25 | 75 |
| Large White or Green..... | 5 | 15 | 50 |

LEEK.

| | Pkt. | Oz. | $\frac{1}{4}$ lb. |
|--------------------------|--------|--------|-------------------|
| Large American Flag..... | \$0 05 | \$0 25 | \$0 60 |
| Large Rouen Winter..... | 5 | 25 | 60 |
| Large Carentan..... | 5 | 25 | 60 |

LETTUCE.

| | Pkt. | Oz. | $\frac{1}{4}$ lb. |
|----------------------------------|--------|--------|-------------------|
| All the Year Round..... | \$0 05 | \$0 20 | \$0 50 |
| Black-Seeded Simpson..... | 5 | 15 | 40 |
| Boston Market..... | 5 | 15 | 40 |
| Blond Blockhead, or Sunset | 5 | 15 | 40 |
| White-Seeded Simpson..... | 5 | 15 | 40 |
| Drumhead, or Malta..... | 5 | 15 | 40 |
| Early Curled Sicilia..... | 5 | 15 | 40 |
| Golden Stone-Head..... | 5 | 15 | 40 |
| Hanson..... | 5 | 15 | 40 |
| New York..... | 10 | 25 | 65 |
| Paris White Cos..... | 5 | 20 | 50 |
| Perpignan Head..... | 5 | 20 | 50 |
| Salamander..... | 5 | 15 | 40 |
| Trianon Self-Closing Cos..... | 5 | 20 | 50 |
| Tennisball Black-Seeded..... | 5 | 15 | 40 |
| Tennisball White-Seeded..... | 5 | 15 | 40 |
| White Summer Cabbage..... | 5 | 15 | 40 |

MARTYNIA.

| | Pkt. | Oz. | $\frac{1}{4}$ lb. |
|------------------|--------|--------|-------------------|
| Proboscidea..... | \$0 10 | \$0 30 | \$1 00 |

MELON, MUSK.

| | Pkt. | Oz. | $\frac{1}{4}$ lb. |
|--------------------------|--------|--------|-------------------|
| Banquet..... | \$0 05 | \$0 15 | \$0 35 |
| Delmonico..... | 5 | 15 | 35 |
| Emerald Gem..... | 5 | 10 | 25 |
| Early Hackensack..... | 5 | 10 | 25 |
| Golden Netted Gem..... | 5 | 10 | 25 |
| Hackensack..... | 5 | 10 | 25 |
| Improved Christiana..... | 5 | 10 | 25 |
| Jenny Lind..... | 5 | 10 | 25 |
| Miller's Cream | 5 | 10 | 25 |
| Nutmeg | 5 | 10 | 25 |
| Prolific Nutmeg..... | 5 | 10 | 25 |
| Pineapple..... | 5 | 10 | 25 |
| Perfection | 5 | 10 | 25 |
| Princess..... | 5 | 10 | 25 |
| Surprise..... | 5 | 10 | 25 |
| Skillman's Netted..... | 5 | 10 | 25 |

MELON, MUSK.—Continued.*IMPORTED ENGLISH VARIETIES FOR FRAMES AND GREENHOUSE.*

| | Pkt. |
|----------------------------|--------|
| Invincible Scarlet..... | \$0 25 |
| Monroe's Little Heath..... | 25 |
| Blenheim Orange..... | 25 |
| Gilbert's Green-Flesh..... | 25 |
| Lord Beaconsfield..... | 25 |

MELON, WATER.

| | Pkt. | Oz. | ¼ lb. |
|----------------------|--------|--------|--------|
| Dark Icing..... | \$0 05 | \$0 10 | \$0 25 |
| Hungarian Honey..... | 5 | 10 | 25 |
| Ice Cream | 5 | 10 | 25 |
| Mountain Sweet..... | 5 | 10 | 25 |

MUSHROOM SPAWN.

| | Lb. | 10 lb. | 100 lb. |
|--------------------|--------|--------|---------|
| English Spawn..... | \$0 12 | \$1 00 | \$9 00 |
| French Spawn..... | 35 | 3 00 | |

MUSTARD.

| | Pkt. | Oz. | ¼ lb. |
|----------------------------|--------|--------|--------|
| Giant Southern Curled..... | \$0 05 | \$0 10 | \$0 25 |
| White American..... | 5 | 5 | 15 |
| White London | 5 | 5 | 15 |

NASTURTIUM.

| | Pkt. | Oz. | ¼ lb. |
|------------------------------|--------|--------|--------|
| Dwarf Mixed. Tom Thumb | \$0 05 | \$0 10 | \$0 30 |
| Tall Mixed..... | 5 | 10 | 30 |

ONION.

| | Pkt. | Oz. | ¼ lb. |
|------------------------------|--------|--------|--------|
| Adriatic Barletta..... | \$0 05 | \$0 25 | \$0 70 |
| Early White Nocera..... | 5 | 35 | 85 |
| Giant White Tripoli | 5 | 20 | 60 |
| Large White Portugal..... | 5 | 25 | 80 |
| Large Red Wethersfield | 5 | 15 | 50 |
| Mammoth White Garganus..... | 10 | 25 | 70 |
| Queen..... | 5 | 25 | 70 |
| Southport Yellow Globe | 5 | 20 | 60 |
| Southport White Globe | 10 | 30 | 85 |
| Southport Red Globe..... | 5 | 20 | 60 |
| White Mammoth Flat..... | 10 | 30 | 1 00 |
| Yellow Danvers..... | 5 | 15 | 50 |
| Yellow Globe Danvers..... | 10 | 25 | 75 |
| Prize Taker..... | 10 | 20 | 60 |
| Yellow Strasburg..... | 5 | 15 | 50 |
| Zittau Giant Yellow..... | 10 | 30 | 1 00 |

For Onion Sets, see Roots.

OKRA, OR GOMBO.

| | Pkt. | Oz. | ¼ lb. |
|--------------------------|--------|--------|--------|
| Dwarf Green..... | \$0 05 | \$0 10 | \$0 20 |
| New Dwarf Prolific | 5 | 10 | 20 |
| White Velvet..... | 5 | 10 | 20 |

PARSNIP.

| | Pkt. | Oz. | ¼ lb. | 1b. |
|-------------------|--------|--------|--------|--------|
| Early Round..... | \$0 05 | \$0 10 | \$0 25 | \$0 75 |
| Hollow Crown..... | 5 | 10 | 20 | 55 |
| Long White | 5 | 10 | 20 | 50 |

PARSLEY.

| | Pkt. | Oz. | $\frac{1}{4}$ lb. |
|-------------------------------------|--------|--------|-------------------|
| Beauty of the Parterre | \$0 05 | \$0 15 | \$0 40 |
| Extra Curled | 5 | 10 | 30 |
| Extra Double Curled | 5 | 10 | 30 |
| Hamburg, or Rooted | 5 | 10 | 25 |
| Plain | 5 | 10 | 25 |

PEAS.*EXTRA EARLY PEAS.*

| | Qt. | Pk. |
|--|--------|--------|
| Alaska | \$0 25 | \$1 25 |
| Alpha | 25 | 1 25 |
| Daniel O'Rourke Improved | 25 | 1 25 |
| Extra Early; Kinny's Best | 35 | 1 75 |
| First and Best | 25 | 1 25 |

EARLY AND MEDIUM.

| | Qt. | Pk. |
|-------------------------------------|--------|--------|
| Advancer | \$0 25 | \$1 25 |
| Champion of England | 25 | 1 25 |
| Everbearing | 30 | 1 75 |
| Horsford Market Garden | 25 | 1 25 |
| Heroine | 30 | 1 25 |
| McLean's Advancer | 25 | 1 25 |
| Maud S. | 25 | 1 25 |
| Shropshire Hero | 25 | 1 25 |
| Yorkshire Hero | 30 | 1 50 |

MAIN AND LATE CROP PEAS.

| | Qt. | Pk. |
|-----------------------------------|--------|--------|
| Black-Eyed Marrowfat | \$0 20 | \$0 75 |
| Stratagem | 30 | 1 00 |
| Telegraph | 30 | 1 00 |
| Telephone | 35 | 1 00 |

DWARF VARIETIES.

| | Qt. | Pk. |
|----------------------------------|--------|--------|
| American Wonder | \$0 30 | \$1 50 |
| Chelsea | 30 | 1 75 |
| Excelsior | 30 | 1 75 |
| McLean's Little Gem | 25 | 1 50 |
| Premium Gem | 25 | 1 50 |

PUMPKIN.

| | Pkt. | Oz. | $\frac{1}{4}$ lb. |
|------------------------------|--------|--------|-------------------|
| Improved Cushaw | \$0 05 | \$0 10 | \$0 20 |
| Large Cheese | 5 | 10 | 20 |
| Mammoth Potiron | 5 | 10 | 20 |
| Mammoth Tours | 5 | 10 | 20 |
| Red Etampes | 5 | 15 | 30 |

PEPPER.

| | Pkt. | Oz. | $\frac{1}{4}$ lb. |
|-------------------------------|--------|--------|-------------------|
| Bullnose | \$0 05 | \$0 25 | \$0 75 |
| Golden Queen | 5 | 25 | 75 |
| Long Red Cayenne | 5 | 25 | 75 |
| Ruby King | 5 | 25 | 75 |
| Red Cherry | 5 | 25 | 75 |
| " Chili | 5 | 30 | 90 |
| Sweet Spanish | 5 | 25 | 75 |
| " Mountain | 5 | 25 | 75 |

RADISH.

| | Pkt. | Oz. | $\frac{1}{4}$ lb. | Lb. |
|--|--------|--------|-------------------|--------|
| Long White Naples..... | \$0 05 | \$0 10 | \$0 25 | \$0 75 |
| " Purple Rose..... | 5 | 10 | 25 | 75 |
| " Black Corsican..... | 5 | 10 | 25 | 75 |
| Olive-Shaped Deep Scarlet..... | 5 | 10 | 20 | 60 |
| " White..... | 5 | 10 | 20 | 60 |
| " French Breakfast.... | 5 | 10 | 20 | 60 |
| Round Scarlet China..... | 5 | 10 | 20 | 60 |
| Round White Munich..... | 5 | 10 | 25 | 75 |
| Turnip, Early French Deep Scarlet | 5 | 10 | 20 | 60 |
| Turnip, Early French Scarlet, White Tipped Forcing..... | 5 | 10 | 20 | 60 |
| Turnip, Early Prussian Scarlet, Globe Shaped..... | 5 | 10 | 20 | 60 |
| Turnip, Early White, or Box..... | 5 | 10 | 20 | 60 |
| " Yellow Summer..... | 5 | 10 | 25 | 75 |
| " Golden "..... | 5 | 10 | 30 | 1 00 |
| White Strasburg "..... | 5 | 10 | 20 | 60 |
| Winter Round Black Spanish.... | 5 | 10 | 20 | 60 |
| " Large White Spanish.... | 5 | 10 | 20 | 50 |

RHUBARB.

| | Pkt. | Oz. | $\frac{1}{4}$ lb. |
|---------------|--------|--------|-------------------|
| Linnæus..... | \$0 05 | \$0 20 | \$0 50 |
| Victoria..... | 5 | 20 | 50 |

SALSIFY, OR OYSTER PLANT.

| | Pkt. | Oz. | $\frac{1}{4}$ lb. |
|------------------------------|--------|--------|-------------------|
| Long White French..... | \$0 05 | \$0 10 | \$0 40 |
| Mammoth Sandwich Island..... | 5 | 15 | 50 |

SCORZONERA.

| | Pkt. | Oz. | $\frac{1}{4}$ lb. |
|------------------|--------|--------|-------------------|
| Scorzonera | \$0 05 | \$0 20 | \$0 60 |

SCOLYMUS.

| | Pkt. | Oz. | $\frac{1}{4}$ lb. |
|---------------|--------|--------|-------------------|
| Scolymus..... | \$0 05 | \$0 20 | \$0 60 |

SWISS CHARD.

| | Pkt. | Oz. | $\frac{1}{4}$ lb. | Lb. |
|---------------------|--------|--------|-------------------|--------|
| Swiss Chard | \$0 05 | \$0 10 | \$0 20 | \$0 50 |
| Yellow Cutting..... | 5 | 10 | 20 | 50 |

SPINACH.

| | | Oz. | $\frac{1}{4}$ lb. |
|-------------------------|--|--------|-------------------|
| Lettuce-Leaved | | \$0 10 | \$0 15 |
| Long Standing..... | | 10 | 15 |
| New Zealand Summer..... | | 10 | 30 |
| Prickly..... | | 10 | 15 |
| Round-Leaved | | 10 | 15 |
| Round Viroflay..... | | 10 | 15 |

SORREL.

| | Pkt. | Oz. | $\frac{1}{4}$ lb. |
|-------------------------------------|--------|--------|-------------------|
| Broad-Leaved French Belleville..... | \$0 05 | \$0 15 | \$0 40 |

SQUASH.

| | Pkt. | Oz. | $\frac{1}{4}$ lb. |
|-------------------------------|--------|--------|-------------------|
| Boston Marrow..... | \$0 05 | \$0 10 | \$0 20 |
| Early Golden Bush..... | 5 | 10 | 20 |
| Early White Scallop Bush..... | 5 | 10 | 20 |
| Early Mammoth White Bush..... | 5 | 10 | 20 |
| Ford Hook..... | 5 | 10 | 20 |

SQUASH.—Continued.

| | Pkt. | Oz. | $\frac{1}{4}$ lb. |
|------------------------------------|--------|--------|-------------------|
| Golden Custard | \$0 05 | \$0 10 | \$0 20 |
| Giant Summer Crookneck | 5 | 10 | 20 |
| Hubbard | 5 | 10 | 20 |
| Pineapple | 5 | 10 | 20 |
| Perfect Gem | 5 | 10 | 20 |
| Pike's Peak (The Sibley) | 5 | 10 | 20 |
| Summer Crookneck | 5 | 10 | 20 |
| Turban | 5 | 10 | 20 |
| Winter Crookneck | 5 | 10 | 20 |

TOMATO.

| | Pkt. | Oz. |
|-----------------------------------|--------|--------|
| Acme | \$0 10 | \$0 25 |
| Atlantic Prize | 10 | 25 |
| Beauty (Livingston) | 10 | 25 |
| Dwarf Champion | 10 | 25 |
| Favorite (Livingston) | 10 | 25 |
| Ignotum | 10 | 25 |
| Lorillard | 10 | 25 |
| Mikado | 10 | 25 |
| Ponderosa | 10 | 50 |
| Perfection (Livingston) | 10 | 25 |
| Red Cherry | 10 | 25 |
| Trophy | 10 | 25 |

TURNIP.

| | Pkt. | Oz. | $\frac{1}{4}$ lb. |
|--------------------------------------|--------|--------|-------------------|
| Extra Early Milan | \$0 05 | \$0 10 | \$0 30 |
| Early Snowball | 5 | 10 | 20 |
| Early Dutch | 5 | 10 | 20 |
| Purple-Top Munich | 5 | 10 | 30 |
| Red-Top Strap-Leaf | 5 | 10 | 20 |
| Ruta Baga, or Swede Turnip | 5 | 10 | 20 |

| SEEDS OF POT, SWEET AND MEDICINAL HERBS | | | |
|---|--|--|--------|
| Anise (Pimpinella Anisum) | | | \$0 05 |
| Basil, Dwarf, or Bush (Ocimum Basilicum) | | | 5 |
| Basil, Sweet | | | 5 |
| Burnett | | | 10 |
| Borage (Borago officinalis) | | | 5 |
| Caraway (Carum Carui) | | | 5 |
| Catnip (Nepeta Cataria) | | | 10 |
| Coriander (Coriandrum sativum) | | | 5 |
| Dill (Anethum graveolens) | | | 5 |
| Fennel, Sweet (Foeniculum vulgare) | | | 5 |
| Horehound (Marrubium vulgare) | | | 5 |
| Hyssop (Hyssopus officinalis) | | | 5 |
| Lavender (Lavendula Spica) | | | 5 |
| Marigold, Pot (Calendula officinalis) | | | 5 |
| Marjoram, Pot (Origanum vulgare) | | | 10 |
| " Sweet (Majorana hortensis) | | | 5 |
| Orach | | | 5 |
| Purslain (Portulaca oleracea) | | | 5 |
| Rosemary (Rosmarinus officinalis) | | | 10 |
| Rue (Ruta graveolens) | | | 5 |
| Sage, Common (Salvia officinalis) | | | 5 |
| Savory, Summer (Satureja hortensis) | | | 5 |
| " Winter (" montana) | | | 5 |
| Skirret | | | 5 |
| Tansy (Tancetum vulgare) | | | 5 |
| Tarragon, Russian (Artemisia Dracunculus) | | | 5 |
| Thyme, Broad-Leaved English | | | 5 |
| " French (Thymus vulgaris) | | | 5 |
| Wormwood (Artemisia Absinthium) | | | 5 |
| Woodruff (Asperula odorata) | | | 10 |

Collection of 6 best kinds, my selection, 25c.

" 12 " " 50c.

VEGETABLE ROOTS AND TUBERS.

| | Per 1000 |
|--|-------------------|
| Asparagus Roots, Conover's Colossal | \$5 00 |
| " Palmetto..... | 6 00 |
| " Barr's Mammoth..... | 6 00 |
| Chive Plants, 10c. each, \$1.00 per dozen. | |
| | Per doz. Per 100. |
| Cinnamon Vine Roots | \$0 75 \$5 00 |
| Horse Radish Roots. Cut in pieces | 15 50 |
| Jerusalem Artichoke. Fifteen cents per qt.; \$1.00 per peck. | |
| Mint Roots. Ten cents each; \$1.00 per doz. | |
| Qt. | Pk. |
| Onion Sets, Yellow | \$0 25 \$1 25 |
| " White..... | 25 1 50 |
| " " Multiplier | 25 1 25 |
| Shallots | 25 1 50 |
| Garlic Sets, per lb., 25c. | |
| Rhubarb Roots, 20c. each; \$2.00 per doz. | |
| Tarragon Plants, 30c. each; \$3.00 per doz. | |

POTATOES.

| | ½ Pk. | Bush. | Bbl. |
|-------------------------------|--------|--------|--------|
| Beauty of Hebron | \$0 40 | \$1 75 | \$4 25 |
| Carman No. 3 | 40 | 1 75 | 4 25 |
| Early Puritan | 40 | 1 75 | 4 25 |
| " Maine..... | 40 | 1 75 | 4 25 |
| " Rose | 40 | 1 75 | 4 25 |
| St. Patrick | 40 | 1 75 | 4 25 |
| White Elephant | 40 | 1 75 | 4 25 |

GRASS AND CLOVER SEEDS.

| | Qt. | Pk. | Bush. |
|--|--------|--------|-------|
| Manda's Universal Lawn Seed Mixture ...\$0 25 | \$1 25 | \$4 50 | |
| Central Park Lawn Grass Mixture | 20 | 1 15 | 3 50 |
| Pasture Grass Mixture | | | 2 25 |
| Golf Link Mixture (Manda's) | | | 5 50 |

GRASS SEEDS.

(PRICES SUBJECT TO CHANGE.)

| | Per 1b. |
|--|---------|
| Awnless Brome Grass (Bromus inermis) | \$0 18 |
| Creeping Bent Grass (Agrostis stolonifera) | 25 |
| Crested Dog's Tail (Cynosurus cristatus) | 40 |
| English Rye Grass (Lolium perenne) | 10 |
| Fine Leaved Sheep's Fescue (Festuca Ovina tenuifolia) | 35 |
| Hard Fescue (Festuca duriuscula) | 25 |
| Italian Rye Grass (Lolium Italicum) | 10 |
| Kentucky Blue Grass (Poa pratensis) | 11 |
| " " " Extra choice..... | 15 |
| Meadow Fescue (Festuca pratensis) | 18 |
| " Foxtail (Alopecurus pratensis)..... | 30 |
| " Soft, or Velvet Grass (Holcus lanatus)..... | 22 |
| Orchard Grass (Dactylis glomerata) | 14 |
| " " " Choice..... | 18 |
| Red or Creeping Fescue (Festuca rubra) | 30 |
| Red Top Grass (Agrostis vulgaris) | 10 |
| " " " Extra choice, recleaned..... | 18 |
| Rhode Island Bent Grass (Agrostis canina) | 35 |
| Rough Stalked Meadow Grass (Poa trivialis) | 40 |

GRASS SEEDS.—Continued.

Per lb.

| | |
|---|--------|
| Sheep's Fescue (Festuca Ovina)..... | \$0 25 |
| Tall Meadow Fescue (Festuca elatior) | 30 |
| " " Oat Grass (Avena elatior)..... | 25 |
| Timothy, or Herd Grass (Phleum pratense)..... | 10 |
| Various Leaved Fescue (Festuca Heterophylla)..... | 30 |
| Wood Meadow Grass (Poa Nemoralis)..... | 50 |

CLOVERS.

(PRICES SUBJECT TO CHANGE.)

Per lb.

| | |
|---|--------|
| Alfalfa, or Lucerne (Medicago sativa) | \$0 18 |
| Alsike, or Hybrid Clover (Trifolium hybridum)..... | 22 |
| Bokhara Clover (Melilotus leucantha)..... | 30 |
| Mammoth Red, or Pea Vine Clover (Trifolium pratense perenne)..... | 15 |
| Red Clover, Medium (Trifolium pratense) | 14 |
| Scarlet Clover (Trifolium incarnatum) | 12 |
| Sainfoin (Onobrychis sativa)..... | 10 |
| Trefoil, Yellow or Hop Clover (Medicago lupulina)..... | 25 |
| White Clover (Trifolium repens)..... | 25 |

CEREALS AND AGRICULTURAL SEEDS.

(PRICE ON APPLICATION.)

PALM SEEDS.

(PRICE ON APPLICATION.)

EVERGREEN AND DECIDUOUS TREE AND SHRUB SEEDS.

(PRICE ON APPLICATION.)

FLOWER SEEDS.**ANNUAL FLOWER SEEDS.**

| | Per pkt. | Oz. |
|--|----------|--------|
| <i>Abronia umbellata</i> | \$0 05 | |
| " <i>grandiflora</i> | 5 | |
| <i>Ageratum conspicuum</i> | 5 | |
| " <i>Lasseuxi</i> | 5 | |
| " <i>Mexicanum</i> | 5 | \$0 40 |
| " " <i>album</i> | 5 | 50 |
| " " <i>Dwarf Blue</i> | 5 | 60 |
| " " <i>Dwarf White</i> | 5 | 60 |
| " " <i>Little Dorrit</i> | 10 | 1 00 |
| <i>Alonsoa grandiflora</i> | 5 | |
| " " <i>alba</i> | 5 | |
| " <i>linifolia</i> | 5 | |
| " <i>myrtifolia</i> | 5 | |
| " <i>Warscewiczii</i> | 5 | |
| <i>Alyssum maritimum</i> | 5 | |
| " " <i>compactum</i> | 5 | |
| <i>Amarantus Abyssinicus</i> | 5 | |
| " <i>bicolor ruber</i> | 5 | |
| " <i>cruentus</i> (Prince's Feather) | 5 | |
| " <i>Henderi</i> | 5 | |
| " <i>melancholicus ruber</i> | 5 | |
| " <i>salicifolius</i> | 5 | |
| " <i>sanguineus nanus</i> | 5 | |
| " <i>tricolor</i> (Joseph's Coat) | 5 | |
| " " <i>giganteus</i> | 5 | |
| " " <i>splendens</i> | 5 | |
| " <i>atrepurpureus</i> | 5 | |
| <i>Manda Fine Mixed</i> | 5 | 20 |
| <i>Anagallis</i> (in varieties)..... | 5 | |
| <i>Asperula setosa azurea</i> | 5 | |

ANNUAL FLOWER SEEDS.—Continued.

Per pkt.

| | | |
|---|-------------------------------|--------|
| Aster Dwarf Queen. | Choice mixed. | \$0 10 |
| " " Pyramidal. | Finest mixed. | 10 |
| " " Chrysanthemum. | Pure white. | 10 |
| " " " | Peach blossom. | 10 |
| " " " | Rose. | 10 |
| " " " | Crimson. | 10 |
| " " " | Fiery scarlet. | 10 |
| " " " | Light blue. | 10 |
| " " " | Dark blue. | 10 |
| " " " | Finest mixed. | 10 |
| " " Victoria. | White (improved). | 10 |
| " " " | Rose. | 10 |
| " " " | Peach blossom. | 10 |
| " " " | Light blue. | 10 |
| " " " | Finest mixed. | 10 |
| " " Crown. (White centre). | . | 10 |
| " " Comet. | White and lilac. | 10 |
| " " " | Carmine. | 10 |
| " " " | Light blue. | 10 |
| " " " | Light blue and white. | 10 |
| " " " | Rose and white. | 15 |
| " " " | White. | 15 |
| " " " | Finest mixed. | 10 |
| " Quilled German. | Pure white. | 5 |
| " " " | White and rose. | 5 |
| " " " | White with red centre. | 5 |
| " " " | Rose and white. | 5 |
| " " " | Dark red. | 5 |
| " " " | Crimson and white. | 5 |
| " " " | Sky-blue and white. | 5 |
| " " " | Violet and white. | 5 |
| " " " | Finest mixed. | 5 |
| " Large Globe-flowered German. | Mixed. | 5 |
| " Branching. | White. | 5 |
| " " " | Pink. | 5 |
| " " " | Crimson. | 5 |
| " " " | Mixed. | 5 |
| " Lilliput-flowered | Choice mixed. | 10 |
| " Schiller. | Choice mixed. | 10 |
| " Princess, pure white or snowball. | Extra fine. | 15 |
| " Mignon, pure white. | Excellent for cutting. | 15 |
| " " Peach Blossom. | Extra fine. | 15 |
| " " Rose. | Very fine. | 10 |
| " " Paeony-flowered Globe or Uhland. | Choice mixed. | 10 |
| " Large Rose flowered. | Choice mixed. | 10 |
| " Victoria. | Pure White. | 10 |
| " " " | Light yellow. | 10 |
| " " " | White, turning to rose. | 10 |
| " " " | White, turning to azure blue. | 10 |
| " " " | Dark scarlet. | 10 |
| " " " | Finest mixed. | 10 |
| " Victoria Needle (Hedgehog). | Choice mixed. | 10 |
| " Washington. | Choice mixed. | 10 |
| " Imbricated Pompon. | Choice mixed. | 10 |
| " Compound Crown (white centre). | Finest mixed. | 10 |
| " Truffaut's Paeony-flowered Perfection. | Snow white | 10 |
| " " " | " Crimson. | 10 |
| " " " | " Red and white. | 10 |
| " " " | " D'rk scarlet. | 10 |
| " " " | " Blood red. | 10 |
| " " " | " Light blue. | 10 |
| " " " | " Black blue. | 10 |
| " " " | " Finest mixed. | 10 |
| " Betteridge's Quilled. | Choice mixed. | 5 |
| " Crown, or Cocardieu (white centre). | Mixed. | 10 |

ANNUAL FLOWER SEEDS.—Continued.

| | | Per pkt. |
|--|---------------------------|----------|
| Aster Pyramidal-flowered. | German. Mixed..... | \$0 10 |
| “ Tall Chrysanthemum. | Pure white..... | 10 |
| “ “ “ | Rose..... | 10 |
| “ “ “ | Rose and White..... | 10 |
| “ “ “ | Cherry Red..... | 10 |
| “ “ “ | Finest mixed..... | 10 |
| “ “ Goliath. | Choice mixed..... | 10 |
| “ “ Giant Emperor. | Choice mixed..... | 10 |
| “ “ Manda's Mixture, | comprising all the types. | 10 |
| Ordinary mixture of leading sorts..... | | 5 |
| One packet of each of the 79 kinds for only..... | | 5 75 |
| Manda's Mixture , all types, per oz..... | | .2 75 |
| Balsam, Double Rose Flowered. | Pure white..... | 10 |
| “ “ “ “ | Pale yellow..... | 10 |
| “ “ “ “ | Flesh color..... | 10 |
| “ “ “ “ | Rose..... | 10 |
| “ “ “ “ | Pomegranate Red.. | 10 |
| “ “ “ “ | Scarlet | 10 |
| “ “ “ “ | Crimson..... | 10 |
| “ “ “ “ | Lilac..... | 10 |
| “ “ “ “ | Violet..... | 10 |
| “ “ “ “ | Fine Mixture..... | 10 |
| “ Double Spotted. | Fine mixture..... | 10 |
| “ Improved Camellia Flowered. | Finest mixed... | 10 |
| “ Carnation, Striped. | Finest mixed..... | 10 |
| “ Dwarf Spotted (<i>atrosanguinea plenissima</i>). | Deep red..... | 10 |
| “ Dwarf Spotted Solferino. | Very fine..... | 10 |
| “ “ Victoria. | Very fine..... | 10 |
| “ Manda's Choicest Mixture of the finest varieties | | 10 |
| “ Ordinary Mixture..... | | 5 |
| One packet of each of the above 18 kinds, for only | | 1 25 |
| Manda's Choicest Mixture , per oz..... | | 1 00 |

| | Per pkt. | Oz. |
|--|----------|--------|
| Bartonia aurea | \$0 05 | \$0 40 |
| “ “ <i>nana</i> | 5 | 75 |
| Beet. Brazilian, golden-veined..... | 5 | 20 |
| “ “ scarlet-veined..... | 5 | 20 |
| “ “ crimson-veined..... | 5 | 20 |
| “ Chilian, scarlet-ribbed..... | 5 | 20 |
| “ “ yellow-ribbed..... | 5 | 20 |
| “ Victoria..... | 5 | 20 |
| Bidens atrosanguinea | 10 | |
| Brachycome iberidifolia | 5 | |
| “ alba..... | 5 | |
| Browallia elata. See Amethyst. | | |
| Calandrinia discolor | 5 | 50 |
| “ speciosa..... | 5 | 30 |
| Calendula officinalis plena | 5 | 25 |
| “ “ “ Nankeen”..... | 5 | 25 |
| “ “ “ Meteor”..... | 5 | 25 |
| “ “ “ Prince of Orange”.... | 5 | 30 |
| “ pluvialis..... | 5 | 30 |
| “ Pongei fl. pl..... | 5 | 50 |
| Calliopsis Atkinsoni. Yellow and brown..... | 5 | |
| “ bicolor marmorata. Yellow and red..... | | |
| “ “ brown..... | 5 | |
| “ “ nana. Dwarf, fine variety, | 5 | |
| “ cardaminifolia bicolor. Handsome, | 5 | |
| “ coronata. Yellow, large-flowered, | | |
| “ very fine..... | 5 | |
| “ Drummondi (<i>basalis picta</i>). Very good variety..... | 5 | |
| “ Manda's Mixture, all colors..... | 5 | |
| One packet of each of the above 6 varieties | | 25 |
| Manda's Choice Mixed | | 35 |

ANNUAL FLOWER SEEDS.—Continued.

| | | Per pkt. | Oz. |
|--|----|----------|-----|
| Candytuft <i>Iberis affinis</i> . Dwarf..... | | \$0 .05 | |
| " " <i>amara</i> | 5 | \$0 .25 | |
| " " <i>coronaria</i> , Rocket..... | 5 | .25 | |
| " " " Empress " | 5 | .75 | |
| " " <i>odorata</i> | 5 | .25 | |
| " " <i>umbellata</i> | 5 | .25 | |
| " " " <i>carnea</i> | 5 | .40 | |
| " " " <i>lilacina</i> | 5 | .30 | |
| " " " <i>carminea</i> | 5 | .40 | |
| " " " Mixed Annual..... | 5 | .25 | |
| Carduus Benedictus..... | | 5 | |
| Castor Oil Plant. See Ricinus. | | | |
| Catch-Fly. See Silene. | | | |
| Celosia Huttoni | | 5 | |
| " Golden Feathered..... | 10 | | |
| " Tall Crimson Feathered..... | 10 | | |
| " <i>cristata</i> . See Cockscomb. | | | |
| Centaurea Cyanus (Corn-flower)..... | | 5 | 30 |
| " " Emperor William..... | 5 | .40 | |
| " " Mixed | 5 | .25 | |
| " " Double Mixed..... | 10 | | |
| Centauridium Drummondii..... | | 5 | |
| Centranthus macrosiphon..... | | 5 | 30 |
| " " <i>albus</i> | 5 | .30 | |
| " " <i>nanus</i> | 5 | .30 | |
| Chrysanthemum coronarium. White | | 5 | 40 |
| " " Yellow | 5 | .40 | |
| " tricolor. Single white... | 5 | .40 | |
| " " luteum. Single yellow | 5 | .40 | |
| " " atrococcineum..... | 5 | .40 | |
| " " Single Eclipse..... | 5 | .75 | |
| " " Burridgeanum | 5 | .40 | |
| " multicaule | 5 | | |
| " inodorum. Double | 10 | | |
| " " Collection 6 va- rieties | 35 | | |
| " " Collection 12 va- rieties | 60 | | |
| Clarkia elegans | | 5 | 30 |
| " pulchella..... | 5 | .30 | |
| Cockscomb, Empress. Dwarf Crimson..... | | 10 | |
| " Dwarf Crimson..... | 5 | | |
| " Queen of Dwarfs | 10 | | |
| " Glasgow Prize | 10 | | |
| " Japan Scarlet..... | 5 | | |
| " Japan Golden..... | 10 | | |
| " Mixed..... | 5 | 1 00 | |
| Collinsia, bicolor | | 5 | 25 |
| Collomia, coccinea..... | | 5 | 25 |
| " grandiflora..... | 5 | .25 | |
| Convolvulus tricolor..... | | 5 | 25 |
| " " White | 5 | .25 | |
| " " unicaulis..... | 5 | .25 | |
| " " Crimson violet..... | 5 | .25 | |
| " " Rose | 5 | .25 | |
| " " Mixed..... | 5 | .25 | |
| Corn Flower. See Centaurea Cyanus..... | | | |
| Cosmos. Mammoth white..... | | 10 | |
| " " Pink..... | 10 | | |
| " " Crimson..... | 10 | | |
| " Manda's Mixture..... | 10 | | |
| Delphinium cardiopetalum | | 5 | 40 |

ANNUAL FLOWER SEEDS.—Continued.

| | Per pkt. | Oz. |
|---|----------|--------|
| Eschscholtzia Californica | \$0 05 | \$0 40 |
| " " <i>alba</i> | 5 | 40 |
| " " <i>Rose Cardinal</i> | 10 | |
| " <i>crocea</i> | 5 | 40 |
| " " <i>plena</i> | 5 | 75 |
| " <i>tenuifolia</i> | 5 | 50 |
| " <i>Mandarin</i> | 5 | 60 |
| " <i>Mixed</i> | 5 | 40 |
| Eucharidium grandiflorium | 5 | |
| Euphorbia marginata | 5 | 30 |
| Four o'clock Hybrid | 5 | 20 |
| " " <i>longiflora alba</i> | 5 | 25 |
| " " <i>Variegated-leaved</i> | 5 | 20 |
| " " <i>Tom Thumb White</i> | 5 | 30 |
| " " " <i>Mixed</i> | 5 | 30 |
| Gaillardia amblyodon | 5 | |
| " <i>picta</i> | 5 | |
| " " <i>Lorenziana</i> | 5 | 50 |
| " " <i>Mixed</i> | 5 | 40 |
| Gamolepis tagetes | 5 | |
| Gaura Lindheimeriana | 5 | 40 |
| Gentiana campestris | 10 | |
| " <i>crinita</i> | 25 | |
| Gilia capitata | 5 | |
| " <i>tricolor</i> | 5 | |
| Godetia rubicunda splendens | 5 | |
| " <i>Princess of Wales</i> | 5 | |
| " <i>Lady Satin Rose</i> | 5 | |
| " <i>The Bride</i> | 5 | |
| " <i>Duchess of Albany</i> | 5 | |
| " <i>Lady Albemarle</i> | 5 | |
| " <i>Lindleyana</i> | 5 | |
| " <i>Bijou</i> | 5 | |
| " <i>Whitneyi</i> | 5 | |
| " " <i>Brilliant</i> | 5 | |
| " <i>Schamini</i> | 5 | |
| " <i>Mixed</i> | 5 | 30 |
| Hawkweed. Bearded | 5 | |
| " <i>Red</i> | 5 | |
| " <i>White</i> | 5 | |
| " <i>Mixed</i> | 5 | 40 |
| Hunnemannia fumariæfolia | 5 | |
| Jacobæa White Senecio | 5 | |
| " <i>Purple Senecio</i> | 5 | |
| " <i>Mixed</i> | 5 | 40 |
| Joseph's Coat. See Amarantus. | | |
| Kaulfussia amellioides | 5 | |
| " " <i>atrovilacea</i> | 5 | |
| " " <i>kermesina</i> | 5 | |
| " " <i>Mixed</i> | 5 | 60 |
| Larkspur— | | |
| Dwarf German Rocket (Hyacinth-flowered). Mixed | 5 | |
| Giant Hyacinth-flowered. Choice mixed. | 5 | |
| Tall German Rocket. Choice mixed. Tall varieties | 5 | |
| Stock-flowered, Tall Branching. Finest mixed, | 5 | |
| Ranunculi-flowered. Mixed. Choice double, | 5 | |
| Dwarf Candelabrum-formed. Finest mixed... | 10 | |
| Emperor. Splendid mixture. Fine strain.. | 5 | |
| Manda's Mixture of the above varieties. | 5 | |
| One packet of each of above 8 varieties for | | |
| Manda's Mixture of all types. | 40 | |
| Lavatera trimestris. | 5 | 50 |
| " " <i>alba</i> | 5 | |
| " " <i>Mixed</i> | 5 | 30 |

ANNUAL FLOWER SEEDS.—Continued.

| | Per pkt. | Oz. |
|---|----------|----------|
| Limnanthes Douglasii | \$0.05 | |
| Linum grandiflorum rubrum | 5 | \$0.20 |
| Lobelia Erinus (gracilis) | 5 | |
| " " <i>speciosa</i> | 10 | |
| " " <i>alpa</i> | 10 | |
| " " <i>Kermesina</i> | 5 | |
| " " <i>Lindleyana</i> | 5 | |
| " " <i>Paxtoniana</i> | 10 | |
| " " <i>erecta</i> , "Crystal Palace"..... | 10 | |
| " " Royal purple..... | 10 | |
| " " Mixed..... | 5 | .75 |
| " Six varieties, collection..... | | .40 |
| Lotus Jacobaeus | 5 | |
| " <i>tetragonolobus</i> | 5 | .20 |
| Love-Lies-Bleeding | 5 | .20 |
| Love-in-a-Mist | 5 | .25 |
| " White double..... | 5 | .30 |
| " Blue Spanish..... | 5 | .30 |
| " White Spanish..... | 5 | .30 |
| " Mixed Spanish..... | 5 | .25 |
| Lupinus , Mixed Annual..... | 5 | .20 |
| Malope, Grandiflora | 5 | |
| " " <i>alba</i> | 5 | |
| " " Mixed..... | 5 | .20 |
| African Marigold — | | Pkt. |
| Erecta fl. pleno aurea , tall orange..... | | \$0.05 |
| " " " <i>sulphurea</i> , tall lemon..... | 5 | |
| " " " <i>fistulosa aurea</i> , yellow quilled..... | 5 | |
| " " " <i>sulphurea</i> , quilled, sulphur color..... | 5 | |
| " " " <i>nana aurea</i> , dwarf yellow..... | 5 | |
| " " " <i>sulphurea</i> , dwarf sulphur..... | 5 | |
| " Tall African Sorts, fine mixed..... | | 5 |
| " Dwarf, " " " " | | 5 |
| Manda's Choice Mixed , per oz..... | | .50 |
| French Marigold — | | |
| Patula fl. pl. aurea , orange..... | | 5 |
| " " " <i>pumila</i> , semi-dwarf..... | | 5 |
| " " " <i>pulchra</i> , yellow and brown..... | | 5 |
| " " " <i>ranunculoides</i> , dark brown..... | | 5 |
| " " " <i>striata</i> , yellow and brown striped..... | | 5 |
| " " " <i>nana</i> , dwarf crown..... | | 5 |
| " " " " <i>aurea</i> , very fine..... | | 5 |
| " " " " <i>fistulosa</i> | | 5 |
| " " " " <i>grandifl.</i> , new large flowering..... | | 10 |
| " " " " <i>pulchella</i> , very fine..... | | 5 |
| " " " " <i>striata</i> , dwarf striped..... | | 5 |
| " " " " <i>sulphurea</i> , fine | | 5 |
| " Tall Double French Mixed..... | | 5 |
| " Dwarf, " " " " | | 5 |
| Manda's Finest Mixture of all the above..... | | 5 |
| One packet of each of the above 25 varieties for..... | 1.00 | |
| Manda's Choice Mixed , per oz..... | | .50 |
| Mimulus tigrinus grandiflorus | | .25 |
| Mourning Bride . See Scabiosa | | |
| Musk Plant | | .10 |
| " " New Compact..... | | .10 |
| Nasturtium — | | Per Pkt. |
| Tom Thumb (nanum) Dwarf Aurora , new..... | | \$0.05 |
| " " <i>Beauty</i> , yellow and scarlet..... | | 5 |
| " " <i>Coccineum</i> , scarlet extra..... | | 5 |
| " " <i>Atropurpureum</i> , dark crimson..... | | 5 |
| " " <i>Cœruleo-roseum</i> , very fine..... | | 5 |
| " " <i>Crystal Palace Gem</i> , extra fine..... | | 5 |
| " " <i>Empress of India</i> , dark leaved..... | | 5 |

ANNUAL FLOWER SEEDS.—Continued.

| | Per pkt. | Oz. |
|---|----------|-----|
| Tom Thumb <i>Golden King</i> , fine yellow form . . . | \$0 05 | |
| “ “ <i>King of Tom Thumbs</i> | 5 | |
| “ “ <i>King Theodore</i> , very dark..... | 10 | |
| “ “ <i>Lady Bird</i> | 5 | |
| “ “ <i>Luteum</i> , yellow..... | 5 | |
| “ “ <i>Pearl</i> , white | 5 | |
| “ “ <i>Rose</i> , very fine | 5 | |
| “ “ <i>Ruby King</i> , very fine..... | 5 | |
| “ “ <i>Scheuerianum Coccineum</i> | 5 | |
| “ “ <i>Spotted</i> | 5 | |
| “ “ finest mixture..... | 5 | |
| Manda's Choice Mixture of all above sorts... . . . | 5 | |
| Manda's Mixture , Tall or Dwarf..... | 15 | |
| Nemesia compacta alba | \$0 05 | |
| “ “ <i>cœrulea</i> | 5 | |
| Nemophila atomaria | 5 | 20 |
| “ “ <i>oculata</i> | 5 | |
| “ <i>discoidalis</i> | 5 | |
| “ <i>insignis</i> | 5 | 20 |
| “ “ <i>alba</i> | 5 | |
| “ <i>marginata</i> | 5 | |
| “ <i>maculata</i> | 5 | 20 |
| “ Mixed..... | 5 | 20 |
| Nicotiana affinis | 5 | |
| “ <i>colossea</i> | 30 | |
| Nigella . See Love-in-a-Mist. | | |
| Oxyura chrysanthemoides | 5 | |
| Palafoxia Hookeriana | 5 | |
| Palava flexuosa | 5 | |
| Pansies, Show— | Pkt. | |
| Manda's Finest Mixture , extra selected strain..... | \$0 50 | |
| Extra fine choice mixed , good useful mixture | 25 | |
| Ordinary mixture of standard varieties | 10 | |
| Odier , extra choice large blotched flowers..... | 25 | |
| Cassier , very large flowered, fine..... | 25 | |
| Bugnot's superb fine strain | 50 | |
| Superb mixture of the Odier, Cassier, and Bugnot's strains | 25 | |
| English choice mixture for general purpose | 25 | |
| French fine strain of choice and bright colors | 25 | |
| Trimardeau , or Giant Pansies , enormous flowers, extra | 25 | |
| One packet of each of the above 10 kinds for... . . . | 1 85 | |
| Manda's finest mixture , per oz..... | 8 00 | |
| Pansies, Bedding— | Pkt. | |
| Cliveden , purple, white and yellow, excellent varieties for bedding..... | \$0 15 | |
| Azure Blue , choice extra fine..... | 15 | |
| King of the Blacks (Dr. Faust) , very dark variety..... | 15 | |
| Black Blue (dark blue) , fine strain..... | 15 | |
| Snow Queen , candidissima, delicate satiny white.... | 15 | |
| Light Blue , sky-blue..... | 15 | |
| Lord Beaconsfield , very effective..... | 15 | |
| Red Shades mixed , extra fine..... | 15 | |
| Yellow , fine rich color for bedding..... | 15 | |
| Pure White , good form and clear color..... | 15 | |
| Gold Margined , splendid variety | 15 | |
| Silver Edged (Atropurpurea albomarginata) , charming..... | 25 | |
| Violet margined with white , extra fine | 15 | |
| Manda's Mixture of Bedding Pansies , best varieties, . . . | 15 | |
| One packet of each of the above 16 varieties for... . . . | 1 75 | |
| One packet of each Show and Bedding kinds, 26 packets, for..... | 3 25 | |
| Manda's finest mixture | 1 25 | |

ANNUAL FLOWER SEEDS.—Continued.

| | Per Pkt. | Oz. |
|--|----------|--------|
| Perilla Nankinensis | \$0 05 | \$0 20 |
| " <i>lacinata</i> | 5 | 30 |
| Petunia hybrida. Large flowered— | | |
| Hybrida. Mixed very fine quality..... | 5 | |
| " Finest mixed first quality..... | 10 | |
| " <i>alba</i> . Pure white, very fine..... | 10 | |
| " <i>Inimitable</i> . Striped and blotched.... | 25 | |
| " " <i>Dwarf</i> | 25 | |
| " <i>intus aurea</i> . Yellow throat, fine..... | 25 | |
| " <i>kermesina</i> . Crimson, fine..... | 25 | |
| " <i>venosa</i> . Veined varieties, extra | 10 | |
| Petunia, Large-Flowering. Choice..... | 10 | |
| Grandiflora alba. White, very beautiful.... | 25 | |
| " Single Large-Flowering. Superb, Mixed..... | 25 | |
| " Petunia Fringed. Large-Flowering.. | 25 | |
| " Fimbriata alba. Pure white..... | 25 | |
| " " Single Fringed. Superb, Mixed..... | 25 | |
| Double Lilliput (nana compacta multiflora fl. pl.) .. | 75 | |
| " Large-Flowered (grandifl. fl. pl.)..... | 75 | |
| " Fringed Large-Flowered (grandifl.fimbriata fl. pl.) | 75 | |
| Manda's Choicest Mixture of the above varieties | 20 | |
| One Packet of each of above 18 varieties.. | 4 | 50 |
| Phlox Drummondii— | | |
| Alba. Pure white..... | 10 | |
| Alba flore plena. Very fine..... | 10 | |
| Atropurpurea (Black Warrior). Blood purple.. | 10 | |
| Brilliant. Very effective..... | 10 | |
| Fimbriata. Finest mixed..... | 10 | |
| Lutea fl. pleno , double yellow | 10 | |
| Rosea. Pure rose..... | 10 | |
| Grandiflora. Fine mixed..... | 10 | |
| " <i>alba</i> . Pure white..... | 10 | |
| " <i>kermesina splendens</i> . Vivid crimson, | 10 | |
| Cuspidata. Finest mixed..... | 10 | |
| Graf Gero. Finest mixed..... | 15 | |
| Heynholdi. Choice mixed | 10 | |
| Nana compacta nivea (Snowball). White..... | 10 | |
| " " <i>sanguinea (Fireball)</i> . Extra..... | 10 | |
| " " <i>splendens</i> . Crimson, white eye, | 10 | |
| " " extra fine mixed..... | 10 | |
| Manda's Choice Mixture of the very best sorts, | 10 | |
| Ordinary Mixture | 5 | |
| One of each of the above 19 kinds for only, 1 | 25 | |
| Manda's Choice Mixture | | 75 |
| Pink Dianthus— | | |
| Chinensis. Double Mixed..... | 5 | 50 |
| " Double White..... | 5 | |
| Dentosus Hybridus | 10 | |
| Hedgewegii. Single..... | 5 | 1 00 |
| " Double mixed..... | 10 | 1 50 |
| " <i>diadematus</i> . Double..... | 10 | 1 50 |
| " <i>lacinatus</i> . Single..... | 5 | 75 |
| " " Double mixed..... | 10 | 1 25 |
| Pink, Dianthus imperialis— | | |
| Double mixed..... | 5 | 50 |
| Double dark red..... | 5 | |
| Dwarf double white..... | 5 | |
| " " mixed..... | 5 | 60 |
| Platystemon Californicus | 5 | |

ANNUAL FLOWER SEEDS.—Continued.

| | Per Pkt. | Oz. |
|---|----------|----------|
| Podolepis chrysanthia. | \$0 .05 | |
| " " affinis..... | 5 | |
| " " gracilis..... | 5 | |
| Poppy, Papaver— | | |
| Mephisto..... | 5 | |
| " " " The Shirley."..... | 10 | \$0 .75 |
| " " " Flag of Truce."..... | 10 | 1 .25 |
| Glaucum | 10 | |
| Umbrosum | 5 | |
| Danebrog..... | 5 | |
| Double white..... | 5 | |
| " " fringed..... | 10 | |
| " " scarlet..... | 5 | |
| " " " Mikado"..... | 5 | |
| " " " American Flag"..... | 10 | |
| " " Carnation-flowered,..... | 5 | 20 |
| " " Paeony-flowered | 5 | 20 |
| " " Ranunculus-flowered..... | 5 | 30 |
| 12 Varieties Double Carnation..... | 50 | |
| 12 " Paeony-flowered..... | 50 | |
| 6 " Double Dwarf Paeony-flowered..... | 30 | |
| 6 " Ranunculus-flowered..... | 30 | |
| Portulaca , single mixed..... | 5 | |
| " " double mixed..... | 10 | |
| Primrose, Evening— | | |
| Oenothera <i>bistorta</i> | 5 | |
| " " <i>Drummondii</i> | 5 | |
| " " <i>rosea Mexicana</i> | 5 | 75 |
| " " <i>taraxacifolia alba</i> , or <i>acaulis</i> | 5 | |
| " " mixed annual..... | 5 | 40 |
| Ricinus <i>Borboniensis</i> | 5 | 15 |
| " " <i>Africanus</i> | 5 | |
| " " <i>Gibsoni</i> | 5 | |
| " " <i>macrophyllus</i> | 5 | |
| " " <i>Cambodgensis</i> (dark)..... | 5 | 15 |
| " " <i>cœruleus</i> | 5 | |
| " " <i>macrocarpus</i> | 5 | |
| " " <i>sanguineus</i> | 5 | |
| " " <i>Philippinensis</i> | 5 | |
| " " " <i>purpureus</i> | 5 | |
| " " Mixed..... | 5 | 15 |
| " " 12 varieties; finest sorts..... | 50 | |
| " 6 " " " "..... | 30 | |
| " 3 " " " "..... | 15 | |
| Sanvitalia procumbens fl. pl..... | 5 | |
| Scabiosa candidissima | 5 | |
| " " Double Snowball..... | 5 | |
| " " Mixed Tall..... | 5 | 40 |
| " " Dwarf double mixed..... | 5 | 50 |
| " " 8 varieties dwarf double..... | 35 | |
| " 6 " " " "..... | 30 | |
| " 8 " " " tall, large-flowered..... | 35 | |
| " 6 " " " "..... | 30 | |
| Schizanthus — | | Per Pkt. |
| Grahami , red..... | | \$0 .05 |
| Grandiflorus oculatus , purple..... | | 5 |
| Papilionaceus , purple, with dark violet, yellow, crimson, etc., charming..... | | 5 |
| Pinnatus , blue floriferous..... | | 5 |
| Retusus , red, fine variety..... | | 5 |
| Manda's Choice Mixed , very showy..... | | 5 |
| All colors mixed..... | | 5 |
| One packet of each of the above 7 varieties for..... | | 25 |
| Schizopetalon Walkerii | | 10 |

ANNUAL FLOWER SEEDS.—Continued.

| | | |
|---|----------|---------|
| Senecio elegans. See Jacobaea. | Per Pkt. | Oz. |
| Silene Armeria. | \$0 .05 | |
| " " <i>alba</i> | 5 | |
| " " Mixed..... | 5 | \$0 .20 |
| " <i>pendula</i> | 5 | |
| " <i>ruberrima</i> | 5 | |
| Snapdragon. Delila..... | 5 | |
| " Galathée..... | 5 | |
| " Stripe..... | 5 | |
| " Firefly..... | 5 | |
| " Scarlet..... | 5 | |
| " White..... | 5 | |
| " Yellow..... | 5 | |
| " Mixed..... | 5 | .50 |
| " Fine Dwarf mixed..... | 5 | .50 |
| " Tom Thumb | 5 | 1 .00 |
| " 12 varieties finest tall..... | 50 | |
| " 6" | 30 | |
| Sphenogyne speciosa. | 5 | |
| Spraguea umbellata. | 25 | |
| Stocks— | Per Pkt. | |
| Cut and Come Again. Pure white..... | \$0 .10 | |
| Large-Flowering Dwarf Ten-Week. Pure white..... | 10 | |
| " " " " " Sulphur yellow..... | 10 | |
| " " " " " Brilliant rose..... | 10 | |
| " " " " " Carmine..... | 10 | |
| " " " " " Dark Crimson..... | 10 | |
| " " " " " Blood Red..... | 10 | |
| " " " " " Copper Red..... | 10 | |
| " " " " " Lilac..... | 10 | |
| " " " " " Light Blue..... | 10 | |
| " " " " " Violet..... | 10 | |
| " " " " " Purple Brown..... | 10 | |
| " " " " " Finest mixed..... | 10 | |
| Perpetual Dwarf Ten-Week. Choice mixed..... | 10 | |
| Large-Flowering Pyramidal Ten-Week. Choice mixed .. | 10 | |
| Large-Flowering Dwarf Pyramidal Ten-Week. Finest mixed..... | 15 | |
| Tree, or Giant Ten-Week. Choice mixed..... | 10 | |
| Giant Perfection Ten-Week. Choice mixed..... | 10 | |
| Large-Flowering Wallflower-Leaved Ten-Week. Choice mixed..... | 10 | |
| East Lothian Autumnal. Finest mixed..... | 15 | |
| Large Flowering Emperor. Finest mixed | 15 | |
| Winter, or Biennial Brompton. Finest mixed..... | 10 | |
| Wallflower, Double Tall Tree. Finest mixed | 10 | |
| " Double Tall Branching. Finest mixed..... | 10 | |
| " Double Dwarf Branching. Finest mixed..... | 10 | |
| " Single. Finest mixed..... | 5 | |
| Manda's Mixture of the finest varieties, only..... | 10 | |
| One Packet of each of the above 26 kinds, for only, | 2 | 25 |
| | Per Pkt. | Oz. |
| Sultan, Sweet, purple | \$0 .05 | |
| " " white..... | 5 | |
| " " yellow..... | 5 | |
| " " mixed..... | 5 | |
| Sunflower, Single Russian. | 5 | \$0 .15 |
| " " " Henry Wilde" | 5 | |
| " " " Primrose-colored..... | 5 | |
| " " " macrophyllus giganteus..... | 5 | |
| " " " cucumerifolius..... | 5 | |
| " " " argophyllum (Texas Silver Queen)..... | 5 | |
| " " " California double..... | 5 | .20 |
| " " " Globe-flowered double..... | 5 | .20 |
| " " " Green-centred double..... | 5 | .20 |

ANNUAL FLOWER SEEDS.—Continued.

| | Per pkt. | Oz. |
|--|----------|----------|
| Sunflower, Dwarf double. | \$0 05 | \$0 20 |
| " " variegated foliage..... | 5 | |
| Sweet Peas. See <i>Lathyrus</i> | | |
| Tagetes lucida | 5 | |
| " <i>signata pumila</i> | 5 | |
| Tassel Flower. Scarlet..... | 5 | |
| " Orange..... | 5 | 50 |
| " Mixed..... | 5 | 50 |
| Torenia Fournieri | 25 | |
| " " White Wings..... | 25 | |
| " <i>Bailloni</i> | 25 | |
| Venidium calendulaceum | 5 | |
| Venus' Looking Glass | 5 | 25 |
| " " " White..... | 5 | |
| Vicia Gerardi | 10 | |
| Virginian Stock | 5 | 20 |
| " " White..... | 5 | 20 |
| Viscaria elegans picta | 5 | |
| " <i>oculata</i> | 5 | |
| " " <i>alba</i> | 5 | |
| " Mixed..... | 5 | |
| Whitlavia grandiflora | 5 | 40 |
| " " <i>alba</i> | 5 | 40 |
| " <i>gloxinioides</i> | 5 | 40 |
| Zinnia — | | Per Pkt. |
| Elegans single, pure white | \$0 05 | |
| " " sulphur yellow..... | 5 | |
| " " scarlet..... | 5 | |
| " " golden yellow..... | 5 | |
| " " crimson..... | 5 | |
| " " finest mixed..... | 5 | |
| " fl. pl. Tall Double , pure white..... | 5 | |
| " " sulphur yellow..... | 5 | |
| " " golden yellow..... | 5 | |
| " " flesh..... | 5 | |
| " " rose..... | 5 | |
| " " lilac..... | 5 | |
| " " scarlet..... | 5 | |
| " " crimson..... | 5 | |
| " " purple..... | 5 | |
| " " dark purple..... | 5 | |
| " " finest mixed..... | 5 | |
| " " Double Pompon (Darwini fl. pl.)..... | 5 | |
| " " <i>grandiflora robusta plenissima</i> giant..... | 5 | |
| " " " <i>aurea</i> , golden yellow..... | 10 | |
| " " Lilliput flowered , choice mixed..... | 10 | |
| " " <i>striata</i> , striped (Zebra Zinnia)..... | 10 | |
| Dwarf Double finest mixed | 5 | |
| Tom Thumb , double mixed, excellent..... | 10 | |
| Manda's Choice Mixture of the finest varieties only.. | 5 | |
| One of each of the above 26 varieties for only.... | I | 25 |
| Manda's Choice Mixture , per oz..... | 50 | |
| Verbena — | | Per Pkt. |
| Citriodora (lemon verbena). Fragrant..... | \$0 25 | |
| Hybrida. Good quality, mixed..... | 5 | |
| " Extra choice mixture | 10 | |
| " 1st quality of elite varieties only..... | 10 | |
| " <i>auriculæflora</i> . Choice mixed..... | 10 | |
| " <i>cœrulea</i> . Large flower, sky blue..... | 10 | |
| " <i>purpurea</i> . Violet, white eye.. | 10 | |
| " Black-blue, with white eye | 10 | |
| " <i>candidissima</i> . The purest white..... | 10 | |
| " <i>coccinea</i> . Scarlet, very strong..... | 10 | |
| " <i>cœrulea</i> . Blue shades..... | 10 | |

ANNUAL FLOWER SEEDS.—Continued.

| | Per Pkt. |
|---|------------------|
| Hybrid. Defiance. Scarlet, brilliant for bedding | \$0 10 |
| “ lutea. Yellow, distinct..... | 10 |
| “ striata. Italian carnation-like, striped..... | 10 |
| “ Mammoth. New, large-flowered..... | 25 |
| “ erecta coccinea. Beautiful..... | 10 |
| “ “ Defiance | 10 |
| “ nana candidissima. Very dwarf..... | 10 |
| One Packet of each of the above 18 varieties for | 1 75 |
| | Per Pkt. Oz. |
| Manda's Choice Mixture..... | \$0 10 \$1 75 |

SEEDS OF GREENHOUSE PLANTS.

| | Per Pkt. Oz. |
|---|--------------|
| Abutilon Thompsonii, fol. var..... | \$0 25 |
| “ Firefly..... | 25 |
| “ Mixed hybrids..... | 25 |
| Acacia dealbata..... | 10 |
| “ armata | 10 |
| “ decurrens..... | 10 |
| “ Farnesiana | 5 |
| “ melanoxyton..... | 10 |
| “ mollissima floribunda..... | 25 |
| “ Fine mixed..... | 10 |
| Agapanthus umbellatus..... | 10 |
| Alstroemeria pulchella..... | 10 |
| “ Mixed..... | 10 |
| Angelonia grandiflora..... | 25 |
| Asclepias Curassavica..... | 5 |
| Azalea Hybrida..... | 25 |
| Banana. See <i>Musa</i> . | |
| Begonia. Single Tuberous-rooted..... | 25 |
| “ Double “ “ | 75 |
| “ Rex. Ornamental leaved | 25 |
| “ semperflorens rosea..... | 25 |
| “ “ alba..... | 25 |
| Calceolaria hybrida— | |
| Large-flowered | 25 |
| “ “ Dwarf..... | 25 |
| “ “ Tigered or Spotted..... | 25 |
| “ “ Dwarf Tigered..... | 25 |
| Rugosa (shrubby)..... | 50 |
| Pinnata..... | 10 |
| Scabiosæfolia..... | 5 |
| Calla Æthiopica..... | 10 |
| Camellia Japonica..... | 10 |
| Canna. Dark-leaved..... | 5 \$0 50 |
| “ Fine mixed..... | 5 20 |
| “ Crozy's finest mixed..... | 10 75 |
| Carnation. Common Single..... | 5 60 |
| “ “ Double..... | 10 2 00 |
| “ Double Extra..... | 25 |
| “ Tree or Perpetual, fl. pl..... | 25 |
| “ Rose-leaved..... | 50 |
| “ Grenadine Single..... | 10 |
| “ Red Grenadine Double | 25 |
| “ Self-colored..... | 10 1 50 |
| “ Early Dwarf Vienna | 10 2 00 |
| “ Tall Early Margaret..... | 10 1 50 |
| “ Half Dwarf Margaret | 10 3 00 |
| “ Dwarf Early Margaret..... | 25 6 00 |
| Centaurea Americana | 5 50 |
| “ “ candidissima..... | 25 |
| “ “ Clementei | 10 |
| “ “ gymnocarpa | 10 |

SEEDS OF GREENHOUSE PLANTS.—Continued.

| | Per Pkt. | Oz. |
|--|----------|--------------|
| <i>Chorizema varium</i> | \$0 25 | |
| <i>Chrysanthemum Indicum grandiflorum</i> | 10 | |
| " <i>Japonicum</i> | 10 | |
| " " From Finest flowers | 25 | |
| " <i>pompon</i> | 19 | |
| <i>Cineraria hybrida</i> — | | |
| <i>Hybrida grandiflora</i> . Large flowered, Choice mixed..... | 50 | |
| " " <i>Nana</i> . Dwarf, Fine strain | 50 | |
| " <i>Plenissima</i> . Double. Choice Mixed | 100 | |
| <i>Manda's Choice Mixture</i> of the three strains..... | 50 | |
| One packet of each of the above 4 kinds for | 75 | |
| <i>cineraria maritima</i> | 5 | \$0 50 |
| " <i>candidissima</i> | 5 | 50 |
| <i>Clianthus Damperi</i> | 10 | |
| " <i>puniceus</i> | 10 | |
| <i>Coleus</i> . Fine Hybrids..... | 25 | |
| " 12 varieties | 1 25 | |
| " 6 " | 75 | |
| <i>Commelynna coelestis</i> | 5 | |
| " " <i>alba</i> | 5 | |
| " " <i>variegata</i> | 5 | |
| <i>Coral Plant</i> | 10 | |
| <i>Cordyline australis</i> | 10 | |
| " <i>indivisa lineata</i> | 10 | |
| <i>Cuphea miniata</i> | 5 | |
| " <i>platycentra</i> | 10 | |
| " <i>purpurea</i> | 5 | |
| " <i>eminens</i> | 10 | |
| " <i>Roezlii</i> | 10 | |
| " <i>strigulosa</i> | 10 | |
| <i>Cyclamen</i> — | | Per Pkt |
| <i>Persicum giganteum</i> , finest mixed..... | | \$0 50 |
| " " <i>album</i> . Pure white | 50 | |
| " " <i>atrorubrum</i> . Dark red..... | 50 | |
| " " <i>roseum superbum</i> . Extra fine | 50 | |
| " " <i>sanguineum</i> . Darkest red..... | 50 | |
| " " <i>Manda's choice mixture</i> | 50 | |
| One packet of each of the above 5 varieties for..... | 2 00 | |
| | | Per pkt. Oz. |
| <i>Dahlia</i> . Fine double..... | \$0 10 | \$0 75 |
| " Double Dwarf..... | 10 | |
| " Single; fine strain..... | 10 | 75 |
| " Jules Chretein. Very dwarf..... | 25 | |
| " <i>Cactus Dahlia</i> . Scarlet..... | 25 | |
| " " " White..... | 25 | |
| " 12 varieties, single..... | 100 | |
| " 6 " " | 60 | |
| <i>Echeveria retusa nana</i> | 25 | |
| " <i>secunda</i> | 25 | |
| " <i>metallica</i> | 25 | |
| " <i>superba</i> | 25 | |
| <i>Epacris hybrida superba</i> | 50 | |
| <i>Erica</i> (Heath). Finest mixed..... | 25 | |
| <i>Ferns</i> . Finest mixed..... | 1 25 | |
| <i>Fragaria Indica</i> | 10 | |
| <i>Freesia refacta alba</i> | 10 | |
| <i>Fuchsia procumbens</i> | 50 | |
| " Finest mixed..... | 50 | |
| <i>Gardenia Thunbergii</i> | 25 | |
| <i>Geranium (Zonale)</i> | 10 | \$1 50 |
| " Double scarlet..... | 50 | |

SEEDS OF GREENHOUSE PLANTS.—Continued.

| | | Per Pkt. | Oz. |
|--|--|----------|--------|
| Geranium sanguineum | | \$0 50 | 1/ |
| " apple-scented | | 25 | 1/ |
| Gesnera macrantha | | 50 | 1/ |
| " Extra mixed | | 50 | 1/ |
| Gloxinia hybrida — | | | |
| Mixed | | 50 | 1/ |
| Crassifolia erecta | | 50 | 1/ |
| " <i>horizontalis</i> | | 50 | 1/ |
| grandiflora | | 50 | 1/ |
| " French tigered and spotted | | 50 | 1/ |
| Grevillea robusta | | 10 | 1/ |
| Heliotropium Peruvianum | | 10 | 1/ |
| " Chieftain (dark) | | 10 | 1/ |
| " Voltairianum | | 10 | 1/ |
| " Fine mixed | | 10 | 1/ |
| Humea elegans | | 10 | 1/ |
| " " <i>albida</i> | | 10 | 1/ |
| Impatiens glanduligera | | 5 | 1/ |
| " <i>Sultani</i> | | 25 | 1/ |
| Lantana . Fine mixed | | 5 | 1/ |
| " 6 fine varieties | | 50 | 1/ |
| Lemon Verbena | | 10 | 1/ |
| Malva miniata | | 5 | 1/ |
| Mesembryanthemum cordifolium variegatum | | 25 | 1/ |
| Mimosa pudica . See Sensitive Plant. | | | |
| Nertera depressa | | 25 | 1/ |
| Paris Daisy . See <i>Chrysanthemum frutescens</i> . | | | |
| Pelargonium . Fancy | | 25 | 1/ |
| Picotee . White ground | | 50 | 1/ |
| " Yellow " | | 50 | 1/ |
| " Slate " | | 50 | 1/ |
| " Mixed | | 10 | 1/ |
| " " Extra fine | | 50 | 1/ |
| Pittosporum undulatum | | 10 | 1/ |
| Primula obconica | | 25 | 1/ |
| Primula Sinensis Fimbriata — | | | |
| " <i>Rubra</i> | | 25 | 1/ |
| " Bright red | | 25 | 1/ |
| " <i>Alba</i> | | 25 | 1/ |
| " <i>Punctata atropurpurea</i> | | 25 | 1/ |
| " <i>Cœrulea</i> | | 25 | 1/ |
| " <i>Kermesina splendens</i> | | 25 | 1/ |
| " Mixed | | 25 | 1/ |
| " <i>Filicifolia alba</i> | | 25 | 1/ |
| " <i>rosea</i> | | 25 | 1/ |
| " Mixed | | 25 | 1/ |
| " <i>globosa rubra</i> | | 25 | 1/ |
| " <i>alba</i> | | 25 | 1/ |
| " Finest mixed | | 25 | 1/ |
| " <i>Plena rubra</i> | | 75 | 1/ |
| " <i>alba</i> | | 75 | 1/ |
| " Mixed | | 75 | 1/ |
| Rivinia Humilis | | 10 | 1/ |
| Romneya Coulteri | | 10 | 1/ |
| Salvia patens | | 25 | 1/ |
| " <i>splendens</i> | | 10 | \$1 50 |
| " Bon Fire | | 25 | 1/ |
| Sensitive Plant | | 15 | 75 |
| Smilax | | 10 | 75 |
| Statice sinuata | | 5 | 1/ |
| " <i>candidissima</i> | | 5 | 1/ |
| Stevia serrata | | 10 | 1/ |
| Swainsonia atrococcinea | | 25 | 1/ |
| Tacsonia Van Volxemii | | 25 | 1/ |

SEEDS OF GREENHOUSE PLANTS.—Continued.

| | Per Pkt. | Oz. |
|-------------------------------------|----------|-----|
| <i>Veronica</i> . Mixed..... | \$0 10 | |
| <i>Vinca alba</i> . Pure white..... | 10 | |
| " <i>rosea</i> | 10 | |
| " " <i>alba</i> | 10 | |
| <i>Wigandia Vigieri</i> | 10 | |

SEEDS OF VINES AND CLIMBERS.

| | Per Pkt. | Oz. |
|--|----------|--------|
| <i>Adlumia cirrhosa</i> | \$0 10 | |
| <i>Apois tuberosa</i> | 5 | |
| <i>Aristolochia siphon</i> | 25 | |
| <i>Asparagus verticillatus (elegans)</i> | 10 | |
| <i>Balloon Vine</i> | 5 | \$0 20 |
| <i>Calampelis scabra</i> | 10 | |
| <i>Canary Bird Flower</i> | 5 | 50 |
| <i>Centrosema grandiflora</i> | 25 | |
| <i>Clematis flammula</i> | 5 | |
| " Large-flowering Hybrids..... | 10 | |
| <i>Clitoria ternatea</i> | 10 | |
| " " <i>alba</i> | 10 | |
| <i>Cobea Scandens</i> | 10 | 75 |
| " " <i>alba</i> | 10 | |
| <i>Convolvulus aureus superbus</i> | 10 | 15 |
| " <i>Major (Morning Glory)</i> | 5 | |
| " <i>Mauritanicus</i> | 10 | |
| <i>Cypress Vine</i> . See <i>Ipomoea Quamoclit</i> . | | |
| <i>Dolichos Lablab</i> | 5 | 15 |
| " " <i>alba</i> | 5 | 15 |
| " " <i>gigantea</i> | 5 | |
| " " Mixed..... | 5 | 15 |
| <i>Hedysarum coronarium</i> | 5 | |
| " " <i>album</i> | 5 | |
| <i>Humulus Japonicus</i> | 10 | |
| <i>Ipomoea coccinea</i> | 5 | 20 |
| " " <i>lutea</i> | 5 | 25 |
| " <i>Horsfalliae</i> | 25 | |
| " <i>hederacea grandiflora</i> | 5 | |
| " " <i>marmorata</i> | 5 | |
| " <i>Nil</i> | 5 | |
| " <i>limbata</i> | 5 | 20 |
| <i>Ipomoea Mexicana grandiflora alba</i> | 10 | |
| " " " <i>hybrida</i> | 10 | |
| " <i>bona nox</i> | 5 | 20 |
| " <i>hybrida</i> . " <i>Heavenly Blue</i> "..... | 25 | |
| " <i>Learii</i> | 25 | |
| " <i>rubro-cœrulea</i> | 10 | |
| " " " <i>alba</i> | 10 | |
| " <i>Quamoclit</i> . <i>Cypress Vine</i> | 5 | 30 |
| " " <i>White</i> | 5 | 30 |
| " " <i>Rose</i> | 5 | |
| " " <i>Mixed</i> | 5 | 30 |
| " <i>Ivy-leaved Cypress Vine</i> | 5 | 30 |
| " <i>sinuata</i> | 5 | |
| " <i>pandurata</i> | 10 | |
| " Collection, 12 varieties..... | 50 | |
| <i>Kennedyia Comptoniana</i> | 25 | |
| " <i>Marryattæ</i> | 25 | |
| " <i>rubicunda</i> | 25 | |
| <i>Lathyrus</i> . <i>White Everlasting Pea</i> | 10 | |
| " <i>Scarlet</i> " " | 5 | 50 |
| <i>Lophospermum scandens</i> | 10 | |
| <i>Manettia Vine</i> | 10 | |
| <i>Maurandya antirrhiniflora</i> | 10 | |
| " <i>Barclayana</i> | 10 | |
| " <i>alba</i> | 10 | |

SEEDS OF VINES AND CLIMBERS.—Continued.

| | Per Pkt. | Oz. |
|--|----------|--------------|
| Maurandya Emeryana rosea | \$0 10 | |
| " purpurea grandiflora | 10 | |
| " Mixed | 10 | |
| Mina Lobata | 10 | |
| Moon Flower. See <i>Impomoea Mexicana alba</i> . | | |
| Nasturtium, Tall— | | Per Pkt. Oz. |
| Canariense (Canary Flower), fine..... | \$0 05 | |
| Moritzianum , yellow and scarlet, new..... | 15 | |
| Lobbianum Asa Gray , yellowish white, extra | 10 | |
| " Brilliant , dark scarlet..... | 5 | |
| " Cardinale , dark scarlet..... | 5 | |
| " Crown Prince of Prussia , blood red | 10 | |
| " Lucifer , very dark scarlet..... | 10 | |
| " Napoleon III , golden yellow, spotted with brown..... | 10 | |
| " Roi des noirs , dark brown..... | 5 | |
| " Spitfire , bright scarlet..... | 5 | |
| Manda's Choice Mixture , finest..... | 5 | |
| Majus atropurpureum , crimson..... | 5 | |
| " " foliis aureis , new..... | 5 | |
| " Coccineum , scarlet..... | 5 | |
| " Dunnett's Orange , choice variety..... | 5 | |
| " hemisphaericum , orange, handsome..... | 5 | |
| " luteum , yellow variety, effective..... | 5 | |
| Manda's finest mixed , all colors | 5 | |
| Passiflora cœrulea | 10 | |
| " " grandiflora | 10 | |
| " gracilis | 10 | |
| " incarnata | 10 | |
| Phaseolus Caracalla | 10 | |
| Smilax | 10 | \$0 75 |
| Thunbergia alata | 5 | |
| " " alba | 5 | |
| " " aurantiaca | 5 | |
| " " Bakeri | 5 | |
| " " Fryeri | 5 | |
| " " sulphurea | 5 | |
| " " intus alba | 5 | |
| " " Mixed | 5 | 40 |

SWEET PEAS (*LATHYRUS ODORATUS*).

| | Per Pkt. | Oz. |
|--|----------------|--------|
| America . Red and white..... | \$0 5 | \$0 10 |
| Apple Blossom . Bright pink and blush..... | 5 | 10 |
| Aurora . Orange salmon..... | 5 | 10 |
| Blanche Burpee . Pure white..... | 5 | 10 |
| Blanche Ferry . Pink and white..... | 5 | 10 |
| Boreatton . Bronze-crimson and purple..... | 5 | 10 |
| Capt. of the Blues . Purple blue..... | 5 | 10 |
| Cardinal . Crimson-scarlet..... | 5 | 10 |
| Cupid Pink . Pink and white..... | 5 | 20 |
| Cupid Primrose . Pale Primrose..... | 10 | 25 |
| Cupid . White | 5 | 15 |
| Dorothy Tennant . Deep Mauve..... | 5 | 10 |
| Early Blanche Ferry . Earlier than above..... | 5 | 10 |
| Eckford Hybrids | 75c. per lb... | 10 |
| Emily Eckford . Heliotrope..... | 5 | 10 |
| Emily Henderson . Pure White..... | 5 | 10 |
| Firefly . Scarlet | 5 | 10 |
| Her Majesty . Bright Rose..... | 5 | 10 |
| Katherine Tracy . Soft Pink..... | 5 | 10 |
| Mrs. Eckford . Primrose yellow..... | 5 | 10 |
| Mrs. Sankey . Pure white..... | 5 | 10 |

SWEET PEAS.—Continued.

| | Per Pkt. | Oz. |
|--------------------------------------|--------------|--------|
| Ordinary Mixture..... | 50c. per lb. | \$0 10 |
| Manda's Mixture..... | 75c. | 15 |
| Queen Victoria. Primrose yellow..... | 15 | 10 |
| Scarlet Invincible. Scarlet..... | 5 | 10 |

SEEDS OF HARDY PERENNIALS AND BIENNIALS.

| | Per Pkt. | Oz. |
|---|----------|--------|
| Aconitum Napellus. (Monk's Hood)..... | \$0 05 | |
| Adonis vernalis | 5 | |
| Agrostemma. Purple and white..... | 5 | |
| Alyssum saxatile compactum..... | 5 | \$0 60 |
| " argenteum..... | 5 | 60 |
| Anchusa capensis..... | 5 | |
| Anemone coronaria..... | 5 | |
| " Japonica rosea..... | 10 | |
| " " alba..... | 25 | |
| " pulsatilla..... | 5 | |
| " sylvestris..... | 10 | |
| Aquilegia— | | |
| Alpina, blue, early..... | \$0 10 | |
| Bicolor fl. pleno, blue and white..... | 10 | |
| Californica hybrida, fine variety..... | 10 | |
| Canadensis, scarlet and yellow..... | 5 | |
| Caryophylloides fl. pl. striped varieties..... | 10 | |
| Chrysanthia, golden yellow, fine..... | 10 | |
| " grandifl. alba, semi-dwarf..... | 25 | |
| Cœrulea, very beautiful species..... | 25 | |
| " hybrida (haylodgensis)..... | 10 | |
| Flabellata nana alba, white semi-dwarf..... | 10 | |
| Formosa fl. plena, blue, large flowers..... | 10 | |
| " rubra fl. plena, reddish var..... | 10 | |
| Glandulosa (major), dark blue..... | 15 | |
| " vera, very beautiful..... | 25 | |
| Jucunda fl. pleno, copper-rose..... | 10 | |
| Leptoceras lutea, yellow dwarf..... | 25 | |
| Nivea grandifl., creamy white..... | 10 | |
| Olympica, large blue flowers..... | 10 | |
| Skinneri, scarlet tipped with green..... | 10 | |
| " hybrida fl. pl., new fine..... | 10 | |
| Spectabilis, dark blue, very fine..... | 10 | |
| Stellata fl. pl., erect-flowered..... | 10 | |
| " " alba, rare variety..... | 10 | |
| Stuarti, flowers 4 inches in diameter..... | 25 | |
| Truncata, scarlet and yellow dwarf, earliest..... | 25 | |
| Vervæneana fol. varieg., beautiful..... | 10 | |
| Vulgaris fl. pl., double varieties, mixed..... | 10 | |
| " alba fl. pl., double white..... | 10 | |
| " fol. aureis, new, very fine..... | 25 | |
| Manda's Choice Mixture of above varieties..... | 10 | |
| One packet of each of the above 29 varieties for..... | 2.75 | |
| Asclepias Cornuti. | 5 | |
| " incarnata..... | 5 | |
| " tuberosa..... | 5 | |
| Asperula odorata. | 5 | |
| Aubrieta deltoides. | 10 | |
| " Græca..... | 10 | |
| Auricula, finest..... | 25 | |
| Bocconia Japonica, | 5 | |
| Calandrinia umbellata. | 10 | |
| Campanula— | | |
| Medium (Canterbury Bells. Singleblue..... | 5 | |
| " flore pleno. Double blue..... | 10 | |

PERENNIALS AND BIENNIALS.—Continued.

| | Per Pkt. |
|--|----------|
| Medium alba. Single. Pure White..... | \$0 05 |
| " " fl. pleno. Double. Pure White | 10 |
| " striata. Striped. Very Fine..... | 5 |
| " calycanthema blue. } Very fine varieties..... | 10 |
| " " alba. } | |
| " " striata. Very pretty..... | 10 |
| " " rosea (Benary). New..... | 10 |
| Manda's Choice Mixture of Canterbury Bells. Fine..... | 5 |
| Persicifolia. Blue. Tall..... | 10 |
| Pyramidalis. Blue. } Most beautiful {..... | 5 |
| " alba. White. } sorts. {..... | 10 |
| Speculum procumbens. Fine Annual | 5 |
| Fine Mixture of the above. | 5 |
| One packet each above 15 varieties for. | 1 25 |

| | Per Pkt. Oz. |
|--|--------------|
| Candytuft Iberis sempervirens. | \$0 05 |
| " " Gibraltarica..... | 10 |
| Catananche alba. | 5 |
| " cœrulea | 5 |
| Cerastium tomentosum. | 25 |
| Chelone barbata coccinea. | 10 |
| " " hybrida. Mixed..... | 5 \$0 60 |
| Christmas Rose. See <i>Helleborus niger</i> . | |
| Columbine. Common double..... | 5 40 |
| " White..... | 5 |
| Cowslip (Primula veris). | 10 |
| Crucianella stylosa. | 5 |
| Daisy. Double white..... | 10 6 00 |
| " " Rose (Longfellow) | 25 |
| " Finest collection | 25 6 00 |
| " " Snowball | 25 |

| | Per Pkt. |
|--|----------|
| Delphinium Barlowi. | \$0 25 |
| " Brunonianum..... | 25 |
| " Cashmerianum..... | 10 |
| " Chinense..... | 10 |
| " elatum..... | 10 |
| " " hybridum. Finest mixture..... | 5 |
| " formosum. Dark blue; beautiful flowers. | 5 |
| " " cœlestinum. Sky-blue, splendid. | 10 |
| " Hendersoni. Dark blue variety, very fine. | 5 |
| " hybr. fl. pl. (Double finest mixed.) Extra | 25 |

One packet of each of the above 10 varieties for... 1 00

| | Per pkt. Oz. |
|--|--------------|
| Dictamnus Fraxinella. | \$0 10 |
| " " albus | 10 |
| " " Mixed..... | 10 |
| Digitalis. See Foxglove. | |
| Dodecatheon Clevelandi. | 25 |
| " Meadia..... | 10 |
| Dracocephalum Moldavicum. | 5 |
| Erinus alpinus. | 10 |
| Eryngium cœlestinum. | 5 |
| Euphorbia corollata. | 5 |
| Forget-me-not | 5 |
| Myosotis alpestris. | 10 \$0 80 |
| " " alba | 10 1 00 |
| " " elegantissima..... | 10 |
| " " Victoria | 25 |
| " Azarica..... | 10 |
| " " cœlestina..... | 25 |
| " dissitiflora..... | 10 |
| " palustris | 10 4 00 |
| " sylvatica..... | 10 1 25 |

PERENNIALS AND BIENNIALS.—Continued.

| | | Per Pkt. | Oz. |
|--|------------------------------------|----------|--------|
| Foxglove. | White..... | \$0 05 | |
| " | Large-flowered..... | 5 | |
| " | Rose | 5 | |
| " | Purple..... | 5 | |
| " | Mixed..... | 5 | \$0 30 |
| " | Gloxinia-like , white | 5 | |
| " | " purple..... | 5 | |
| " | " rose..... | 5 | |
| " | " Mixed..... | 5 | 40 |
| Galega officinalis | | 5 | |
| " | " <i>alba</i> | 5 | |
| Gentiana Andrewsii | | 25 | |
| Geum Chiloense coccineum pl. | | 5 | |
| " <i>atrosanguineum</i> fl. pl. | | 10 | |
| Glaucium luteum | | 5 | |
| " <i>Fischeri</i> | | 10 | |
| Gypsophila elegans | | 5 | 30 |
| " <i>paniculata</i> | | 5 | 40 |
| Helenium Douglasii | | 5 | |
| Helleborus niger | | 10 | |
| Hesperis. See Rocket. | | | |
| Hibiscus Militarus | | 10 | |
| " <i>Syriacus</i> , double..... | | 5 | 40 |
| " <i>Californicus</i> | | 10 | |
| " <i>Moscheutos roseus</i> | | 10 | |
| Hollyhock. Double white | | 10 | I 25 |
| " " black, white margin... | | 10 | I 25 |
| " " crimson | | 10 | I 25 |
| " " salmon..... | | 10 | I 25 |
| " " canary yellow | | 10 | I 50 |
| " " light lavender..... | | 10 | I 25 |
| " " magenta..... | | 10 | I 25 |
| " " rosy pink..... | | 10 | I 50 |
| " " Mixed..... | | 10 | I 00 |
| " " 12 prize varieties..... | | I 00 | |
| " " 8 " " | | 75 | |
| " " 6 " " | | 60 | |
| Hyacinthus candicans | | 10 | |
| Hypericum elegans | | 10 | |
| Iberis. See Candytuft. | | | |
| Ipomopsis aurantiaca | | 5 | |
| " <i>elegans</i> | | 5 | |
| " <i>sanguinea</i> | | 5 | |
| " Mixed..... | | 5 | |
| Iris Kæmpferi | | 5 | |
| Jacob's Ladder | | 5 | 30 |
| " " White | | 5 | |
| Leontopodium alpinum | | 25 | |
| Linum Flavum | | 5 | |
| " <i>Lewisii variegatum</i> | | 5 | 50 |
| Lobelia cardinalis | | 10 | |
| " <i>syphilitica</i> | | 10 | |
| Lupinus Albus | | 5 | |
| " <i>atroviolaceus</i> | | 5 | |
| " <i>Cruikshankii</i> | | 5 | |
| " <i>polyphyllus</i> | | 5 | |
| " Mixed..... | | 5 | 30 |
| Lychnis Chalcedonica | | 5 | |
| " " <i>alba</i> | | 5 | |
| " " Mixed | | 5 | 40 |
| " <i>fulgens</i> | | 10 | |
| " <i>Haageana hybrida</i> | | 10 | |
| Myosotis. See Forget-me-not. | | | |
| Nycteria selaginoides | | 5 | |
| " <i>Capensis</i> | | 5 | |

PERENNIALS AND BIENNIALS.—Continued.

| Pentstemon— | Per Pkt. | Oz. |
|---|----------|-----|
| <i>Campanulatus</i> . Light blue..... | \$0 10 | |
| <i>Clevelandi</i> . Red, fine variety..... | 10 | |
| <i>Cobæa</i> . Large white, shaded with blue.... | 10 | |
| <i>Cordifolius</i> . Scarlet, dwarf, fine..... | 10 | |
| <i>Digitalis</i> . White tinted with violet. | 5 | |
| <i>Glaber</i> . Dwarf blue, fine..... | 10 | |
| <i>Gentianoides (Hartwegi hybridus)</i> | 10 | |
| <i>Jeffreyanus</i> . Sky-blue, extra fine | 10 | |
| <i>Lobbi</i> . Yellow, very showy | 10 | |
| <i>Murrayanus</i> . Scarlet, very fine..... | 10 | |
| <i>Ovatus</i> . Blue, very beautiful | 10 | |
| <i>Puniceus</i> . New brilliant scarlet..... | 10 | |
| <i>Speciosus</i> . Blue, very fine..... | 10 | |
| <i>Spectabilis</i> . Blue and red, beautiful..... | 10 | |
| <i>Wrighti</i> . Brilliant scarlet, very showy..... | 10 | |
| Manda's Finest Mixed , all colors..... | 10 | |
| One packet of each of the above 15 varieties for..... | 1 25 | |
| Platycodon grandiflorum | 10 | |
| " " <i>album</i> | 10 | |
| Polomonium . See Jacob's Ladder. | | |
| Polyanthus | 10 | |
| " <i>Finest</i> | 25 | |
| " <i>Gold-laced</i> | 25 | |
| Papaver bracteatum | 5 | |
| " <i>Orientale</i> | 10 | |
| " <i>nudicaule</i> | 10 | |
| " " <i>aurantiacum</i> | 10 | |
| " " <i>album</i> | 10 | |
| Potentilla atrosanguinea | 10 | |
| " <i>Mixed</i> | 5 | |
| Pyrethrum atrosanguineum | 5 | |
| " <i>Tchihatchewii</i> | 5 | |
| " <i>Parthenium aureum</i> | 5 | |
| " " " <i>Golden Gem</i> "..... | 5 | |
| Rheum palmatum | 5 | |
| " <i>Collinianum</i> | 5 | 20 |
| Rocket . Sweet..... | 5 | 20 |
| " White..... | 5 | |
| Rose Campion | 5 | |
| " " <i>White</i> | 5 | |
| " " <i>Dark blood red</i> | 5 | |
| " " <i>Mixed</i> | 5 | 40 |
| Rose of Sharon | 5 | 40 |
| Salvia argentea | 5 | |
| Saponaria Ocyoides | 5 | |
| Statice latifolia | 5 | |
| Stenactis speciosa | 5 | |
| Styrax Japonica | 10 | |
| Sweet William . Mixed..... | 5 | 25 |
| " " <i>Pure white</i> | 5 | |
| " " <i>Auricula-flowered</i> | 5 | |
| " " <i>Dunnettii</i> | 5 | |
| " " <i>Double mixed</i> | 5 | |
| Thermopsis Caroliniana | 25 | |
| Tigridia . Seed..... | 10 | |
| Trachelium cœruleum ,..... | 0 | |
| Tradescantia Virginica | 50 | |
| " <i>pilosa</i> | 10 | |
| Trifolium suaveolens | 5 | |
| Tritoma uvaria | 10 | |
| " <i>corallina</i> | 25 | |
| Tunica saxifraga | 5 | |

PERENNIALS AND BIENNIALS.—Continued.

| | Per Pkt. Oz. |
|--|--------------|
| Valeriana alba | \$0 05 |
| " <i>rubra</i> | 5 |
| " <i>Mixed</i> | 5 |
| Violets. Sweet scented | 10 |
| " The Czar | 10 |
| " White | 10 |
| Viola Cornuta. Purple Queen | 10 |
| " <i>Alba</i> | 10 |
| " <i>pedata</i> | 10 |
| Yucca baccata | 10 |
| " <i>brevifolia</i> | 10 |
| " <i>gloriosa</i> | 10 |
| " <i>Whipplei</i> | 10 |
| Zauschneria Californica | 25 |

SEEDS OF PLANTS GROWN FOR THEIR ORNAMENTAL FRUIT.

| | Per Pkt. |
|--|----------|
| Abobra viridiflora | \$0 05 |
| Benincasa cerifera | 10 |
| Byronopsis laciniosa erythrocarpa | 10 |
| Coccinia Indica | 10 |
| Cucumis erinaceous. (Hedge Hog) | 5 |
| " <i>acutangulus</i> . (Rag Gourd) | 5 |
| " <i>flexuous</i> . (Snake) | 5 |
| " <i>cylindrica</i> | 5 |
| " <i>grossulariæformis</i> | 5 |
| " <i>odoratissimus</i> . (Granate) | 5 |
| " <i>Sooly qua</i> | 5 |
| " <i>perennis</i> | 5 |
| Cyclanthera explodens | 10 |
| Echinocystis lobata | 10 |
| Epopepon vitifolius | 25 |
| Gourd. Mock Orange | 5 |
| " Egg-shaped | 5 |
| " Apple-shaped | 5 |
| " Pear-shaped | 5 |
| " Onion-shaped | 5 |
| " Hercules' Club | 5 |
| " Sugar Trough | 5 |
| " <i>Lagenaria</i> . (Bottle Gourd) | 5 |
| " <i>Miniature</i> | 5 |
| " Powder Horn | 5 |
| " Dipper | 5 |
| " <i>Melopepo</i> . Miniature | 5 |
| " <i>Striped</i> | 5 |
| " <i>Mixed</i> | 5 |
| Melothria scabra | 10 |
| Momordica balsamina | 5 |
| " <i>involucrata</i> | 25 |
| " <i>charantia</i> | 5 |
| " <i>elaterium</i> | 5 |
| Mukia scabrella | 10 |
| Phaseolus multiflorus | 5 |
| Scotanthus tubiflorus | 25 |
| Solanum , White Egg-Plant | 5 |
| " Scarlet " | 5 |
| " <i>Striped</i> " | 5 |
| " <i>pseudo-capsicum nanum</i> | 10 |
| " Wetherill's Hybrid | 10 |
| " <i>robustum</i> | 10 |
| " <i>capsicastrum</i> | 10 |
| " <i>Hendersoni</i> | 10 |
| " <i>Warscewicziodes</i> | 10 |

ORNAMENTAL FRUIT PLANTS.—Continued.

| | Per Pkt. |
|--|----------|
| <i>Trichosanthes colubrina</i> | \$0 10 |
| " <i>coccinea</i> | 10 |
| " <i>palmata</i> | 10 |
| Collection—Best 6 kinds, my selection.....per oz., | 25 |
| " " " " " "..... | 50 |

SEEDS OF EVERLASTINGS.

| | Per Pkt. |
|---|----------|
| <i>Acroclinium roseum</i> | \$0 05 |
| " " <i>album</i> | 5 |
| " " <i>Mixed</i> | 5 |
| " " <i>Double rose</i> | 10 |
| " " <i>Double white</i> | 10 |
| <i>Ammobium alatum</i> | 5 |
| " " <i>grandiflorum</i> | 5 |
| <i>Gomphrena globosa</i> | 5 |
| " " <i>alba</i> | 5 |
| " " <i>carnea</i> | 5 |
| " " <i>striata</i> | 5 |
| " " <i>nana compacta</i> | 5 |
| " " <i>Mixed</i> | 5 |
| " <i>aurea superba</i> | 5 |
| <i>Helichrysum bracteatum</i> | 5 |
| " " <i>album</i> | 5 |
| " " <i>atrosanguineum</i> | 10 |
| " " <i>Mixed</i> | 5 |
| " <i>macranthum</i> | 5 |
| " <i>monstrosum</i> , double..... | 5 |
| " " <i>Dwarf double</i> | 5 |
| <i>Helipterum Sanfordii</i> | 10 |
| " <i>corymbiflorum</i> | 10 |
| <i>Rhodanthe maculata</i> | 10 |
| " " <i>alba</i> | 10 |
| " " <i>Mixed</i> | 10 |
| " <i>Manglesii</i> | 10 |
| <i>Xeranthemum annum</i> | 5 |
| " " <i>album</i> | 5 |
| " " <i>multiflorum</i> | 5 |
| " " " <i>album</i> | 5 |
| " " <i>superbissimum</i> fl. pl..... | 5 |

ORNAMENTAL GRASSES.

| | Per Pkt. |
|---------------------------------------|----------|
| <i>Agrostis Nebulosa</i> | \$0 05 |
| " <i>pulchella</i> | 5 |
| " <i>minutiflora</i> | 10 |
| <i>Andropogon argenteus</i> | 5 |
| <i>Arundo Donax</i> | 5 |
| " " <i>fol. variegata</i> | 10 |
| " <i>festucoides</i> "..... | 10 |
| <i>Avena sterilis</i> | 5 |
| <i>Briza geniculata</i> | 5 |
| " <i>gracilis</i> | 5 |
| " <i>maxima</i> | 5 |
| <i>Brizopyrum siculum</i> | 5 |
| <i>Bromus brizæformis</i> | 5 |
| " <i>macrostachyus</i> | 5 |
| " <i>Madritensis</i> | 5 |
| <i>Ceratochloa pendula</i> | 25 |
| <i>Chloropsis Blanchardiana</i> | 25 |
| <i>Chloris barbata vera</i> | 5 |
| " <i>truncata</i> | 5 |
| <i>Chrysurus cynosuroides</i> | 5 |
| <i>Coix lachryma</i> | 5 |
| " <i>aurea zebrina</i> | 10 |

ORNAMENTAL GRASSES.—Continued.

| | Per Pkt. |
|--|----------|
| <i>Cryptopyrum Richardsonii</i> | \$0 10 |
| <i>Cynoseris elegans</i> | 05 |
| <i>Eleusine Barcinonensis</i> | 5 |
| " <i>corocana</i> | 5 |
| " <i>Indica</i> | 5 |
| <i>Elymus hystrix</i> | 5 |
| <i>Eragrostis elegans</i> | 5 |
| " <i>amabilis</i> | 5 |
| " <i>Abyssinica</i> | 5 |
| " <i>maxima</i> | 10 |
| " <i>suaveolens</i> | 5 |
| <i>Erianthus Ravennæ</i> | 5 |
| " " <i>fol. variegatis</i> | 10 |
| <i>Eulalia Japonica</i> | 10 |
| <i>Festuca glauca</i> | 10 |
| <i>Gymnothrix caudata</i> | 10 |
| " <i>latifolia</i> | 10 |
| <i>Gynerium argenteum</i> | 5 |
| " " <i>fol. variegatum</i> | 10 |
| " " <i>roseum</i> | 10 |
| " <i>jubatum</i> | 10 |
| <i>Hordeum jubatum</i> | 5 |
| <i>Isolepis gracilis</i> | 10 |
| <i>Lagurus ovatus</i> | 5 |
| <i>Lasiagrostis argentea</i> | 5 |
| <i>Panicum virgatum</i> | 5 |
| " <i>sulcatum</i> | 10 |
| <i>Pennisetum villosum</i> | 5 |
| <i>Poa amabilis</i> | 10 |
| <i>Setaria macrochæta</i> | 5 |
| <i>Stipa pennata</i> | 5 |
| " <i>elegantissima</i> | 10 |
| <i>Tricholæna violacea</i> | 10 |
| <i>Tripsacum dactyloides</i> | 5 |
| <i>Zea Japonica</i> | 5 |
| " <i>Miniature Maize</i> | 5 |
| Collection—Best 6 kinds, my selection..... | 25 |
| " " " " " | 50 |



ROSES.

BEDDING, OR GREENHOUSE ROSES.

Price, 15 cents each ; \$1.50 per dozen ; \$12.00 per 100.

| | |
|----------------------------|-------------------------------|
| American Beauty. | Mrs. Robert Garrett. |
| Bride. | Maid of Honor. |
| Bridesmaid. | Madame Hoste. |
| Bon Silene. | Mrs. P. Morgan. |
| C. Mermet. | Niphetos. |
| Duchess of Albany. | Papa Gontier. |
| Kaiserin Augusta-Victoria. | Perle de Jardin. |
| La France. | Sunset. |
| Madame Caroline Testout. | Souvenir de Wotten. |
| Meteor. | Souvenir de President Carnot. |

HARDY GARDEN ROSES.

STRONG TWO-YEAR-OLD.

35 cents each ; \$3.50 per dozen ; \$24.00 per 100.

| | |
|--------------------------|---|
| Alfred Colomb. | Flowers of a brilliant carmine-crimson. |
| Anne de Diesbach. | Beautiful carmine. Fine grower. |
| Baroness Rothschild. | A charming light pink variety. |
| Captain Christy. | Large, double, deep flesh color. |
| Clothilde Soupert. | Floriferous, white, tinted with pink. |
| Coquette des Alps. | White, slightly tinged with pink. |
| Coquette des Blanches. | A beautiful white variety. |
| Crested Moss. | Handsome deep pink colored buds. |
| General Jacqueminot. | The best; brilliant crimson. |
| General Washington. | Bright red; vigorous grower. |
| Hermosa. | Blooms whole summer; bright rose. |
| John Hopper. | Bright rose, carmine centre. |
| Mabel Morrison. | White, tinged with pink. |
| Mad. Plantier. | Flowers pure white; very floriferous. |
| Madame Gabriel Luizet. | Flowers large; pink. |
| Madame Victor Verdier. | Flower of carmine-crimson. |
| Magna Charta. | Color pink suffused with carmine. |
| Margaret Dixon. | Fine white. |
| Marshall P. Wilder. | Distinct; flowers cherry-rose. |
| Mrs. John Laing. | Large; of a soft pink color. |
| Paul Neyron. | Heavy foliage; flowers deep rose. |
| Persian Yellow. | Golden yellow flowers. |
| Prince Camille de Rohan. | Fine dark crimson flower. |
| Rugosa alba. | A beautiful pure white single flower. |
| Rugosa rubra. | A glossy crimson form of the above. |
| Ulrich Brunner. | Flowers of a brilliant cherry red. |
| Victor Verdier. | Bright rose, carmine centre. |

Any other Roses, prices on application.

CLIMBING AND RUNNING ROSES.

| | Each. | Dozen. |
|----------------------------|--------|--------|
| Baltimore Belle..... | \$0 35 | \$3 50 |
| Queen of the Prairies..... | 35 | 3 50 |
| Seven Sisters..... | 35 | 3 50 |
| Crimson Rambler..... | 35 | 3 50 |
| Yellow Rambler..... | 25 | 2 50 |
| Wichuriana..... | 15 | 1 50 |
| Russell's Cottage..... | 35 | 3 50 |
| Sweet Brier..... | 25 | 2 50 |
| Reine Marie Henrietta..... | 35 | 3 50 |
| Setigera..... | 35 | 3 50 |
| The Dawson..... | 35 | 3 50 |

CLIMBING AND RUNNING ROSES.—Continued.

| | Each. | Dozen. |
|----------------------------------|--------|--------|
| Multiflora | \$0 25 | \$2 50 |
| Manda's Triumph. | 35 | 3 50 |
| South Orange Perfection. | 35 | 3 50 |
| Universal Favorite. | 35 | 3 50 |
| Pink Roamer | 35 | 3 50 |
| Gardenia. | 1 00 | 10 00 |
| Jersey Beauty. | 1 00 | 10 00 |
| Evergreen Gem | 1 00 | 10 00 |

CARNATIONS.

BEST STANDARD VARIETIES.

Price, \$1.00 per dozen ; \$4.50 per 100.

- Flora Hill. White.
 Jubilee. Scarlet.
 Lily Dean. White, penciled pink.
 Lizzie McGowan. White.
 Mrs. G. M. Bratt. White, penciled red.
 Triumph. Deep pink.
 White Cloud. White.
 William Scott. Deep pink.

CHRYSANTHEMUMS.

GENERAL LIST OF THE FINEST KINDS.

Price, 15 cents each ; \$1.50 per dozen ; \$10.00 per 100.

| | |
|---------------------------------|--------------------------------------|
| Admiral Dewey. Chrome yellow. | John Schrimpton. Crimson. |
| Adula. Pure white. | Leonidas. Amaranth. |
| Australian Gold. Yellow. | Liberty. Yellow. |
| Autumn Glory. Deep pink. | Leontica. Red. |
| Belle of Castlewood. Pink. | Lorna Doone. White. |
| Black Hawk. Crimson. | Mlle. Lucie Faure. White. |
| Carrie Bell. Pink and white. | Major Bonnafon. Yellow. |
| Chempwee. Yellow. | Maud Deane. Pink. |
| Col. W. B. Smith. Bronze. | Maude Adams. Yellow. |
| Defender. Crimson. | Mayflower. White. |
| Elvina. Pink. | Merry Christmas. White. |
| Eugene Dailedouze. Yellow. | Mavourneen. Flesh pink. |
| Eclipse. Yellow. | Meta. White. |
| E. M. Bigelow. Red. | Merza. White. |
| Ermenilda. Rose. | Minerva. Bright yellow. |
| Evangeline. Pure white. | Midge. White. |
| Eureka. Porcelain white. | Modesto. Yellow. |
| George W. Childs. Rich crimson. | Mrs. Baer. Yellow. |
| Glory of the Pacific. Pink. | Mrs. F. A. Constable. White. |
| Golden Harvest. Clear lemon. | Mrs. S. L. Park. Yellow. |
| Gold Standard. Yellow. | Mrs. Higginbotham. Pink. |
| Golden Wedding. Yellow. | Mrs. A. J. Drexel. Plum color. |
| Helen Bloodgood. Pink. | Mrs. Alpheus Hardy. White, hairy. |
| Henry Hurrell. Yellow. | Mrs. F. G. Dexter. White and violet. |
| H. L. Sunderbruch. Yellow. | Mrs. G. A. Magee. Silver pink. |
| H. W. Rieman. Yellow. | Mrs. Geo. M. Pullman. Yellow. |
| Idavan. White. | Mrs. H. M. Twombly. White. |
| Independence. White. | Mrs. H. Weeks. White. |
| Iora. Pink. | Mrs. H. Robinson. White. |
| Ivory. White. | Mrs. Jerome Jones. White. |
| Jennie Falconer. Lemon. | Mrs. J. J. Glessner. Yellow. |

CHRYSANTHEMUMS.—Continued.

| | | | |
|-----------------------------|----------------------|----------------------------|--------------------|
| Mrs. J. Peabody. | White. | Robt. Halliday. | Yellow. |
| Mrs. M. A. Ryerson. | White. | Rustic. | Bronze. |
| Mrs. N. Molyneaux. | White. | Queen of Blooms. | Pink, hairy. |
| Mrs. Perrin. | Pink. | Solar Queen. | Pale lemon. |
| Miss F. Pullman. | Pure white. | Soleil d'Octobre. | Pale yellow. |
| Miss G. Vanderbilt. | Pearl white. | Sunrise. | Terra-cotta. |
| Miss G. Pitcher. | Yellow. | Shilowa. | Brilliant crimson. |
| Miss Hood Wright. | White. | Silver Wedding. | White. |
| Niveus. | White. | The Harriet. | Deep rose. |
| Nagoya. | Yellow. | The Queen. | White. |
| Polly Rose. | White. | Vivian Morel. | Deep rose, |
| Pride. | White. | Western King. | White. |
| Pennsylvania. | Yellow. | W. H. Lincoln. | Yellow. |
| Philadelphia. | Pale Yellow | Willowbrook. | White. |
| Phoebus. | Yellow. | W. H. Chadwick. | White. |
| Pink Ivory. | Pink. | Yellow Mayflower. | Yellow. |
| Pitcher & Manda. | Yellow and white. | Yanoma. | White. |
| Pres. W. McKinley. | Red. | Yellow Mad. Carnot. | Yellow. |
| Pres. W. R. Smith. | Pink. | Yellow Queen. | Yellow. |
| Robt. G. Carey. | White. | Xeno. | White. |
| Robt. McInnes. | Crimson. | Zorada. | White and yellow. |

POMPON, OR HARDY GARDEN CHRYSANTHEMUMS.

Price, 15 cents each ; \$1.50 per dozen ; \$9.00 per 100.

| | |
|-------------------------|----------------------|
| Ada. | La Purite. |
| Agnes C. | Little Pet. |
| Amelia. | Lune Fleuri. |
| Caritas. | Manila. |
| Delicatissima. | Mildred. |
| Edna. | Maid of Kent. |
| Golden Circle. | Marabout. |
| Golden Trevenna. | Mr. Astie. |
| Jeanevieve. | Mrs. Wyness. |
| Jersey Beauty. | Oneita. |
| Julia. | Santiago. |
| La Paranace. | St. Crouts. |

CHOICE FOLIAGE PLANTS.

Large Plants, Prices on Application.

| | Each. |
|---------------------------------------|--------|
| Acorus gramineus variegatus. | \$0 25 |
| Abutilon Savitsii. | 25 |
| " Souv. de Bon. | 25 |
| " vexillarium aureum. | 25 |
| Acalypha tricolor. | 50 |
| " Godseffiana. | 50 |
| Aglaovema nebulosum. | 75 |
| " pictum. | 1 00 |
| " Roeblenii. | 50 |
| Alocasia macrorhiza variegata. | 1 00 |
| " metallica. | 1 00 |
| " Sanderiana. | 2 50 |
| " Sedenii. | 2 00 |
| " Thibautiana. | 3 00 |
| " violacea. | 1 00 |
| Alpinia vittata. | 1 00 |
| Amaglyptus coloratus. | 25 |
| Amomum vittatum. | 50 |
| Anthericum variegatum. | 25 |

CHOICE FOLIAGE PLANTS.—Continued.

| | Each. |
|------------------------------------|--------|
| Anthurium amabile | \$2 50 |
| " " <i>rubellum</i> | 2 50 |
| " <i>crystallinum</i> | 2 00 |
| " " <i>superbum</i> | 2 00 |
| " <i>grande</i> | 2 00 |
| " " <i>longifolium</i> | 2 00 |
| " <i>magnificum</i> | 1 50 |
| " <i>regalis</i> | 1 50 |
| " <i>Veitchii</i> | 3 00 |

For other Anthuriums see Flowering Plants.

| | |
|---|------|
| Aralia filicifolia | 25 |
| " <i>Guilfoylei</i> | 50 |
| " <i>Papyrifera</i> | 1 00 |
| " <i>Sieboldii</i> | 50 |
| " " <i>variegata</i> | 1 00 |
| Begonia Froebellii | 1 00 |
| " <i>Faureana</i> | 50 |
| " <i>Frank Nelson</i> | 25 |
| " <i>Gogoensis</i> | 1 00 |
| " <i>imperialis</i> | 1 00 |
| " <i>Harlequin</i> | 25 |
| " <i>Louis Closson</i> | 25 |
| " <i>Manicata</i> | 50 |
| " " <i>aurea</i> | 1 00 |
| " <i>Olympia</i> | 25 |
| " <i>Ricinæfolia</i> | 50 |
| " <i>Smaragdina</i> | 50 |
| " <i>Rex</i> , assorted varieties | 25 |
| Bertolonia Cooperii | 1 00 |
| " <i>marmorata</i> | 2 00 |
| " <i>pubescens</i> | 2 50 |
| " <i>vittata</i> | 2 50 |
| " <i>Van Houttii</i> | 2 50 |
| Bohmeria argyrea | 50 |
| Carax Japonica variegata | 25 |
| Caladium minus rubescens | 50 |
| " <i>argyrates</i> | 50 |
| " Fancy-leaved, assorted | 35 |
| " " " 12 Brazilian new varieties | 1 00 |
| Campylobotrys Ghiesbrechtii | 50 |
| " " <i>variegata</i> | 75 |
| Crotons , assorted varieties | 50 |
| Curmeria Wallisii | 2 50 |
| Curculigo recurvata | 25 |
| " " <i>variegata</i> | 1 00 |
| Cyanophyllum magnificum | 2 50 |
| Cyperus alternifolius | 25 |
| " " <i>variegatus</i> | 1 00 |
| " <i>gracilis</i> | 25 |
| " <i>laxus fol. var.</i> | 50 |
| Cyrtodaera coccinea | 50 |
| Dichorosandra angustifolia | 2 50 |
| Dieffenbachia Barraquinea | 50 |
| " <i>Bauseii</i> | 50 |
| " <i>Bowmannii</i> | 50 |
| " <i>imperialis</i> | |
| " <i>eburnea</i> | 1 50 |
| " <i>magnifica</i> | 50 |
| " <i>picta</i> | 50 |
| " <i>Charlesworthii</i> | 2 00 |
| " <i>Veitchii</i> | 2 00 |
| Dracaena amabilis | 1 00 |
| " <i>arborea</i> | 1 00 |
| " <i>Australis</i> | 50 |
| " <i>Baptistii</i> | 50 |

CHOICE FOLIAGE PLANTS.—Continued.

| | Each. |
|---|--------|
| Dracaena <i>Bella</i> | \$1 00 |
| “ <i>Bauseii</i> | 1 50 |
| “ <i>Braziliensis</i> | 50 |
| “ <i>Draco</i> | 1 00 |
| “ <i>ensifolia</i> | 50 |
| “ <i>Ferraea</i> | 50 |
| “ <i>fragrans</i> | 50 |
| “ “ <i>variegata</i> | 2 50 |
| “ “ <i>Lindenii</i> | 2 00 |
| “ “ <i>Massangeana</i> | 2 00 |
| “ <i>Goldiana</i> | 1 50 |
| “ <i>Gracilis</i> | 1 00 |
| “ <i>Godseffiana</i> | 75 |
| “ <i>Haageana</i> | 1 00 |
| “ <i>Hendersonii</i> | 1 00 |
| “ <i>hybrida</i> | 75 |
| “ <i>indivisa</i> | 50 |
| “ <i>Knerkii</i> | 2 50 |
| “ <i>Lord Wolseley</i> | 2 00 |
| “ <i>Mad. Heine</i> | 1 00 |
| “ <i>Neo-Caledonica</i> | 3 50 |
| “ <i>Norwoodensis</i> | 1 00 |
| “ <i>Regina</i> | 1 00 |
| “ <i>Rossii</i> | 1 00 |
| “ <i>Rothiana</i> | 2 50 |
| “ <i>stricta</i> | 50 |
| “ <i>Sanderiana</i> | 50 |
| “ <i>Schultii</i> | 1 00 |
| “ <i>Shephardii</i> | 1 00 |
| “ <i>Souv. de Nice</i> | 1 50 |
| “ <i>terminalis</i> | 50 |
| “ “ <i>stricta</i> | 75 |
| “ <i>umbraculifera</i> | 2 00 |
| “ <i>Youngii</i> | 50 |
| Duranta <i>Bumgartii variegata</i> | 25 |
| Eranthemum <i>Eldorado</i> | 50 |
| “ <i>venosum</i> | 50 |
| Ficus <i>aurea</i> | 2 50 |
| “ <i>elastica</i> | 50 |
| “ “ <i>variegata</i> | 1 00 |
| “ <i>Parcellii</i> | 1 00 |
| “ <i>quercifolia</i> | 1 00 |
| Fittonia <i>argyroneura</i> | 25 |
| “ <i>Verschaffeltii</i> | 25 |
| Isolepis <i>gracilis</i> | 10 |
| Gesneria <i>fulgens</i> | 1 00 |
| Hibiscus <i>Cooperii</i> | 25 |
| Maranta <i>albo lineata</i> | 50 |
| “ <i>argyrea</i> | 50 |
| “ <i>arundinacea variegata</i> | 50 |
| “ <i>bicolor</i> | 50 |
| “ <i>eximia</i> | 50 |
| “ <i>fasciata</i> | 1 50 |
| “ <i>Jenningsii</i> | 50 |
| “ <i>Kerchoveana</i> | 50 |
| “ <i>Leitzii</i> | 50 |
| “ <i>Lindenii</i> | 1 00 |
| “ <i>Legrelliana</i> | 50 |
| “ <i>Makoyana</i> | 75 |
| “ <i>Massangeana</i> | 50 |
| “ <i>Porteana</i> | 50 |
| “ <i>princeps</i> | 50 |
| “ <i>pulchella</i> | 50 |
| “ <i>rosea lineata</i> | 50 |
| “ <i>sanguinea</i> | 50 |
| “ <i>Veitchii</i> | 1 00 |

CHOICE FOLIAGE PLANTS.—Continued.

| | Each. |
|--|--------|
| Maranta Van den Heckii | \$0 50 |
| " <i>virginalis major</i> | 1 00 |
| " <i>Wallisii</i> | 1 00 |
| " <i>zebrina</i> | 50 |
| Musa Cavendishii | 2 50 |
| " <i>vittata</i> | 5 00 |
| Nephthytis picturata | 1 00 |
| " <i>triphylla</i> | 50 |
| Oxalis sensitiva | 50 |
| Panax Victoriae | 50 |
| Pandanus Baptistii | 2 00 |
| " <i>Fosteriana</i> | |
| " <i>utilis</i> | 50 |
| " <i>Veitchii</i> | 1 00 |
| Panicum variegatum | 10 |
| Paulinia thalictrifolia | 50 |
| Peperomia argyrea | 25 |
| " <i>metallica</i> | 25 |
| " <i>marmorata</i> | 50 |
| Phyloglottis rotundifolia | 1 00 |
| Philanthus nervosus pictus | |
| " " <i>albus</i> | |
| Philodendron pertusum | 1 00 |
| " <i>spectabile</i> | 1 00 |
| Phrynum variegatum | 25 |
| Rhodea Japonica variegata | 1 00 |
| Reineckia carnea | 10 |
| " " <i>variegata</i> | 25 |
| Senecio Kaempferi variegata | 75 |
| Sanchesia nobilis | 25 |
| Saxifraga sarmantosa | 10 |
| " " <i>variegata</i> | 1 00 |
| Senseveria Zeylanica | 1 00 |
| Sonerilla argentea | 50 |
| " <i>Hendersonii</i> | 50 |
| Stenandrium Lindenii | 50 |
| Strobilanthes Dyerianus | 25 |
| Tradescantia discolor | 50 |
| " <i>fuscata</i> | 50 |

PALMS.

Prices quoted on these are for young, thrifty plants.
Prices on rare kinds and specimens given on application.

| | Each. |
|-------------------------------------|--------|
| Areca Baureii | \$0 50 |
| " <i>lutescens</i> | 50 |
| " <i>Madagascariensis</i> | 1 00 |
| " <i>rubra</i> | 50 |
| " <i>sapida</i> | |
| " <i>Verschaffeltii</i> | |
| Carludovica atrovirens | |
| " <i>humilis</i> | |
| " <i>palmata</i> | 1 00 |
| Caryota urens | 50 |
| Chamædorea Pringellii | |
| Chamærops excelsa | 50 |
| " <i>humilis</i> | 50 |
| Corypha gebanga | 1 00 |
| Cocos Australis | 1 00 |
| " <i>comosa</i> | 1 00 |
| " <i>coronata</i> | 1 00 |
| " <i>insignis</i> | 50 |
| " <i>Yateii</i> | 50 |

PALMS.—Continued.

| | Each. |
|---|--------|
| <i>Cocos plumosa</i> | \$1 00 |
| " <i>Weddelliana</i> | 50 |
| <i>Geonoma gracilis</i> | 50 |
| " " <i>foliis variegata</i> | 50 |
| " <i>intermedia</i> | 50 |
| <i>Kentia Australis</i> | |
| " <i>Belmoreana</i> | 50 |
| " <i>Canterburyana</i> | 1 00 |
| " <i>Fosteriana</i> | 50 |
| " <i>Mooreii</i> | 3 00 |
| " <i>Wendlandii</i> | 1 00 |
| <i>Latania borbonica</i> | 50 |
| " " <i>aurea</i> | |
| " " <i>foliis variegatis</i> | |
| " <i>rubra</i> | 1 00 |
| <i>Livistonia altissima</i> | |
| " <i>rotundifolia</i> | 2 00 |
| " <i>peltata</i> | 2 00 |
| " <i>horrida</i> | 3 00 |
| <i>Licuala grandis</i> | 4 50 |
| <i>Phœnix Canariensis</i> | 50 |
| " <i>reclinata</i> | 25 |
| " " <i>aurea</i> | |
| " <i>rupicola</i> | 50 |
| " <i>sylvestris</i> | 50 |
| " <i>Siamensis</i> | 1 00 |
| <i>Pritchardia pacifica</i> | |
| <i>Rhaphis flabelliformis</i> | 2 00 |
| " <i>humilis</i> | 2 00 |
| <i>Sabal glauca</i> | 2 00 |
| " <i>umbraculifera</i> | 50 |
| " <i>Blackburniana</i> | 50 |
| " <i>Adamsonii</i> | 50 |

CYCADS.

I have a great many specimens in various sizes.
Prices on application.

Each.

| | |
|--------------------------------------|--------|
| <i>Cycas circinalis</i> | |
| " <i>Seemannii</i> | \$1 00 |
| " <i>Norambyana</i> | 1 00 |
| " <i>revoluta</i> | 2 00 |
| " " <i>longifolia</i> | 2 00 |
| <i>Dion edule</i> | 2 00 |
| " <i>spinulosum</i> | |
| <i>Macrozamia spiralis</i> | 1 00 |
| " <i>Dennisonii</i> | |
| <i>Zamia integrifolia</i> | 1 00 |
| " <i>Lindenii</i> | |

ARAUCARIAS.

| | Each. |
|------------------------------------|--------|
| <i>Araucaria excelsa</i> | \$1 00 |
| " " <i>compacta</i> | 5 00 |
| " " <i>glaucia</i> | 3 00 |
| " " <i>Baumannii</i> | 5 00 |
| " <i>Bidwellii</i> | 2 50 |
| " <i>Braziliensis</i> | 3 00 |
| " <i>imbricata</i> | 1 00 |

FERNS.

Besides these varieties priced, I have a large lot of specimens and half specimens; prices of same will be furnished on application.

| | Each. |
|--|--------|
| Adiantum capillus-veneris | \$0 25 |
| " " " imbricatum..... | 25 |
| " cardiochlæna | 1 00 |
| " concinum latum..... | 50 |
| " cuneatum..... | 25 |
| " " variegatum..... | 50 |
| " dolabriforme | 1 00 |
| " Farleyense..... | 1 00 |
| " gracillimum..... | 50 |
| " grandiceps..... | 50 |
| " monochlamys..... | 1 75 |
| " O'Brienii..... | 25 |
| " pubescens..... | 25 |
| " regina | 50 |
| " trapeziforme..... | 50 |
| " venustum | 25 |
| " Williamsii | 50 |
| Aspidium amabile | 50 |
| " capense | 50 |
| " " crispulum | 2 00 |
| " lepidocaulon | 3 50 |
| " tensemense | 25 |
| " viridescens | 1 50 |
| Asplenium Belangerii | 75 |
| " bulbiferum | |
| " " feniculaceum | |
| " nidus avis..... | |
| " " australasica..... | |
| Angiopteris evecta | |
| Blechnum occidentale | 25 |
| Cyrtomium caryotaedium | 25 |
| " falcatum | 25 |
| Davallia bullata in designs | 1 00 |
| " elegans..... | |
| " Fijensis | 1 00 |
| " " plumosa | |
| " Mooreana | 1 00 |
| " platyphilla | 2 00 |
| Dictogramma Japonica variegata | 75 |
| Didymochleana lunulata | |
| Doodea aspersa | 50 |
| Gymnogramma argyrophilla | 50 |
| " chrysophilla | 50 |
| " schismatophilla | 2 50 |
| Gonophlæbium subariculatum | 3 50 |
| Glechenia diacarpa longipinnata | 2 50 |
| Lygodium dictyonum | 1 00 |
| " scaldens | 25 |
| Microlepia hirta | 50 |
| " " cristata | 50 |
| Nephrodium molle | 25 |
| " " cristatum | 25 |
| Nephrolepis Bauseii | 2 50 |
| " exaltata | 50 |
| " " Bostoniensis | 50 |
| " davalloides | 50 |
| " " furcans | 1 00 |
| " Philippinense | 50 |
| " tuberosa | 50 |
| Onychium aureum | 1 00 |
| " Japonicum | 25 |

FERNS.—Continued.

| | Each. |
|--|--------|
| <i>Polypodium aureum</i> , | \$0 25 |
| <i>Polystichium angulare</i> , | 25 |
| " <i>mucronatum</i> | 2 00 |
| <i>Pteris adiantoides</i> | 25 |
| " <i>argyrea</i> | 25 |
| " <i>albo lineata</i> | 25 |
| " <i>chinensis</i> | 25 |
| " <i>geranifolia</i> | 25 |
| " <i>Guilbertii</i> | 25 |
| " <i>longifolia</i> | 25 |
| " <i>palmata</i> | 25 |
| " <i>tremula</i> | 25 |
| " <i>Wallichii</i> | 25 |
| <i>Platycerium alcicorne</i> | 1 00 |
| " " <i>majus</i> | 2 50 |
| " <i>Aethiopicum</i> | 3 50 |
| " <i>Hillii</i> | 5 00 |
| " <i>Willinkii</i> | 5 00 |
| " <i>Wallichii</i> | 5 00 |
| " <i>Biforme</i> | 5 00 |
| <i>Todea superba</i> | |

TREE FERNS.

| | |
|--------------------------------|-------------------------------|
| <i>Alsophila Australis</i> . | <i>Lomaria ciliata</i> . |
| <i>Blechnum Braziliensis</i> . | <i>Cyathea dealbata</i> . |
| <i>Cibotium Barometz</i> . | " <i>Smithii</i> . |
| " <i>glaucum</i> . | " <i>Medularis</i> . |
| <i>Lomaria gibba</i> . | <i>Dicksonia antarctica</i> . |
| " <i>intermedia</i> . | " <i>squarrosa</i> . |

Sizes and prices of the above will be given on application.

SELAGINELLA.

| | Each. |
|------------------------------|--------|
| <i>Africana</i> | \$0 25 |
| <i>Apis</i> | 25 |
| <i>Brownii</i> | 25 |
| <i>Caesia</i> | 25 |
| " <i>arborea</i> | 50 |
| <i>Caulescens</i> | 25 |
| <i>Denticulata</i> | 25 |
| " <i>aurea</i> | 25 |
| <i>Emelliana</i> | 25 |
| <i>Cognata</i> | 50 |
| <i>Haematodes</i> | 25 |
| <i>Martensii</i> | 25 |
| " <i>variegata</i> | 25 |
| <i>Pitcheriana</i> | 25 |
| <i>Serpens</i> | 25 |
| <i>Pubescens</i> | 25 |
| <i>Regalis</i> | 50 |
| <i>Viticulosa</i> | 25 |

FLOWERING PLANTS.

LARGER PLANTS AT SPECIAL PRICES.

| | Each. |
|--|--------|
| <i>Acacia Armata</i> | \$0 50 |
| " <i>cultriformis</i> | 50 |
| " <i>longifolia</i> | 50 |
| " <i>lophanta</i> | 50 |
| " <i>Reeseana</i> | 1 50 |
| <i>Aphelandra aurantiaca Roezlii</i> | 1 00 |
| <i>Aeschinanthus Lobbianus</i> | 50 |
| <i>Agapanthus umbellatus</i> | 50 |

FLOWERING PLANTS.—Continued.

| | Each. |
|--|--------|
| <i>Alpinia nutans</i> | \$1 00 |
| <i>Amaryllis</i> . Choice Hybrids..... | 1 00 |
| " Empress of India..... | 1 00 |
| <i>Anthurium Andreanum</i> | 2 00 |
| " " <i>album</i> | |
| " " " South Orange variety..... | |
| " <i>Brownii</i> | 3 00 |
| " <i>Cuttingianum</i> | |
| " <i>Clarkianum</i> | 2 00 |
| " " <i>pallidum</i> | 5 00 |
| " " " <i>giganteum</i> | |
| " <i>Fræbelli</i> | 3 00 |
| " <i>Ferrieriense</i> | 2 00 |
| " <i>ornatum</i> | 2 00 |
| " <i>Mosaicum</i> | 5 00 |
| " <i>Reynoldsianum</i> | 2 00 |
| " <i>Scherzerianum</i> | 2 00 |
| " " <i>album</i> | 5 00 |
| " " " <i>giganteum</i> | 7 50 |
| " " <i>roseum</i> | |
| " " <i>Rothschildianum</i> | 5 00 |
| " " <i>Wardii</i> | 5 00 |
| " <i>spathophyllum</i> | 50 |
| <i>Azaleas</i> . Leading varieties..... | 1 00 |
| <i>Baronia megastigma</i> | 1 50 |
| <i>Begonia Duchartierii</i> | 50 |
| " <i>Haageana</i> | 25 |
| " <i>Gloire de Lorraine</i> | 50 |
| " <i>glaucophilla scandens</i> | 50 |
| " <i>rubra</i> | 50 |
| <i>Cestrum fasciculatum</i> | 50 |
| " <i>nocturnum</i> | 50 |
| <i>Cassia corymbosa</i> | 2 00 |
| <i>Chrysanthemum frutescens</i> | 25 |
| <i>Costus ignea</i> | 1 00 |
| <i>Camellia</i> . Best varieties..... | 2 00 |
| <i>Cuphea isophilla</i> | 35 |
| <i>Erythrina corallina</i> | 50 |
| <i>Eupatorium iananthum</i> | 50 |
| <i>Euphorbia splendens</i> | 35 |
| " <i>Jacquinaeflora</i> | 50 |
| <i>Eucharis Amazonica</i> | 25 |
| <i>Gardenia Florida</i> Veitchs var..... | 75 |
| " <i>radicans</i> | 50 |
| <i>Genista Canariensis</i> | 50 |
| <i>Hedichium coronarium</i> | 50 |
| " <i>flavum</i> | 1 00 |
| <i>Hibiscus sinensis</i> | 50 |
| <i>Hydrangea hortensis</i> | 50 |
| <i>Imantophyllum miniatum</i> | 1 00 |
| " <i>cyrthantiflorus</i> | 1 00 |
| <i>Ignea pulcherrima</i> | 75 |
| <i>Ixora coccinea</i> | 1 00 |
| " <i>Javanica</i> | 1 00 |
| " <i>odorata</i> | 1 00 |
| <i>Justicia carnea</i> | 25 |
| " <i>volutina</i> | 25 |
| <i>Luculea gratissima</i> | 1 00 |
| <i>Ophiopogon</i> , Jaburan var..... | 50 |
| <i>Pavetta borbonica</i> | 3 00 |
| <i>Pleroma elegans</i> | 25 |
| <i>Poinsettia pulcherrima</i> | 5 |
| <i>Rubus rosaeflorus</i> | 50 |
| <i>Ruellia coccinea</i> | 2 |
| <i>Scutellaria Moccencana</i> | 50 |
| <i>Solandra grandiflora</i> | 50 |

FLOWERING PLANTS.—Continued.

| | Each. |
|---|--------|
| <i>Salvia</i> . Golden leaved..... | \$0 25 |
| <i>Sierographis Ghiesbrechtii</i> | 50 |
| <i>Streletzia regina</i> | 1 50 |
| <i>Tabernaemontana coronaria</i> | 3 50 |
| <i>Thrysanthus rutilans</i> | 1 00 |
| <i>Utricularia Montana</i> | 1 50 |
| <i>Vallota purpurea</i> | 25 |
| <i>Veronica</i> , in varieties..... | 50 |

ORCHIDS.

List of the leading varieties in stock. Prices are for ordinary sized flowering plants. Larger specimens and rare varieties, special lists and prices on application.

| | |
|------------------------------------|--------|
| <i>Ærides Fieldingii</i> | \$3 00 |
| " <i>crassifolia</i> | 3 00 |
| " <i>virens Dayana</i> | 2 50 |
| <i>Acineta species</i> | 2 00 |
| <i>Angræcum sesquipedale</i> | 5 00 |
| " <i>Leonis</i> | 2 50 |
| " <i>Sanderiana</i> | 3 50 |
| <i>Ansellia Africana</i> | 6 00 |
| <i>Arpophyllum spicatum</i> | 2 00 |
| <i>Barkeria Skinnerii</i> | 2 00 |
| <i>Brassavola cucullata</i> | 6 00 |
| " <i>glaуca</i> | 2 00 |
| " <i>Digbyana</i> | 2 00 |
| <i>Brassia verucosa</i> | 1 00 |
| <i>Calanthe Regnerii</i> | 2 00 |
| " <i>Veitchii</i> | 2 00 |
| " " <i>superba</i> | 3 00 |
| " <i>vestita</i> | 2 00 |
| " " <i>oculata</i> | 2 00 |
| <i>Catasetum species</i> | 1 50 |
| <i>Cattleya Arnoldiana</i> | |
| " <i>Bowringiana</i> | 2 50 |
| " <i>bicolor</i> | 2 50 |
| " <i>citrina</i> | 1 00 |
| " <i>chrysotoxa</i> | 5 00 |
| " <i>Calistoglossa</i> | |
| " <i>Dowiana</i> | 3 00 |
| " <i>Gaskelliana</i> | 2 00 |
| " " <i>pallida</i> | |
| " <i>gigas</i> | 2 50 |
| " " <i>Sanderiana</i> | 3 00 |
| " <i>granulosa</i> | 2 00 |
| " " <i>Russelliana</i> | |
| " <i>guttata</i> | 2 00 |
| " " <i>Peacock</i> var..... | |
| " " <i>Olive</i> var..... | |
| " " <i>Bramhall</i> var..... | |
| " <i>Harrisoniae</i> | 2 50 |
| " " <i>violacea</i> | |
| " " <i>albida</i> | |
| " <i>intermedia</i> | 2 00 |
| " " <i>superba</i> | 5 00 |
| " <i>labiata</i> | 1 50 |
| " <i>Loddigesii</i> | 3 00 |
| " <i>McCormickii</i> | |
| " <i>Mendellii</i> | 3 00 |
| " " <i>alba</i> | |
| " " <i>Morganiae</i> | |
| " " <i>superba</i> | |

ORCHIDS.—Continued.

| | Each. |
|---|--------|
| Cattleya Mossiae | \$2 00 |
| " " <i>aurea grandiflora</i> | |
| " <i>Pallas</i> | 2 00 |
| " <i>Percivalliana</i> | 5 00 |
| " <i>Schofieldiana</i> | 2 00 |
| " <i>Skinnerii</i> | 5 00 |
| " " <i>atrorosea</i> | 3 00 |
| " <i>Schroderae</i> | 2 00 |
| " <i>Speciosissima</i> | 1 50 |
| " <i>St. Legeriana</i> | 5 00 |
| " <i>Trianae</i> | 2 00 |
| " " <i>alba</i> | 3 00 |
| " " <i>delicata</i> | 5 00 |
| " " <i>Backhousiana</i> | 1 50 |
| " " <i>virginalis</i> | 5 00 |
| " <i>Warnerii</i> | 2 00 |
| " <i>Walkeriana</i> | 5 00 |
| Coelogyne Cristata | 1 00 |
| " " <i>alba</i> | 3 00 |
| " <i>Dayana</i> | 3 50 |
| " <i>Massangeana</i> | 3 00 |
| " <i>Sanderiana</i> | 3 50 |
| " <i>fuscescens</i> | 3 00 |
| " <i>speciosa</i> | 3 00 |
| Chysis bractescens | 1 00 |
| " <i>aurea</i> | 2 50 |
| Cymbidium aloifolium | 2 00 |
| " <i>Lowianum</i> | 3 00 |
| " " <i>Mandaianum</i> | |
| " <i>eburneum Lowianum</i> | |
| Cypripedium Adonis | 5 00 |
| " <i>Amesianum</i> | 3 00 |
| " <i>albo-purpureum</i> | 2 00 |
| " <i>A. R. Smith</i> | |
| " <i>Arthurianum pulchellum</i> | 3 00 |
| " " " <i>Mandaianum</i> | |
| " <i>Ashburtoniae</i> | 2 00 |
| " <i>barbatum</i> | 1 00 |
| " " <i>superbum</i> | 2 00 |
| " <i>Boxallii</i> | 2 00 |
| " " <i>superbum</i> | 3 00 |
| " " <i>aureum</i> | |
| " <i>Brownii</i> | |
| " <i>bellatum</i> | 2 00 |
| " " <i>album</i> | |
| " <i>calurum</i> | 2 50 |
| " " <i>Rougierii</i> | 4 00 |
| " <i>calophyllum</i> | 3 00 |
| " <i>candidulum</i> | 2 00 |
| " <i>cardinale</i> | 2 00 |
| " <i>Chamberlainianum</i> | 3 00 |
| " <i>Charlesworthii</i> | 2 00 |
| " <i>Chas. Canham</i> | |
| " <i>Mrs. Chas. Canham</i> | |
| " <i>ciliolare</i> | 3 00 |
| " <i>Cleola</i> | 5 00 |
| " <i>conchiferum</i> | 2 00 |
| " <i>Crossianum</i> | 2 00 |
| " <i>Curtisii</i> | 3 00 |
| " <i>Dauthierii</i> | 2 00 |
| " <i>discolor</i> | |
| " <i>Dominianum</i> | 1 50 |
| " <i>Druryii</i> | 3 00 |
| " <i>Elliottianum</i> | 5 00 |
| " <i>euryandrum majus</i> | |

ORCHIDS.—Continued.

| | Each. |
|--|--------|
| <i>Cypripedium grande</i> | \$3 00 |
| " <i>Harrisia</i> num | 1 00 |
| " " <i>Allenianum</i> | 2 00 |
| " " <i>luteolum</i> | 2 00 |
| " " <i>superbum</i> | 7 50 |
| " <i>Haynaldianum</i> | 3 00 |
| " <i>Hartwegii</i> | 2 00 |
| " <i>Hirsutissimum</i> | 2 00 |
| " <i>Insigne</i> | 1 00 |
| " " <i>albo marginatum</i> | 3 00 |
| " " <i>biflorum</i> | 5 00 |
| " " <i>Coulsonii</i> | 3 00 |
| " " <i>Chantinii</i> | 3 00 |
| " " <i>Cuttingianum</i> | 5 00 |
| " " <i>Dominii</i> | 3 00 |
| " " <i>Ernestii</i> | 3 00 |
| " " <i>maximum</i> | 5 00 |
| " " <i>lineata</i> | 5 00 |
| " " <i>Mrs. G. B. Wilson</i> | 5 00 |
| " <i>lo Grande</i> | 5 00 |
| " <i>Juno</i> | 1 00 |
| " <i>Lawrenceanum</i> | 1 00 |
| " " <i>giganteum</i> | 5 00 |
| " <i>Leeanum</i> | 3 00 |
| " " <i>superbum</i> | 5 00 |
| " " <i>South Orange var.</i> | 3 00 |
| " " <i>erectum</i> | 3 00 |
| " <i>leucorrhodum</i> | 5 00 |
| " <i>longifolium</i> | 1 00 |
| " <i>Lowii</i> | 3 00 |
| " <i>macropterum</i> | 3 00 |
| " <i>marmorophyllum superbum</i> | 5 00 |
| " <i>Masrellianum</i> | 7 50 |
| " <i>Morganiae</i> | 3 00 |
| " <i>Niobe</i> | 3 00 |
| " <i>nitens</i> | 3 00 |
| " <i>Josephianum</i> | 3 00 |
| " <i>oenanthum</i> | 3 00 |
| " " <i>superbum</i> | 5 00 |
| " <i>Parishii</i> | 5 00 |
| " <i>Pavonium inversum</i> | 5 00 |
| " <i>Pearceii</i> | 2 00 |
| " <i>purpuratum</i> | 3 00 |
| " <i>porphyreum</i> | 2 00 |
| " <i>Roezlii</i> | 2 00 |
| " <i>Rothschildianum</i> | 5 00 |
| " <i>Sallerii</i> | 3 00 |
| " " <i>punctatum</i> | 5 00 |
| " " <i>W. W. Lunt</i> | 3 00 |
| " <i>Schlismii</i> | 2 00 |
| " <i>Selligerum</i> | 2 00 |
| " <i>Schroderae</i> | 3 00 |
| " <i>Sedenii</i> | 1 00 |
| " <i>Spicerianum</i> | 2 00 |
| " " <i>nigrescens</i> | 5 00 |
| " <i>Stoneii</i> | 3 00 |
| " <i>superbiens</i> | 5 00 |
| " <i>superciliare</i> | 3 CO |
| " <i>Swanianum</i> | 3 00 |
| " <i>venustum</i> | 1 00 |
| " <i>vexillarium</i> | 3 00 |
| " " <i>superbum</i> | 7 50 |
| " <i>villosum</i> | 2 00 |
| " " <i>aureum</i> | 5 00 |
| " <i>Williamsii</i> | 5 00 |
| " <i>W. W. Lunt</i> | 3 00 |

ORCHIDS.—Continued.

| | Each. |
|---|--------|
| Dendrobium Ainsworthii | \$3 00 |
| " " <i>album</i> | 5 00 |
| " <i>anosmum Dayanum</i> | 3 00 |
| " <i>aureum</i> | 3 00 |
| " <i>Bensonii</i> | 3 00 |
| " <i>bigibum</i> | 3 00 |
| " <i>Brymeriaum</i> | 2 00 |
| " <i>Calceolus</i> | 2 00 |
| " <i>chrysotoxum</i> | 2 00 |
| " <i>chrystallinum</i> | 2 00 |
| " <i>Dalhouseanum</i> | 2 00 |
| " <i>Dearii</i> | 5 00 |
| " <i>densiflorum</i> | 2 00 |
| " <i>Devonianum</i> | 2 00 |
| " <i>Dominianum</i> | 7 50 |
| " <i>Farmerii</i> | 3 00 |
| " <i> album</i> | |
| " <i>fimbriatum</i> | 2 00 |
| " <i> oculatum</i> | 3 00 |
| " <i>Findlayanum</i> | 2 00 |
| " <i> albidum</i> | |
| " <i>formosum giganteum</i> | 2 00 |
| " <i>Hildebrandtii</i> | 3 00 |
| " <i>heterocarpum</i> | 3 00 |
| " <i>Jamesianum</i> | 2 00 |
| " <i>Leechianum</i> | 4 00 |
| " <i>nobile</i> | 1 00 |
| " <i>Allenianum</i> | 7 50 |
| " <i>candidulum</i> | 7 50 |
| " <i>Cooksonii</i> | 5 00 |
| " <i>elegans</i> | 7 50 |
| " <i>intermedia</i> | |
| " <i>leucorhodum</i> | 5 00 |
| " <i>Mandaianum</i> | |
| " <i>marmoratum</i> | 3 50 |
| " <i>ocroleucum</i> | 5 00 |
| " <i>rubescens</i> | 7 50 |
| " <i>Sanderianum</i> | 3 00 |
| " <i>So. Orange var.</i> | 5 00 |
| " <i>Tolleanum</i> | 7 50 |
| " <i>virginalis</i> | |
| " <i>primulinum</i> | 1 00 |
| " <i> giganteum</i> | 2 00 |
| " <i>Pierardii latifolium</i> | 1 00 |
| " <i>Paxtonii</i> | 3 00 |
| " <i>speciosum</i> | 3 00 |
| " <i>suavissimum</i> | 3 00 |
| " <i>Schneiderianum</i> | |
| " <i>Thyrsiflorum</i> | 2 00 |
| " <i> Guilbertianum</i> | |
| " <i>Wardianum</i> | 2 00 |
| " <i> Mandaianum</i> | |
| " <i>natural hybrid</i> | |
| Dendrochilum glumaceum | 3 00 |
| " " <i>giganteum</i> | |
| Epidendrum ciliare | 2 00 |
| " <i>nemorale</i> | 2 00 |
| " <i>O'Brienii</i> | 3 00 |
| " <i>prismaticarpum splendens</i> | 7 50 |
| " <i>rhizophorum</i> | 1 00 |
| Laelia albida | 1 00 |
| " " <i>gigantea</i> | |
| " <i>anceps</i> | 1 00 |
| " " <i>alba</i> | 5 00 |
| " " <i>Williamsii</i> | |
| " " <i>Dawsonii</i> | |

ORCHIDS.—Continued.

Each.

| | | |
|---|--------|--|
| <i>Laelia</i> <i>Arnoldiana</i> | | |
| " <i>autumnalis</i> | \$2 00 | |
| " " <i>alba</i> | | |
| " <i>cinnabrina</i> | 3 00 | |
| " <i>crispilabia</i> | 5 00 | |
| " <i>Dayana</i> | 2 00 | |
| " <i>elegans</i> | 7 50 | |
| " " 45 varieties..... | | |
| " <i>flava</i> | 3 00 | |
| " <i>Gouldiana</i> | | |
| " <i>harpophylla</i> | 3 00 | |
| " <i>Lindleyana</i> | 5 00 | |
| " <i>Garrettii</i> | | |
| " <i>majalis</i> | 2 00 | |
| " " <i>alba</i> | | |
| " <i>Perrinii</i> | 2 00 | |
| " " <i>alba</i> | | |
| " " " <i>Mandaiana</i> | | |
| " <i>praestans</i> | 2 50 | |
| " <i>pumila</i> | 2 00 | |
| " <i>purpurata</i> | 2 00 | |
| " " <i>Schroderae</i> | | |
| " " <i>Brilliant</i> | | |
| " " <i>South Orange var.</i> | | |
| " <i>superbiens</i> | 5 00 | |
| <i>Lycaste</i> <i>Skinnerii</i> | | |
| " <i>aromatica</i> | 1 00 | |
| " <i>cruenta</i> | 1 00 | |
| <i>Maxillaria</i> <i>Harrisoniae</i> | | |
| <i>Miltonia</i> <i>Clowesii</i> | | |
| " <i>Candida</i> | 3 00 | |
| " <i>Morelliana</i> | 5 00 | |
| <i>Phaius</i> <i>grandifolius</i> | | |
| " <i>maculatus</i> | 1 00 | |
| " <i>maculatus</i> | 2 00 | |
| <i>Phalaenopsis</i> <i>amabilis</i> | | |
| " <i>denticulata</i> | 4 00 | |
| " <i>grandiflora</i> | 3 00 | |
| " <i>Schilleriana</i> | 5 00 | |
| " <i>Luddemanniana</i> | 5 00 | |
| " <i>Stuartiana</i> | 5 00 | |
| " <i>Sanderiana</i> | 5 00 | |
| <i>Odontoglossum</i> <i>citrosum</i> | | |
| " <i>grande</i> | 2 00 | |
| " <i>bicotoneense</i> | 2 00 | |
| " <i>Rossii majus</i> | 1 00 | |
| " <i>Rossii majus</i> | 1 00 | |
| <i>Oncidium</i> <i>altissimum</i> | | |
| " <i>crispum</i> | 2 00 | |
| " <i>flexuosum</i> | 3 00 | |
| " <i>incurvum</i> | 3 00 | |
| " <i>ornithorhynchium</i> | 1 50 | |
| " <i>pubes</i> | 1 50 | |
| " <i>tigrinum</i> | 3 00 | |
| " <i>St. Legerianum</i> | 2 00 | |
| " <i>varicosum</i> | 3 50 | |
| " " <i>Rogersii</i> | 1 50 | |
| " " <i>Rogersii</i> | 3 50 | |
| " <i>Weltonii</i> | 7 50 | |
| <i>Rodiguesia</i> <i>secunda</i> | | |
| <i>Schombourgkia</i> <i>crispa</i> | | |
| " <i>tibicina</i> | 3 00 | |
| <i>Sobralia</i> <i>macrantha</i> | | |
| " " <i>alba</i> | 2 00 | |
| " " <i>White Species</i> | | |
| <i>Sophronites</i> <i>grandiflora</i> | | |
| <i>Stanhopea</i> in varieties..... | | |
| " <i>Devoniensis</i> | 3 00 | |
| " <i>Devoniensis</i> | 5 00 | |
| <i>Thunia</i> <i>Marshalliana</i> | | |
| | 2 00 | |

ORCHIDS.—Continued.

| | Each. |
|-----------------------------------|--------|
| Vanda Batemannii..... | |
| " <i>Cathcartii</i> | \$7 50 |
| " <i>coerulea</i> | 2 50 |
| " <i>Dennisoniana</i> | 4 00 |
| " <i>Hookeriana</i> | 5 00 |
| " <i>lamellata Boxallii</i> | 5 00 |
| " <i>Sanderiana</i> | |
| " <i>suavis</i> | 5 00 |
| " <i>tricolor</i> | 5 00 |
| " <i>vandarum</i> | 7 50 |
| Vanilla planifolia..... | 4 00 |
| Zygotepetalum McKayii..... | 2 00 |
| " <i>Gautierii</i> | 5 00 |

BROMELIADS.

| | Each. |
|--|---------|
| Ananassa Porteana..... | \$02 50 |
| " <i>sativa variegata</i> | 2 50 |
| Bilbergia amoena..... | 2 50 |
| " <i>clavata longifolia</i> | 1 50 |
| " <i>Leopoldii</i> | 3 50 |
| " <i>Liboniana</i> | 1 50 |
| " <i>Morelliana</i> | 2 50 |
| " <i>pyramidalis</i> | 1 50 |
| " <i>Quesneliana</i> | 2 50 |
| " <i>Rhodocyanea</i> | 3 50 |
| " <i>zebrina</i> | |
| " <i>maxima</i> | |
| Bromelia macrodontes..... | 2 00 |
| " <i>Penguin</i> | 3 00 |
| Caraguata cardinalis..... | 2 00 |
| " <i>ligulata splendens</i> | 1 50 |
| Cryptanthus zonatus variegatus..... | 1 50 |
| Echinostachys histrix flexilis..... | 5 00 |
| " <i>Pineliana</i> | 3 50 |
| " <i>Van Houtteana</i> | 3 50 |
| Encochliiron Saundersii..... | 2 50 |
| Guzmannia Moretziana..... | 2 50 |
| " <i>melionis</i> | 2 50 |
| Hoplophytum robustum..... | 1 50 |
| " " <i>variegatum</i> | |
| Nidularium splendens | 2 50 |
| " <i>striatum</i> | 3 50 |
| " <i>sanguineum</i> | 3 50 |
| " <i>Scheremetiewi</i> | 5 00 |
| " <i>triste</i> | 2 50 |
| " <i>Binoti</i> | 3 50 |
| " <i>Morrenianum</i> | 2 50 |
| Massangea hieroglyphica..... | 7 50 |
| Pitcairnia formosa..... | 1 50 |
| " <i>Altensteinii</i> | 3 50 |
| Vreesia incurvata..... | 3 50 |
| " <i>Lindenii vera</i> | 5 00 |
| " <i>Mariae</i> | 2 50 |
| " <i>psittacina</i> | 2 50 |
| " <i>splendens</i> | 1 50 |
| Tillandsia fenestralis..... | 7 50 |
| " <i>bracteata</i> | 2 00 |

GREENHOUSE VINES AND TRAILING PLANTS.

Large Specimens, Prices on Application.

| | Each. |
|---|--------|
| <i>Allamanda Hendersonii</i> | \$0 50 |
| " <i>Williamsii</i> | 50 |
| <i>Aristolochia elegans</i> | 25 |
| <i>Asparagus plumosus</i> | 50 |
| " <i>decumbens</i> | 2 50 |
| " <i>Pitcherianus</i> | 2 50 |
| " <i>Sprengerii</i> | 25 |
| " <i>tenuissimus</i> | 25 |
| <i>Bignonia venusta</i> | I 50 |
| " <i>capense</i> | 50 |
| <i>Bougainvillea Sanderiana</i> | 50 |
| <i>Cissus discolor</i> | 25 |
| <i>Clerodendron Balfourii</i> | 50 |
| <i>Cobaea scandens</i> var..... | 75 |
| <i>Dioscorea discolor</i> | 2 50 |
| <i>Dipladenia amabilis</i> | I 50 |
| " <i>Boliviensis</i> | I 50 |
| " <i>Brierleyana</i> | I 50 |
| " <i>profusa</i> | I 50 |
| <i>Ficus repens</i> | 10 |
| <i>Echites nitens</i> | 2 50 |
| <i>Hoya carnosa variegata</i> | 50 |
| <i>Jasminium grandiflorum</i> | 50 |
| " <i>gracillimum</i> | 50 |
| <i>Lapageria alba</i> | 3 50 |
| " <i>rosea</i> | 2 50 |
| <i>Gesmininum sempervirens</i> | 50 |
| <i>Marcgravia paradoxa</i> | 50 |
| <i>Passiflora Constance Elliott</i> | 50 |
| " <i>coerulea</i> | 50 |
| " <i>fasciata</i> | 50 |
| " <i>incarnata</i> | 50 |
| " <i>quadrangularis</i> var..... | I 00 |
| <i>Piper nigrum</i> | 25 |
| <i>Plumbago capense</i> | 25 |
| " " <i>alba</i> | 25 |
| " <i>coccinea</i> | 25 |
| " " <i>alba</i> | 25 |
| <i>Pothos aurea</i> | 50 |
| " <i>argyrea</i> | 50 |
| <i>Rhynchospermum jasminoides</i> | 50 |
| " " var..... | 50 |
| <i>Rosea sinica</i> | 50 |
| <i>Smilax argyrea</i> | I 00 |
| <i>Solanum jasminoides</i> | 25 |
| " <i>Wendlandii</i> | 50 |
| <i>Stephanotis floribunda</i> | I 00 |
| <i>Swainsonia galegifolia alba</i> | 25 |



SPRING AND SUMMER BULBS.

| | Each. | Doz. | Per 100. |
|--|--------|---------|----------|
| Amaryllis Hybrids | \$0 50 | \$5 00 | |
| Achimenes. Grand collection, 25 var., | 1 50 | \$10 00 | |
| Tuberous Rooted Begonias. | | | |
| Single Scarlet Yellow. Pink, white | 1 00 | 6 00 | |
| " All colors mixed | 75 | 5 00 | |
| Double Scarlet Yellow. Pink, white..... | 2 00 | 12 00 | |
| " All colors mixed..... | 1 50 | 10 00 | |
| Caladium esculentum. Fine..... | 1 00 | | |
| " " Extra..... | 1 50 | | |
| " " Very large..... | 2 50 | | |
| " Fancy leaved, many varieties.... | 4 00 | | |
| " " New Brazilian..... | 10 00 | | |
| Calla Aethiopica | 2 00 | | |
| " Elliottiana. Yellow..... | Each, | 2 50 | |
| Canna Alphonse Bouvier | | | 10 00 |
| " Austria..... | 1 50 | | 8 00 |
| " Chas. Henderson..... | 1 00 | | 8 00 |
| " Egandale..... | 1 50 | | 10 00 |
| " Florence Vaughan..... | 1 50 | | 10 00 |
| " Golden Sceptre..... | 2 50 | | 20 00 |
| " Italia..... | 1 50 | | 10 00 |
| " Mad. Crozy..... | 1 50 | | 10 00 |
| " Papa..... | 1 00 | | 8 00 |
| " Queen Charlotte..... | 1 50 | | 10 00 |
| " Robert Christie..... | 1 00 | | 8 00 |
| " Rose Mawr..... | 2 50 | | 18 00 |
| " Tarrytown..... | 1 00 | | 8 00 |
| Cinnamon Vine | 50 | | 3 50 |
| Dahlias. Mixed varieties..... | 1 50 | | 10 00 |
| Gladiolus. Scarlet and crimson | 25 | | 1 75 |
| " White and light | 35 | | 2 50 |
| " Yellow shades..... | 40 | | 3 00 |
| " Striped and variegated..... | 35 | | 2 50 |
| " Pink..... | 35 | | 2 50 |
| " Extra choice mixed..... | 30 | | 2 00 |
| " Lemoine's Hybrids..... | 30 | | 2 00 |
| Gloxinias. Extra choice..... | 1 50 | | 10 00 |
| Hyacinthus Candicans | 50 | | 3 50 |
| Lilium auratum | 1 50 | | 10 00 |
| " speciosum album..... | 2 50 | | 15 00 |
| " " roseum..... | 1 50 | | 10 00 |
| " " melpomene..... | 1 50 | | 10 00 |
| " tigrinum splendens..... | 1 25 | | 9 00 |
| " " fl. pl..... | 1 25 | | 9 00 |
| Madeira Vine | 40 | | 3 00 |
| Montbretias , in variety | 30 | | 2 25 |
| Tigridias , " " | 40 | | 3 00 |
| Tuberose Double Pearl | 25 | | 1 50 |
| Vallota purpurea | 3 00 | | |

HARDY PERENNIALS OR HERBACEOUS PLANTS.

Of these grand old favorites I have enormous stock in the most complete assortment, of which I give the leading sorts as below.

| | Each. | Doz. | Per 100. |
|--|--------|--------|----------|
| <i>Achillea millefolia rubra</i> | \$0 15 | \$1 50 | \$10 00 |
| " <i>carnea</i> | 25 | 2 50 | 18 00 |
| " <i>The Pearl</i> | 15 | 1 50 | 10 00 |
| " <i>tomentosa</i> | 15 | 1 50 | 10 00 |
| <i>Adiantum pedatum</i> | 25 | 2 50 | 18 00 |
| <i>Aconitum uncinatum</i> | 25 | 2 50 | 18 00 |
| <i>Agrostemma coronaria</i> | 15 | 1 50 | 10 00 |
| " <i>alba</i> | 20 | 2 00 | 15 00 |
| " <i>sanguinea</i> | 20 | 2 00 | 15 00 |
| " <i>Flos. Jovis</i> | 25 | 2 50 | 18 00 |
| <i>Alyssum saxatile</i> | 15 | 1 50 | 10 00 |
| " <i>compactum</i> | 15 | 1 50 | 10 00 |
| " <i>argenteum</i> | 25 | 2 50 | 18 00 |
| <i>Althea rosea</i> | 20 | 2 00 | 15 00 |
| " " <i>in 20 distinct var.</i> | 25 | 2 50 | 18 00 |
| <i>Ajuga reptans</i> | 15 | 1 50 | 10 00 |
| " " <i>fol. var.</i> | 25 | 2 50 | 18 00 |
| <i>Aquilegia vulgaris alba</i> | 15 | 1 50 | 10 00 |
| " <i>in 25 finest named sorts.</i> | 25 | 2 50 | 18 00 |
| <i>Anemone Pennsylvanica</i> | 15 | 1 50 | 10 00 |
| " <i>Japonica</i> | 25 | 2 50 | 18 00 |
| " <i>alba</i> | 25 | 2 50 | 18 00 |
| " <i>rosea</i> | 25 | 2 50 | 18 00 |
| " <i>Whirlwind</i> | 25 | 2 50 | 18 00 |
| <i>Anthemis tinctoria</i> | 20 | 2 00 | 15 00 |
| <i>Armeria cephalotes</i> | 25 | 2 50 | 18 00 |
| " <i>formosa</i> | 25 | 2 50 | 18 00 |
| " <i>plantaginea</i> | 25 | 2 50 | 18 00 |
| <i>Arenaria Balearica</i> | 20 | 2 00 | 15 00 |
| <i>Arabis alpina</i> | 15 | 1 50 | 10 00 |
| <i>Artemisia Abrotanum</i> | 25 | 2 50 | 10 00 |
| " <i>pontica</i> | 15 | 1 50 | 10 00 |
| " <i>stellaria</i> | 15 | 1 50 | 10 00 |
| <i>Arundo Donax</i> | 25 | 2 50 | 18 00 |
| " " <i>fol. var.</i> | 35 | 3 50 | 25 00 |
| <i>Asclepias incarnata</i> | 15 | 1 50 | 10 00 |
| " <i>tuberosa</i> | 25 | 2 50 | 18 00 |
| <i>Aster cordifolius</i> | 15 | 1 50 | 10 00 |
| " <i>ericoides</i> | 15 | 1 50 | 10 00 |
| " <i>formosum</i> | 15 | 1 50 | 10 00 |
| " <i>Nova Angliae</i> | 15 | 1 50 | 10 00 |
| " " <i>roseum</i> | 25 | 2 50 | 18 00 |
| " <i>patens</i> | 25 | 2 50 | 18 00 |
| " <i>turbinellus</i> | 25 | 2 50 | 18 00 |
| <i>Baptisia australis</i> | 25 | 2 50 | 18 00 |
| " <i>tinctoria</i> | 15 | 1 50 | 10 00 |
| <i>Bambusa metake</i> | 50 | 5 00 | |
| <i>Bocconia cordata</i> | 15 | 1 50 | 10 00 |
| <i>Boltonia latisquama</i> | 15 | 1 50 | 10 00 |
| " <i>asteroides</i> | 15 | 1 50 | 10 00 |
| <i>Bellis perennis</i> | 10 | 1 00 | 6 00 |
| <i>Campanula carpatica</i> | 25 | 2 50 | |
| " <i>persicifolia</i> | 25 | 2 50 | |
| " <i>pyramidalis</i> | 25 | 2 50 | |
| " <i>medium</i> . In varieties .. | 15 | 1 50 | |
| " <i>Van Houttei</i> | 25 | 2 50 | |
| <i>Caltha palustris fl. pl.</i> | 35 | 3 50 | |
| <i>Carax brevicaulis</i> | 25 | 2 50 | |
| <i>Cassia Marylandica</i> | 25 | 2 50 | 18 00 |

HARDY PERENNIALS.—Continued.

| | Each. | Doz. | Per 100. |
|--|--------|--------|----------|
| <i>Caiananche bicolor</i> | \$0 25 | \$2 50 | \$18 00 |
| " <i>cœrulea</i> | 25 | 2 50 | 18 00 |
| <i>Centaurea Babylonica</i> | 25 | 2 50 | 18 00 |
| <i>Clematis Davidiana</i> | 35 | 3 50 | |
| " <i>integrifolia</i> | 35 | 3 50 | |
| " <i>recta</i> | 35 | 3 50 | |
| " <i>stans</i> | 35 | 3 50 | |
| <i>Convallaria majalis</i> | 20 | 2 00 | 15 00 |
| " <i>japonica</i> | 35 | 3 50 | |
| <i>Cheilodinum majus</i> | 25 | 2 50 | 18 00 |
| <i>Coreopsis Californica</i> | 25 | 2 50 | 18 00 |
| " <i>lanceolata</i> | 15 | 1 50 | 10 00 |
| " " <i>grandiflora</i> | 15 | 1 50 | 10 00 |
| " " <i>Harvest Moon</i> .. | 15 | 1 50 | 10 00 |
| " <i>delphinifolia</i> | 25 | 2 50 | |
| " <i>rosea</i> | 15 | 1 50 | 15 00 |
| " <i>verticillata</i> | 25 | 2 50 | |
| <i>Crucianella stylosa coccinea</i> | 25 | 2 50 | 18 00 |
| <i>Chrysanthemums</i> . Hardy Garden. | | | |
| 25 varieties | 15 | 1 50 | 10 00 |
| <i>Chelone glabra</i> | 25 | 2 50 | |
| " <i>Lyonii alba</i> | 25 | 2 50 | |
| <i>Cypripedium pubescens</i> | 50 | 5 00 | |
| " <i>parviflorum</i> | 50 | 5 00 | |
| " <i>spectabile</i> | 50 | 5 00 | |
| <i>Delphinium chinense</i> | 25 | 2 50 | |
| " <i>formosum</i> | 25 | 2 50 | |
| " <i>hybridum</i> | 25 | 2 50 | |
| <i>Dicentra eximia</i> | 15 | 1 50 | 10 00 |
| " <i>formosa</i> | 15 | 1 50 | 10 00 |
| " <i>spectabilis</i> | 20 | 2 00 | 15 00 |
| " " <i>alba</i> | 50 | 5 00 | |
| <i>Dictamus fraxinella</i> | 35 | 3 50 | |
| " " <i>alba</i> | 35 | 3 50 | |
| <i>Dianthus barbatus</i> . In varieties... | 25 | 2 50 | 18 00 |
| " <i>plumarius</i> | 15 | 1 50 | 10 00 |
| " " <i>Virginal fl. pl.</i> | 35 | 3 50 | |
| <i>Digitalis purpurea</i> . In varieties.... | 15 | 1 50 | 10 00 |
| " <i>gloxinæflora</i> . " | 15 | 1 50 | 10 00 |
| <i>Desmodium penduliflorum</i> | 25 | 2 50 | |
| <i>Echinacea purpurea</i> | 25 | 2 50 | |
| <i>Eryngium amethystinum</i> | 25 | 2 50 | |
| <i>Elymus glaucus</i> | 25 | 2 50 | |
| <i>Epimedium sulphureum</i> | 25 | 2 50 | |
| " <i>macranthum</i> | 25 | 2 50 | |
| <i>Erianthus Ravennae</i> | 25 | 2 50 | |
| <i>Eupatorium ageratoides</i> | 15 | 1 50 | |
| <i>Eulalia japonica</i> | 25 | 2 50 | |
| " " <i>zebrina</i> | 25 | 2 50 | |
| " " <i>variegata</i> | 25 | 2 50 | |
| " <i>gracillima</i> | 25 | 2 50 | |
| <i>Euphorbia corollata</i> | 25 | 2 50 | |
| <i>Euonymus radicans</i> | 25 | 2 50 | 18 00 |
| " " <i>fol. var</i> | 25 | 2 50 | 18 00 |
| <i>Festuca glauca</i> | 25 | 2 50 | 18 00 |
| <i>Funkia cordata</i> | 15 | 1 50 | 10 00 |
| " <i>Fortunii</i> | 25 | 2 50 | 18 00 |
| " <i>grandiflora alba</i> | 25 | 2 50 | 18 00 |
| " <i>lanceolata</i> | 15 | 1 50 | 10 00 |
| " " <i>variegata</i> | 15 | 1 50 | 10 00 |
| " <i>obovata</i> | 15 | 1 50 | 10 00 |
| " " <i>variegata</i> | 15 | 1 50 | 10 00 |
| " <i>undulata</i> " | 25 | 2 50 | 18 00 |
| <i>Gaillardia grandiflora</i> | 15 | 1 50 | 10 00 |
| " <i>hybrida nana</i> | 25 | 2 50 | 18 00 |
| " <i>James Kelway</i> | 25 | 2 50 | 18 00 |

HARDY PERENNIALS.—Continued.

| | Each. | Doz. | Per 100. |
|---|--------|--------|----------|
| <i>Galega officinalis</i> | \$0 25 | \$2 50 | \$18 00 |
| " " <i>alba</i> | 25 | 2 50 | 18 00 |
| <i>Geranium sanguineum</i> | 25 | 2 50 | 18 00 |
| " <i>platypetalum</i> | 25 | 2 50 | 18 00 |
| <i>Gillenia trifoliata</i> | 25 | 2 50 | 18 00 |
| <i>Glechoma hederacea</i> | 15 | 1 50 | 10 00 |
| " " <i>fol. var.</i> | 15 | 1 50 | 10 00 |
| <i>Gypsophila acutifolia</i> | 15 | 1 50 | 10 00 |
| " <i>paniculata</i> | 15 | 1 50 | 18 00 |
| " " <i>nana</i> | 25 | 2 50 | 18 00 |
| " <i>reptans</i> | 25 | 2 50 | 18 00 |
| <i>Heuchera sanguinea</i> | 25 | 2 50 | 18 00 |
| <i>Helenium autumnale</i> | 15 | 1 50 | 10 00 |
| " " <i>superbum</i> | 25 | 2 50 | 18 00 |
| <i>Helianthus Dowellianus</i> | 25 | 2 50 | 18 00 |
| " <i>orgyalis</i> | 25 | 2 50 | 18 00 |
| " <i>multiflorus maximus</i> | 15 | 1 50 | 10 00 |
| " <i>Maximiliana</i> | 15 | 1 50 | 10 00 |
| " <i>Mollis grandiflorus</i> | 15 | 1 50 | 10 00 |
| <i>Heliopsis Pitcherianus</i> | 15 | 1 50 | 10 00 |
| <i>Hedysarium coronarium</i> | 25 | 2 50 | 18 00 |
| <i>Hemerocallis aurantiaca major</i> | 50 | 5 00 | |
| " <i>Dumortieri</i> | 25 | 2 50 | 18 00 |
| " <i>flava</i> | 15 | 1 50 | 10 00 |
| " <i>fulva</i> | 15 | 1 50 | 10 00 |
| " " <i>fl. pl.</i> | 15 | 1 50 | 10 00 |
| " <i>Kwanso fl. pi</i> | 25 | 2 50 | 18 00 |
| " " <i>fol. var.</i> | 25 | 2 50 | 18 00 |
| " <i>graminaefolius</i> | 25 | 2 50 | 18 00 |
| " <i>rutilans</i> | 25 | 2 50 | 18 00 |
| " <i>Thunbergii</i> | 25 | 2 50 | 18 00 |
| <i>Hesperis matronalis</i> | 15 | 1 50 | 10 00 |
| " " <i>alba</i> | 15 | 1 50 | 10 00 |
| " " <i>purpurea</i> | 15 | 1 50 | 10 00 |
| <i>Hibiscus moschatus</i> | 25 | 2 50 | 18 00 |
| " " <i>albus</i> | 25 | 2 50 | 18 00 |
| " <i>incanus</i> | 25 | 2 50 | 18 00 |
| <i>Iberis sempervirens</i> | 15 | 1 50 | 10 00 |
| " " <i>superba</i> | 25 | 2 50 | 18 00 |
| <i>Iris aurea</i> | 25 | 2 50 | 18 00 |
| " <i>dalmatica pallida</i> | 25 | 2 50 | 18 00 |
| " <i>graminæfolia</i> | 25 | 2 50 | 18 00 |
| " <i>verna</i> | 25 | 2 50 | 18 00 |
| " <i>ochroleuca</i> | 25 | 2 50 | 18 00 |
| " <i>cristata</i> | 15 | 1 50 | 10 00 |
| " <i>Missouriensis</i> | 25 | 2 50 | 18 00 |
| " <i>pseudo-acorus</i> | 25 | 2 60 | 18 00 |
| " <i>Siberica</i> | 15 | 1 50 | 10 00 |
| " <i>Germanica</i> . 10 finest varieties | 15 | 1 50 | 10 00 |
| " <i>Kaempferii</i> . 50 " " | 25 | 2 50 | 18 00 |
| <i>Lathyrus latifolius</i> | 25 | 2 50 | 18 00 |
| <i>Lepachys pinnata</i> | 20 | 2 00 | 15 00 |
| <i>Leontopodium alpinum</i> | 25 | 2 50 | 18 00 |
| <i>Liatris spicata</i> | 15 | 1 50 | 10 00 |
| <i>Lychnis Chalcedonica</i> | 20 | 2 00 | 15 00 |
| <i>Lysimachia clethroides</i> | 15 | 1 50 | 10 00 |
| " <i>nummularia</i> | 15 | 1 50 | 10 00 |
| <i>Mellisa officinalis</i> . Varieties..... | 15 | 1 50 | 10 00 |
| <i>Mirabilis violacea</i> | 25 | 2 50 | 18 00 |
| " <i>longiflora</i> | 25 | 2 50 | 18 00 |
| " <i>multiflora</i> | 25 | 2 50 | 18 00 |
| <i>Monarda didyma</i> | 15 | 1 50 | 10 00 |
| " <i>hybrida</i> | 25 | 2 50 | 18 00 |
| <i>Myosotis alpestris</i> | 15 | 1 50 | 10 00 |
| <i>Orobus niger</i> | 25 | 2 50 | 18 00 |
| <i>Oenothera Missouriensis</i> | 15 | 1 50 | 10 00 |

HARDY PERENNIALS.—Continued.

| | | Each. | Doz. | Per 100. |
|--|--------|--------|---------|----------|
| <i>Oenothera biennis</i> | \$0 15 | \$1 50 | \$10 00 | |
| " <i>macrantha</i> | 15 | 1 50 | 10 00 | |
| <i>Paeony</i> . Single choice mixed.... | 35 | 3 50 | | |
| " Double " | 25 | 2 50 | 18 00 | |
| " " " to color.... | 35 | 3 50 | | |
| " Large plants.... Each | 50 | 75 | 1 00 | |
| <i>Papaver Altaicum</i> | 25 | 2 50 | 18 00 | |
| " <i>orientale</i> | 25 | 2 50 | 18 00 | |
| <i>Pachysandra terminalis</i> | 25 | 2 50 | 18 00 | |
| <i>Pentstemon ovatus</i> | 25 | 2 50 | 18 00 | |
| " <i>campanulata</i> | 25 | 2 50 | 18 00 | |
| " <i>cobaea</i> | 25 | 2 50 | 18 00 | |
| " <i>digitalis</i> | 20 | 2 00 | 15 00 | |
| " <i>barbatus Torreyii</i> | 20 | 2 00 | 15 00 | |
| " <i>glabra</i> | 25 | 2 50 | 18 00 | |
| " <i>Murryanus</i> | 25 | 2 50 | 18 00 | |
| <i>Phlox amoena</i> | 15 | 1 50 | 10 00 | |
| " <i>subulata</i> | 15 | 1 50 | 10 00 | |
| " <i>stolonifera</i> | 25 | 2 50 | 18 00 | |
| " <i>glaberrima</i> | 25 | 2 50 | 18 00 | |
| " <i>stellaria</i> | 25 | 2 50 | 18 00 | |
| " <i>ovata</i> | 25 | 2 50 | 18 00 | |
| " <i>Caroliniana</i> | 15 | 1 50 | 10 00 | |
| " <i>paniculata Tom Thumb</i> | 25 | 2 50 | 18 00 | |
| " " <i>The Pearl</i> | 15 | 1 50 | 10 00 | |
| " " In finest varieties. | 25 | 2 50 | 18 00 | |
| " " Mixed | 15 | 1 50 | 10 00 | |
| <i>Polemonium coeruleum</i> | 25 | 2 50 | 18 00 | |
| " <i>flavum</i> | 25 | 2 50 | 18 00 | |
| " <i>reptans</i> | 15 | 1 50 | 10 00 | |
| <i>Pardanthus chinensis</i> | 25 | 2 50 | 18 00 | |
| <i>Phalaris arundinacea variegata</i> | 15 | 1 50 | 10 00 | |
| <i>Physostegia speciosa</i> | 25 | 2 50 | 18 00 | |
| " <i>Virginica</i> | 15 | 1 50 | 10 00 | |
| <i>Plumbago Larpante</i> | 25 | 2 50 | 18 00 | |
| <i>Polygonum cuspidatum</i> | 15 | 1 50 | 10 00 | |
| " <i>sachalience</i> | 20 | 2 00 | 15 00 | |
| <i>Pyrethrum uliginosum</i> | 15 | 1 50 | 10 00 | |
| " <i>roseum hybridum</i> | 25 | 2 50 | 18 00 | |
| " " " pl..... | 25 | 2 50 | 18 00 | |
| <i>Primula vulgaris hybrida</i> | 20 | 2 00 | 15 00 | |
| <i>Platycodon Mariesii</i> | 25 | 2 50 | 18 00 | |
| " <i>grandiflora</i> | 25 | 2 50 | 18 00 | |
| " fl. <i>duplex</i> | 15 | 2 50 | 18 00 | |
| <i>Rudbeckia maxima</i> | 25 | 2 50 | 18 00 | |
| " <i>Californica</i> | 25 | 2 50 | 18 00 | |
| " <i>speciosa</i> | 15 | 1 50 | 10 00 | |
| " <i>subtomentosa</i> | 15 | 1 50 | 10 00 | |
| " <i>Golden Glow</i> | 15 | 1 50 | 10 00 | |
| " <i>fulgida</i> | 15 | 1 50 | 10 00 | |
| <i>Salvia argentea</i> | 25 | 2 50 | 18 00 | |
| " <i>pratensis</i> | 25 | 2 50 | 18 00 | |
| <i>Scabiosa caucasica</i> | 25 | 2 50 | 18 00 | |
| <i>Saxifraga cordata</i> | 25 | 2 50 | 18 00 | |
| <i>Sedum populifolium</i> | 25 | 2 50 | 18 00 | |
| " <i>telephoides</i> | 25 | 2 50 | 18 00 | |
| " <i>album</i> | 15 | 1 50 | 10 00 | |
| " <i>spectabile</i> | 15 | 1 50 | 10 00 | |
| " <i>hexagonum</i> | 15 | 1 50 | 10 00 | |
| " <i>spurium</i> | 15 | 1 50 | 10 00 | |
| <i>Stachys lanata</i> | 20 | 2 00 | 15 00 | |
| <i>Stokesia Cyanea</i> | 25 | 2 50 | 18 00 | |
| <i>Symphytum officinale variegatum</i> | 25 | 2 50 | 18 00 | |
| <i>Statice latifolia</i> | 15 | 1 50 | 10 00 | |
| <i>Spiraea astilboidea</i> | 15 | 1 50 | 10 00 | |
| " " <i>floribunda</i> | 15 | 1 50 | 10 00 | |

HARDY PERENNIALS.—Continued.

| | Each. | Doz. | Per 100. |
|-------------------------------------|--------|--------|----------|
| Spiraea Aruncus | \$0 25 | \$2 50 | \$18 00 |
| “ Japonica | 15 | 1 50 | 10 00 |
| “ “ compacta | 15 | 1 50 | 10 00 |
| “ filipendula fl. pl. | 25 | 2 50 | 18 00 |
| “ ulmaria | 15 | 1 50 | 10 00 |
| “ “ fl. pl. | 25 | 2 50 | 18 00 |
| “ venusta | 25 | 2 50 | 18 00 |
| Tradescantia Virginica | 15 | 1 50 | 10 00 |
| Tricyrtis hirta | 25 | 2 50 | 18 00 |
| Tritoma uvaria | 25 | 2 50 | 18 00 |
| Trillium grandiflorum | 15 | 1 50 | 10 00 |
| Tunica saxifraga | 15 | 1 50 | 10 00 |
| Thermopsis Caroliniana | 25 | 2 50 | 18 00 |
| “ fabacea | 25 | 2 50 | 18 00 |
| Uniola latifolia | 25 | 2 50 | 18 00 |
| Veronica rupestris | 15 | 1 50 | 10 00 |
| Vinca major | 15 | 1 50 | 10 00 |
| “ “ aurea maculata | 15 | 1 50 | 10 00 |
| “ minor | 15 | 1 50 | 10 00 |
| Verbascum panosum | 25 | 2 50 | 18 00 |
| “ Phoenicum | 25 | 2 50 | 18 00 |
| “ olympicum | 25 | 2 50 | 18 00 |
| Yucca filamentosa | 50 | 5 00 | |
| 12 Plants, my selection..... | | | \$1 50 |
| 25 “ “ “ | | | 2 75 |
| 50 “ “ “ | | | 5 25 |
| 100 “ “ “ | | | 10 00 |

CONIFERS.

Of this desirable class of Plants I have the finest collection and stock in the country, varying in many sizes. I have priced only those in ordinary sized plants in stock, but would be pleased to quote on any of the rarer or extra large specimens.

| | Each. |
|---------------------------------------|--------|
| Abies Alcockiana | \$2 00 |
| “ Balsamea | 1 00 |
| “ bracteata | 2 00 |
| “ Canadensis | 50 |
| “ “ Many large specimens | . |
| “ “ compacta | 3 00 |
| “ “ densa | 3 00 |
| “ Caroliniana . New..... | 1 00 |
| “ cephalonica | 1 00 |
| “ “ Reginae Amaliae | 2 00 |
| “ cicilica | . |
| “ concolor | 1 00 |
| “ “ Many large specimens | . |
| “ Douglasii | 1 00 |
| “ “ glauca | 3 00 |
| “ Fraserii | 50 |
| “ “ viridis | 1 00 |
| “ grandis | 1 00 |
| “ Lasiocarpa | 2 00 |
| “ Nordmanniana | 1 00 |
| “ “ Many large specimens | . |
| “ nobilis glauca | 2 00 |
| “ pectinata | 1 00 |
| “ sub-alpina | 2 00 |
| “ Veitchii | 2 00 |
| Cedrus Africana glauca | 1 00 |
| “ deodora | 1 00 |
| “ “ Many large specimens | . |

CONIFERS.—Continued.

| | Each. |
|---------------------------------------|--------|
| Cedrus Libani | \$2 00 |
| Cephalotaxus Fortunii | I 00 |
| " <i>drupacea</i> | I 00 |
| Chamaecyparis Lawsoniana | I 00 |
| " <i>erecta viridis</i> | I 00 |
| " <i>monumentalis glauca</i> | I 00 |
| " <i>nutkatensis viridis</i> | I 00 |
| " <i>obtusa</i> | I 00 |
| " " <i>gracilis</i> | I 00 |
| " <i>spheroidea</i> | 2 00 |
| " " <i>andelensis</i> | 2 00 |
| " " <i>glaucia</i> | I 00 |
| " " <i>variegata</i> | I 00 |
| Juniperus alpina aurea | I 00 |
| " Many fine specimens..... | I 00 |
| " <i>chinensis</i> | I 00 |
| " " <i>variegata</i> | 2 00 |
| " " " Many fine specimens..... | I 00 |
| " <i>procumbens aurea</i> | I 00 |
| " <i>communis</i> | 50 |
| " " <i>chinensis</i> | 50 |
| " <i>hibernica</i> | 50 |
| " " Many large specimens..... | I 00 |
| " <i>drupacea</i> | I 00 |
| " <i>excelsa</i> | I 00 |
| " <i>glaucia</i> | I 00 |
| " <i>Japonica</i> | I 00 |
| " " Many large specimens..... | I 00 |
| " <i>macrocarpa</i> | I 00 |
| " <i>oblongata</i> | I 00 |
| " <i>oxycedrus</i> | I 00 |
| " <i>procumbens</i> | I 00 |
| " <i>recurva densa</i> | I 00 |
| " <i>Sabina</i> | 50 |
| " " <i>prostrata</i> | I 00 |
| " <i>sinensis</i> | I 00 |
| " <i>Suesica</i> | 50 |
| " " Many fine specimens..... | I 00 |
| " <i>venusta</i> | I 00 |
| " <i>Virginica</i> | 35 |
| " " <i>glaucia</i> | I 50 |
| " " <i>pendula</i> | 2 00 |
| Larix Europaea | 50 |
| " <i>leptolepis</i> | 2 50 |
| Libocedrus decurrens | 50 |
| Picea alba | 50 |
| " " Many large specimens..... | I 00 |
| " " <i>coerulea</i> | I 00 |
| " <i>amorica</i> | I 00 |
| " <i>Black Hills</i> | I 00 |
| " <i>Engelmannii</i> | I 00 |
| " <i>excelsa</i> | 50 |
| " " Many large specimens..... | I 00 |
| " " <i>aurea</i> | I 00 |
| " " <i>glaucia</i> | I 00 |
| " " <i>Carpathica</i> | I 00 |
| " " <i>Cranstonii</i> | I 00 |
| " " <i>conica</i> | 2 00 |
| " " " Many large specimens..... | I 00 |
| " " <i>diffusa</i> | I 00 |
| " " <i>echinoformis</i> | I 00 |
| " " <i>elata</i> | I 00 |
| " " <i>finidonensis</i> | I 00 |
| " " <i>inverta</i> | 2 00 |
| " " <i>microsperma</i> | I 00 |
| " " <i>pendula</i> | I 00 |

CONIFERS.—Continued.

Each.

| | | |
|---------------------------------|--------------------------------------|--------|
| <i>Picea excelsa</i> | <i>pygmaea</i> | |
| " " | <i>rigida</i> | |
| " " | <i>tabulaeformis</i> | |
| " " | <i>viminalis</i> | |
| " | <i>glauca compacta</i> | \$1 00 |
| " | <i>nigra</i> | 1 00 |
| " " | <i>pumila</i> | 2 00 |
| " | <i>Parryana</i> | 1 00 |
| " " | many large specimens | |
| " | <i>Pinsapo</i> | 1 00 |
| " | <i>polita</i> . Many large specimens | |
| " | <i>pungens</i> | 1 00 |
| " " | Many fine specimens | |
| " | <i>orientalis</i> | 1 00 |
| " " | Many fine specimens | |
| " | <i>rubens</i> | |
| <i>Podocarpus alpina</i> | | 1 00 |
| " | <i>Japonica</i> | 1 50 |
| <i>Pinus Austriaca</i> | | 50 |
| " " | Many large specimens | |
| " | <i>cembra</i> | 1 00 |
| " " | Many fine specimens | |
| " | <i>excelsa</i> | 1 00 |
| " " | Many fine specimens | |
| " | <i>glauca</i> | |
| " " | <i>nana</i> | 1 00 |
| " | <i>Lambertiana</i> | 50 |
| " | <i>Murryanus</i> | 50 |
| " | <i>monticola</i> | 50 |
| " | <i>Mugho</i> | 1 00 |
| " | <i>Strobus</i> | 50 |
| " " | <i>nanus</i> | 1 00 |
| " | <i>Sylvestris</i> | 50 |
| " " | many fine specimens | |
| " " | <i>nanus</i> | 1 00 |
| " | <i>Thunbergii</i> | 50 |
| <i>Retinospora ericooides</i> | | 50 |
| " | <i>glauca</i> | 1 00 |
| " | <i>lycopodioides</i> | |
| " | <i>pisifera</i> | 50 |
| " " | <i>aurea</i> | 1 00 |
| " " | many fine specimens | |
| " " | <i>filifera</i> | 1 00 |
| " " | many large specimens | |
| " " | <i>aurea</i> | 2 00 |
| " " | <i>stricta</i> | 1 00 |
| " " | <i>plumosa</i> | 50 |
| " " | " many large specimens | |
| " " | <i>argentea</i> | 1 00 |
| " " | many fine specimens | |
| " " | <i>aurea</i> | 50 |
| " : | " many fine specimens | |
| " | <i>obtusa</i> | 50 |
| " " | <i>nana</i> | 1 00 |
| " " | few grand specimens | |
| " " | <i>aurea</i> | 3 00 |
| " | <i>squarrosa Veitchii</i> | 50 |
| " " | " Many extra fine specimens | |
| <i>Sciadopitis verticillata</i> | | 3 00 |
| " " | few grand specimens | |
| <i>Taxodium distichum</i> | | 50 |
| " " | Some fine plants | |
| <i>Taxus baccata</i> | | 50 |
| " " | Many large specimens | |
| " " | <i>compacta</i> | 50 |
| " " | <i>variegata</i> | 1 00 |

CONIFERS.—Continued.

| | Each. |
|--|--------|
| <i>Taxus baccata elegantissima</i> | \$1 00 |
| “ <i>adpressa</i> | 1 00 |
| “ “ <i>variegata</i> | 2 00 |
| “ <i>Canadensis</i> | 1 00 |
| “ <i>Dowastonii</i> | 1 00 |
| “ <i>ericoides</i> | 1 00 |
| “ <i>Hibernica</i> | 1 00 |
| “ <i>tardiva</i> | 1 00 |
| “ “ <i>aurea</i> | 1 00 |
| <i>Thuja gigantea</i> | 1 00 |
| “ “ <i>pyramidalis</i> | 1 00 |
| “ “ “ <i>aurea</i> | 1 00 |
| “ “ <i>Lobbii</i> | 1 00 |
| “ “ “ <i>semperaurescens</i> | 1 00 |
| “ “ <i>atrovirens</i> | 2 00 |
| “ “ “ <i>aurea variegata</i> | 2 00 |
| “ <i>occidentalis</i> | 35 |
| “ “ Many fine specimens | |
| “ “ <i>albo-variegata</i> | 2 00 |
| “ “ <i>aureo-variegata</i> | 2 00 |
| “ “ <i>compacta</i> | 1 00 |
| “ “ <i>densa</i> | 1 00 |
| “ “ <i>filicoides</i> | |
| “ “ <i>fastigiata</i> | |
| “ “ <i>Geo. Peabody</i> | |
| “ “ <i>globosa</i> | 1 00 |
| “ “ <i>Hoopesii</i> | |
| “ “ <i>Hoveyii</i> | 1 00 |
| “ “ <i>Hudsonica</i> | |
| “ “ <i>Iutea</i> | 1 00 |
| “ “ <i>maculata</i> | |
| “ “ <i>Meehanii</i> | |
| “ “ <i>pendula</i> | |
| “ “ “ <i>glauca</i> | |
| “ “ <i>pulcherrima aurea</i> | |
| “ “ <i>pyramidalis</i> | |
| “ “ <i>Warreana</i> | |
| “ “ <i>Victoria</i> | 1 00 |
| “ <i>orientalis</i> | 50 |
| “ “ Many fine specimens | |
| “ “ <i>compacta</i> | 1 00 |
| “ “ “ <i>aurea</i> | |
| “ “ “ <i>nana aurea</i> | 1 00 |
| “ “ <i>pyramidalis</i> | 1 00 |
| “ <i>plicata</i> | |
| “ <i>Siberica</i> | 50 |
| <i>Thujopsis borealis</i> | 1 00 |
| “ “ <i>aurea</i> | 1 50 |
| “ “ <i>glauca</i> | 1 50 |
| “ “ <i>variegata</i> | 1 00 |
| “ “ <i>dolobrata</i> | 1 00 |

DECIDUOUS TREES.

Besides the list quoted here, I have a lot of large specimens for immediate effect; prices on application.

| | Each. |
|-----------------------------------|--------|
| <i>Acer circinatum</i> | \$1 00 |
| “ <i>dasycarpum</i> | 50 |
| “ <i>plantanoides</i> | 50 |
| “ “ <i>Reitenbachii</i> | 1 00 |
| “ “ <i>Schwedlerii</i> | 1 00 |
| “ <i>macrophyllum</i> | 50 |

DECIDUOUS TREES.—Continued.

| | Each. |
|--|--------|
| <i>Acer polymorphum</i> | \$1 00 |
| " <i>atropurpureum</i> | 1 00 |
| " " <i>dissectum</i> | 2 00 |
| " <i>sanguineum</i> | 2 00 |
| " <i>aureum</i> | 1 00 |
| " <i>reticulatum</i> | 1 00 |
| " " 50 varieties..... | 1 00 |
| " <i>psuedo plantanus</i> | 1 00 |
| " <i>negundo</i> | 50 |
| " " <i>foliis aureus</i> | 1 00 |
| " " <i>argenteis</i> | 1 00 |
| " <i>saccharinum</i> | 50 |
| <i>Alnus glutinosa imperialis</i> | |
| <i>Amygdalus communis</i> fol. var..... | 50 |
| " <i>alba plena</i> | 50 |
| " <i>carnea-plena</i> | 50 |
| " <i>rosea-plena</i> | 50 |
| " <i>grandiflora rosea</i> | 50 |
| <i>Aesculus octandra</i> | 1 00 |
| " <i>hippocastanum</i> | 1 00 |
| " " <i>plenum</i> | 1 00 |
| " " <i>rubicunda</i> | 2 00 |
| " " " var..... | 2 00 |
| <i>Betula alba</i> | 50 |
| " <i>pendula</i> | 1 00 |
| " " <i>laciniata</i> | 1 00 |
| " " <i>Youngii</i> | 1 50 |
| " <i>atropurpurea</i> | 1 00 |
| " " <i>foliis argenteis</i> | 1 00 |
| <i>Carpinus Americana</i> | 1 00 |
| " <i>Caroliniana</i> | 2 00 |
| <i>Castanea Americana</i> | 1 00 |
| " " <i>foliis argenteis</i> | 2 00 |
| <i>Catalpa Bungeii dwarf</i> | 1 00 |
| " " <i>Standard</i> | 2 00 |
| " <i>bignonioides</i> | 50 |
| " " <i>aurea</i> | 1 00 |
| " " <i>speciosa</i> | 50 |
| <i>Cercidiphyllum Japonicum</i> | |
| <i>Cerasus vulgaris</i> fl. pl. | 1 00 |
| " <i>avium</i> fl. pl. <i>alba</i> | 50 |
| " " <i>carnea</i> | 50 |
| " <i>Sieboldii</i> <i>alba plena</i> | 50 |
| " " <i>rosea</i> " | 50 |
| " <i>pumila pendula</i> | 1 00 |
| <i>Cercis Canadensis</i> | 50 |
| " <i>Japonica</i> | 1 00 |
| <i>Chionanthus Virginicus</i> | 75 |
| <i>Cladrastis tintorea</i> | 1 00 |
| <i>Cornus florida</i> | 50 |
| " <i>rubra</i> | 1 00 |
| " <i>pendula</i> | 1 50 |
| <i>Crataegus flava</i> | 50 |
| " <i>oxyantha</i> | 50 |
| " " <i>alba plena</i> | 1 00 |
| " " <i>rosea</i> " | 1 00 |
| " " <i>punicio</i> " | 1 00 |
| " " <i>coccinea</i> " | 1 00 |
| " " <i>Paul's Scarlet</i> | 1 00 |
| <i>Cytisus Adamii</i> | 1 50 |
| " <i>laburnum</i> | 50 |
| " <i>caragana pendula</i> | 1 00 |
| <i>Fagus ferruginea</i> | 1 00 |
| " <i>sylvatica</i> | 50 |
| " " <i>asplenifolia</i> | 1 50 |
| " " <i>pendula</i> | 1 50 |

DECIDUOUS TREES.—Continued.

| | Each. |
|---|--------|
| <i>Fagus sylvatica</i> purpurea..... | \$1 00 |
| " " major..... | 2 00 |
| " " Reevesii..... | 1 50 |
| " " pendula..... | 3 00 |
| " " foliis argenteis..... | 2 00 |
| " " tricolor..... | 3 00 |
| <i>Fraxinus Americana</i> | 50 |
| " " argentea var..... | 1 00 |
| " excelsior..... | 50 |
| " " aurea..... | 1 00 |
| " " pendula..... | 2 00 |
| " pubinervis..... | 1 00 |
| <i>Gleditchia inermis</i> | 50 |
| " Bujotii pendula..... | . |
| <i>Gymnocladus Canadensis</i> | 75 |
| <i>Juglans Japonica</i> | 1 00 |
| " nigra..... | 50 |
| " regia pendula..... | 2 00 |
| <i>Liquidambar staraciflora</i> | 1 00 |
| <i>Liriodendron tulipifera</i> | 1 00 |
| <i>Magnolia acuminata</i> | 1 00 |
| " conspicua..... | 1 00 |
| " glaucia..... | 1 00 |
| " Hypoleuca..... | 1 00 |
| " Kobus..... | 2 00 |
| " Lennei..... | 2 00 |
| " macrophylla..... | 2 00 |
| " obovata discolor..... | 1 00 |
| " purpurea..... | 1 00 |
| " parviflora..... | 3 00 |
| " Soulangeana..... | 1 00 |
| " stellata..... | 2 00 |
| " tripetala..... | 1 00 |
| <i>Morus Downings</i> | 50 |
| " Teas Weeping..... | 1 00 |
| <i>Paulownia imperialis</i> | 1 00 |
| <i>Persica vulgaris</i> | 50 |
| " " alba fl. pl..... | 50 |
| " " Camellaeiflora..... | 50 |
| " " " radiata..... | 50 |
| " " coccinea pl..... | 50 |
| " " rosea pl..... | 50 |
| " " Dianthiflora..... | 50 |
| " " rosaflora..... | 50 |
| " " foliis purpureus..... | 50 |
| <i>Platanus orientalis</i> | 75 |
| <i>Populus alba</i> | 50 |
| " Bolleana..... | 50 |
| " aurea..... | 50 |
| " grandidentata pendula..... | 1 00 |
| " monilifera. (Carolina)..... | 50 |
| <i>Ptelea trifoliata</i> | 50 |
| " " aurea..... | 75 |
| <i>Prunus domestica</i> fol. var..... | 75 |
| " " fl. pl..... | 1 00 |
| " spinosa..... | 50 |
| " orientalis argenteis..... | 1 00 |
| " Mume..... | 1 00 |
| " Pissardii..... | 50 |
| " vulgaris fl. pl..... | 50 |
| <i>Pyrus Angustifolia</i> . Betchels..... | 1 00 |
| " malus communis fol. argenteis..... | 1 00 |
| " " " aureus..... | 1 00 |
| " " spectabilis..... | 50 |
| " " fl. alba pl..... | 50 |
| " " fl. rosea pl..... | 50 |

DECIDUOUS TREES.—Continued.

| | Each. |
|--|--------|
| <i>Quercus coccinea</i> | \$1 50 |
| " <i>robur pedunculata concordia</i> | |
| " <i>serrata</i> | 2 00 |
| " <i>dentata</i> | 2 00 |
| " <i>glauca</i> | 2 00 |
| " <i>glandulifera</i> | 2 00 |
| " <i>integrifolia</i> | 2 00 |
| <i>Robinia hispida rosea</i> | 1 00 |
| " " <i>glabra</i> | 1 00 |
| " <i>Pseudo Acacia</i> | 50 |
| " " " <i>inermis Standards</i> | 2 00 |
| <i>Salisburia Adiantifolia</i> | 1 00 |
| " " <i>var</i> | 2 00 |
| <i>Salix Babylonica</i> | 1 00 |
| " <i>caprea pendula</i> | 50 |
| " <i>laurifolia</i> | 50 |
| " <i>irrorata</i> | 50 |
| " <i>sericea</i> | 50 |
| <i>Sorbus aucuparia</i> | 75 |
| " <i>quercifolia</i> | 1 00 |
| <i>Sophora Japonica</i> | 1 00 |
| " " <i>pendula</i> | 2 00 |
| <i>Sterculia platanifolia</i> | 1 00 |
| " " <i>var</i> | 2 00 |
| <i>Tilia Americana</i> | 1 00 |
| " <i>Europaea</i> | 50 |
| " <i>Argentea</i> | 1 00 |
| " <i>pendula</i> | |
| <i>Ulmus Americana</i> | 50 |
| " <i>pendula</i> | 2 00 |

DECIDUOUS SHRUBS.

Extra large bushes in stock and can be furnished at slightly advanced prices.

| | Each. |
|--|--------|
| <i>Abelia triflora</i> | \$0 50 |
| " <i>rupestris</i> | 50 |
| <i>Amorpha fruticosa</i> | 35 |
| " <i>herbacea</i> | 50 |
| " <i>virgata</i> | 50 |
| <i>Aralia spinosa</i> | 50 |
| <i>Andromeda arborea</i> | 50 |
| " <i>campanulata</i> | 1 00 |
| " <i>cernua rubescens</i> | 1 00 |
| <i>Azalea mollis</i> | 1 00 |
| " <i>pontica</i> | 1 00 |
| " <i>arborescens</i> | 50 |
| " <i>Vaseyii</i> | 1 00 |
| <i>Berberis Canadensis</i> | 35 |
| " <i>cretica</i> | 50 |
| " <i>sanguinolenta</i> | 50 |
| " <i>sinensis</i> | 50 |
| " <i>vulgaris</i> | 35 |
| " " <i>purpurea</i> | 35 |
| " " <i>fructo albo</i> | 50 |
| " " <i>dulcis nanus</i> | 50 |
| " <i>Thunbergii</i> | 35 |
| <i>Bacharis glomerulifolia</i> | 35 |
| <i>Calycarpa Americana</i> | 50 |
| " <i>purpurea</i> | 50 |
| <i>Calycanthus floridus</i> | 35 |
| <i>Caryopteris Mastacanthus</i> | 35 |
| <i>Cephalanthus occidentalis</i> | 35 |
| <i>Clethra alnifolia</i> | 35 |

DECIDUOUS SHRUBS.—Continued.

| | Each. |
|--|--------|
| <i>Colutea arborescens</i> | \$0 35 |
| " <i>cruenta</i> | 35 |
| <i>Citrus trifoliata</i> | 35 |
| <i>Cornus amomum</i> | 35 |
| " <i>mascula</i> | 35 |
| " " <i>var.</i> | 50 |
| " <i>elegantissima</i> | 50 |
| " <i>paniculata</i> | 35 |
| " <i>sanguinea</i> | 35 |
| " <i>Spathii aurea</i> | 50 |
| <i>Corchorus Japonica</i> | 35 |
| " " <i>fl. pl.</i> | 35 |
| " " <i>var.</i> | 35 |
| <i>Corylus avellana</i> | 35 |
| " " <i>atro purpurea</i> | 75 |
| " " <i>faciniata</i> | 75 |
| " " <i>pendula</i> | I 00 |
| <i>Corylopsis spicata</i> | 50 |
| <i>Clerodendron fetida</i> | I 00 |
| <i>Cydonia Japonica</i> | 35 |
| " " <i>rubra</i> | 35 |
| <i>Deutzia crenata fl. pl. alba</i> | 35 |
| " " " <i>rosea</i> | 35 |
| " " <i>Pride of Rochester</i> | 35 |
| " <i>gracilis</i> | 35 |
| <i>Euonymus Americanus obovata</i> | 35 |
| " <i>alatus</i> | 75 |
| " <i>Sieboldianus</i> | 50 |
| <i>Eleagnus longipes</i> | 35 |
| <i>Exochorda grandiflora</i> | 50 |
| <i>Forsythia Fortunii</i> | 35 |
| " <i>suspensa</i> | 35 |
| " <i>viridissima</i> | 35 |
| <i>Genista Andreana</i> | 50 |
| <i>Gordonia altamaha</i> | 5 00 |
| <i>Halesia tetraptera</i> | 50 |
| <i>Hibiscus Syriacus Boule de Feu</i> ,..... | 35 |
| " " <i>Duc de Brabant</i> | 35 |
| " " <i>foliis variegatus</i> | 35 |
| " " <i>rosea pl.</i> | 35 |
| " " <i>totus albus simplex</i> | 35 |
| " " " <i>plenus</i> | 35 |
| " " <i>violaceus simplex</i> | 35 |
| " " " <i>plenus</i> | 35 |
| <i>Hippophae Rhamnoides</i> | 35 |
| <i>Hydrangea arborescens</i> | 50 |
| " <i>paniculata</i> | 35 |
| " " <i>grandiflora</i> | 35 |
| " <i>radiata</i> | 50 |
| " <i>quercifolia</i> | 50 |
| " <i>hortensis</i> | 50 |
| " " <i>Belsonii</i> | I 00 |
| " " <i>nivea</i> | I 00 |
| " " <i>Emp. Eugenie</i> | I 00 |
| " " <i>otaska</i> | 50 |
| " " <i>fol. var</i> | 50 |
| " <i>Japonica alba</i> | I 00 |
| " " <i>rubra</i> | I 00 |
| " " <i>foliis var</i> | 50 |
| <i>Hypericum aureum</i> | 50 |
| " <i>Kalmianum</i> | 50 |
| " <i>hircinum</i> | 35 |
| " <i>densiflorum</i> | 35 |
| " <i>Moserianum</i> | 35 |
| <i>Itea Virginica</i> | 35 |
| <i>Lapageria Canadensis</i> | 50 |

DECIDUOUS SHRUBS.—Continued.

| | Each. |
|--|--------|
| <i>Ligustrum ibota</i> | \$0 35 |
| " <i>ovalifolium</i> | 35 |
| " " <i>variegatum</i> | 50 |
| " " <i>standards</i> . Various sizes..... | |
| " <i>lucidum</i> | 50 |
| " <i>vulgaris</i> | 25 |
| " " <i>argentea</i> | 50 |
| " <i>sinensis</i> | 25 |
| <i>Lonicera tartarica alba</i> | 35 |
| " " <i>rubra</i> | 35 |
| <i>Myrica serifera</i> | 35 |
| <i>Pavia macrostachya</i> | I 00 |
| <i>Paeonia arborea</i> , finest varieties..... | I 00 |
| <i>Philadelphus coronarius</i> | 35 |
| " <i>aureus</i> | 50 |
| " <i>Lemoineii</i> | 50 |
| " <i>inodorus</i> | 35 |
| " <i>grandiflorus</i> | 35 |
| <i>Prunus triloba</i> | 50 |
| <i>Rhodotypos Kerrioides</i> | 35 |
| <i>Rhus aromatica</i> | 35 |
| " <i>cotinus</i> | 35 |
| " <i>glabra</i> | 35 |
| " <i>laciniata</i> | 50 |
| " <i>Osbeckii</i> | 50 |
| <i>Ribes aureum</i> | 35 |
| " <i>sanguineum</i> fl. pl..... | 50 |
| " " <i>foliis aureus</i> | 50 |
| " <i>grossularium variegatum</i> | 50 |
| <i>Rubus laciniatus</i> | 35 |
| " fl. pl. <i>alba</i> | 35 |
| <i>Sambucus Canadensis</i> | 35 |
| " <i>nigra aurea</i> | 35 |
| " " <i>fructo albo</i> | 50 |
| " " <i>laciniata</i> | 35 |
| <i>Spiraea bella</i> | 35 |
| " <i>Billardii</i> | 35 |
| " <i>Bumalda</i> | 35 |
| " " <i>ruberrima</i> | 35 |
| " " <i>Anthony Waterer</i> | 35 |
| " <i>Callosa</i> | 35 |
| " <i>Douglassii</i> | 35 |
| " <i>Margaritae</i> | 35 |
| " <i>Nicunderti</i> | 35 |
| " <i>Notha</i> | 35 |
| " <i>opulifolia</i> | 35 |
| " " <i>aurea</i> | 35 |
| " <i>prunifolia</i> pl..... | 35 |
| " <i>Reevesii</i> | 35 |
| " " fl. pl..... | 35 |
| " <i>salicifolia</i> | 35 |
| " <i>Thunbergii</i> | 35 |
| " <i>Van Houttii</i> | 35 |
| <i>Staphilea colchica</i> | 50 |
| <i>Stuartia monadelpha</i> | I 00 |
| " <i>pentagyna</i> | I 00 |
| <i>Symphoricarpus racemosa</i> | 35 |
| " <i>vulgaris</i> | 35 |
| " " var..... | 35 |
| <i>Syringa Chinensis</i> | 50 |
| " <i>Edmondii fol. var.</i> | 50 |
| " <i>Japonica</i> | 50 |
| " <i>persica</i> | 50 |
| " " <i>alba</i> | I 00 |
| " <i>vulgaris</i> | 35 |
| " " <i>alba</i> | 35 |

DECIDUOUS SHRUBS.—Continued.

| | Each. |
|--|--------|
| <i>Syringa vulgaris</i> alba grandiflora | \$0 50 |
| " " grandiflora | 50 |
| " " James Booth | 50 |
| " " Chas. X | 50 |
| " " Marie Lagray | 50 |
| " " Prince Nottger | 50 |
| " " Princess Alexandria | 50 |
| " " " Camille de Rohan | 50 |
| " " " Marie | 50 |
| " " Rubra de Marley | 50 |
| " " " insignis | 50 |
| " " Schermerhorni | 50 |
| " " Schneelavin | 50 |
| " " Steincruysii | 50 |
| " " Tangier | 50 |
| " " Triomphe de Orleans | 50 |
| " " Verschaffeltii | 50 |
| " " Vergissmeinnicht | 50 |
| " " Ville d' Imoges | 50 |
| " " Violacea | 50 |
| " " Volteana | 50 |
| <i>Styrax Japonica</i> | 1 00 |
| <i>Tamarix Africana</i> | 35 |
| " Caspica | 35 |
| " indica | 35 |
| " Gaellica | 35 |
| " Germanica | 35 |
| " " vera | 35 |
| " Japonica | 35 |
| " tetrandra | 35 |
| <i>Viburnum opulus</i> | 35 |
| " plicatum | 35 |
| <i>Vitex negundo</i> | 1 00 |
| <i>Weigelia Amabilis</i> | 35 |
| " " alba | 35 |
| " rosea | 35 |
| " variabilis | 35 |
| " foliis var | 35 |
| <i>Xanthorrhiza appifolia</i> | 35 |

*Landscape
Work
a Specialty.*

EVERGREEN SHRUBS.

| | Each. |
|---|----------------|
| Andromeda Catesbaei. | \$0 35 |
| " <i>floribunda</i> . | 50 |
| " <i>Japonica</i> . | 50 |
| " <i>speciosa</i> . | 50 |
| Arctostaphylos uva-ursi. | 50 |
| Artemisia abrotanum. | 25 |
| Azalea amoena. | 1 00 |
| " <i>indica alba</i> . | 1 00 |
| Aucuba Japonica. | 25 |
| Berberis Asiatica. | 50 |
| " <i>congestiflora</i> . | 50 |
| " <i>reptans</i> . | 50 |
| " <i>aquifolium</i> . | 50 |
| " <i>fascicularis</i> . | 50 |
| " <i>ilicifolia</i> . | 50 |
| " <i>Nepalensis</i> . | 50 |
| " <i>Neubertii</i> . | 50 |
| " <i>Wallichiana</i> . | 50 |
| Buxus sempervirens. For edging. | 5 |
| " " | 50 |
| " " <i>arborea</i> . | 1 00 |
| " " " <i>var</i> . | - |
| " " <i>salicifolia</i> . | - |
| " " <i>navicularis</i> . | - |
| " " <i>pyramidalis</i> . | - |
| " " <i>longifolia</i> . | 35 |
| " " <i>foliis argenteis</i> . | 35 |
| " " " <i>aureus</i> . | 35 |
| " In many fine specimens; prices on application. | - |
| Caluna vulgaris alba. | 50 |
| " " <i>rosea</i> . | 50 |
| Cassandra calyculata. | 50 |
| Cotoneaster microphylla. | 50 |
| " <i>buxifolia</i> . | 50 |
| " <i>Thymifolia</i> . | 50 |
| " <i>Wheelerii</i> . | 50 |
| Daphne Mezerum. | 50 |
| Euonymus Japonicus | 35 |
| " <i>radicans</i> . | 25 |
| " " <i>var</i> . | 25 |
| " <i>arborescens</i> . | 50 |
| Ilex Europaea | 75 |
| " <i>aquifolia</i> . | 50 |
| " <i>opaca</i> . | 50 |
| Leiophyllum buxifolium. | 75 |
| " " <i>prostratum</i> . | 75 |
| Kalmia glauca | 50 |
| " <i>angustifolia</i> . | 50 |
| " <i>latifolia</i> . | 1 00 |
| Ledum latifolium. | 1 00 |
| Nandia domestica. | 1 00 |
| Phylleria angustifolia | 50 |
| " <i>Wilmoreana</i> . | 50 |
| Rhododendron hybrids, best varieties. | \$1 00 to 2 00 |
| " <i>Maximum</i> . | 75 |
| " " many extra large specimens, prices of same, and car load lots on application | - |

VINES AND CLIMBERS.

| | Each. |
|---|--------|
| <i>Actinidia polygama</i> | \$0 50 |
| <i>Akebia quinita</i> | 35 |
| <i>Ampelopsis Veitchii</i> | 35 |
| " <i>quinquefolia</i> | 35 |
| <i>Aristolochia siphon</i> | 75 |
| <i>Bignonia capreolata</i> | 50 |
| " <i>radicans</i> | 35 |
| " " <i>grandiflora</i> | 50 |
| <i>Boercheronia racemosa</i> | 1 00 |
| <i>Celastrus scandens</i> | 35 |
| <i>Cissus variegata</i> | 35 |
| <i>Clematis coccinea</i> | 35 |
| " <i>flamula</i> | 25 |
| " <i>paniculata</i> | 35 |
| " <i>Virginiana</i> | 35 |
| " <i>Jackmannii</i> | 50 |
| " <i>Henryii</i> | 50 |
| " <i>Duchess of Edinburgh</i> | 50 |
| " <i>Mad. Ed. Andre</i> | 50 |
| <i>Euonymus radicans</i> | 25 |
| " " <i>var.</i> | 25 |
| <i>Jasminium humile</i> | 50 |
| " <i>nudiflorum</i> | 50 |
| " <i>officinale</i> | 50 |
| <i>Hedera canariensis</i> | 25 |
| <i>Lonicera Halleana</i> | 35 |
| " <i>flava</i> | 35 |
| " <i>Belgica</i> | 35 |
| " <i>semperflorens</i> | \$0 35 |
| " <i>reticulata aurea</i> | 35 |
| <i>Periploca Graeca</i> | 35 |
| <i>Smilax Bona nox</i> | 35 |
| " <i>glaucia</i> | 35 |
| " <i>hispida</i> | 35 |
| " <i>laurifolia</i> | 35 |
| " <i>rotundifolia</i> | 35 |
| <i>Wistaria sinensis</i> | 50 |
| " " <i>alba</i> | 50 |
| " <i>fruticosa</i> | 50 |
| " <i>brachybotrys alba</i> | 2 00 |
| Climbing Roses. See <i>Roses</i> . | |



FRUITS.

I have taken great care in selecting the varieties in this list, offering only such varieties as I know to be the very best, fine in quality, and prolific. Also, plants that will stand the extreme changes in temperature which we have in this climate.

APPLES.

The list below contains only such varieties as have been thoroughly tested, and which possess real merit. They do well planted on any good ground, and with little care give very satisfactory results.

| | Each. | Doz. |
|---|--------|--------|
| Baldwin. Winter variety, large red..... | \$0 50 | \$4 00 |
| Fall Pippin. Very large, rich yellow..... | 25 | 2 50 |
| Fallawater. Large and juicy..... | 25 | 2 50 |
| Gravenstein. Pale yellow, striped with red. | 25 | 2 50 |
| Golden Russet. Fine flavored, late..... | 25 | 2 50 |
| Maiden's Blush. Large yellow, blush cheek. | 25 | 2 50 |
| Monmouth Pippin. Good keeper, juicy, late. | 25 | 2 50 |
| Newtown Pippin. American apple, late.... | 50 | 4 00 |
| Northern Spy. Large, good keeper, late... | 25 | 2 50 |
| Red Astrachan. Large, red, crisp..... | 25 | 2 50 |
| Rhode Island Greening. Light green..... | 25 | 2 50 |
| Sweet Bough. Fine early variety..... | 25 | 2 50 |
| Transcendent. The finest Crab..... | 25 | 2 50 |

PEARS.

Pears can be grown in almost any good soil, with little care. They generally give very satisfactory results.

| | Each. | Doz. |
|--|--------|--------|
| Bartlett. Fine and juicy, summer variety. | \$0 50 | \$4 00 |
| Beurre de Anjou. Large and fine..... | 50 | 4 00 |
| " Clairgeau. Fine summer..... | 50 | 4 00 |
| Clapp's Favorite. Pale yellow, early sort.. | 50 | 4 00 |
| Flemish Beauty. Very productive, extra... | 50 | 4 00 |
| Kieffer. Large yellow, with russet dots.. | 50 | 4 00 |
| Seckel. High flavored, rich and juicy, late. | 50 | 4 00 |
| Wilder. Good, vigorous kind..... | 50 | 4 00 |

CHERRIES.

The best results will be obtained by planting on moderately rich, light loam or sandy soil.

| | Each. | Doz. |
|--|--------|--------|
| Black Tartarian. Purplish black, one of the finest..... | \$0 50 | \$4 00 |
| Montmorency. Large and late, very productive..... | 50 | 4 00 |
| Napoleon. Large white, with red cheek, excellent flavor..... | 50 | 4 00 |
| Windsor. Fine and productive..... | 50 | 4 00 |

APRICOTS.

Plant on a northern exposure, so that the buds may not start so early as to be injured by late frost. Prune moderately every spring. Heavy soil is preferable.

| | Each. | Doz. |
|-----------------------------|--------|--------|
| All the best varieties..... | \$0 35 | \$3 00 |

NECTARINES.

A smooth-skinned fruit, resembling the peach. Plant in light soil, and prune the young growths thoroughly every year.

| | Each. | Doz. |
|-----------------------------|--------|--------|
| All the best varieties..... | \$0 35 | \$3 00 |

QUINCES.

They require a deep, rich soil. Should be manured with thoroughly rotted manure. A little coarse salt or lime sprinkled around the trees is beneficial in keeping away insects.

| | Each. | Doz. |
|--|--------|--------|
| Apple or Orange. Large, yellow, productive..... | \$0 50 | \$4 00 |
| Champion. Pear-shaped, late, keeper..... | 50 | 4 00 |

PLUMS.

They do best planted in a rich, heavy loam, well drained. Care must be taken, as the fruit forms, to keep from the attacks of the curculio.

| | Each. | Doz. |
|---|--------|--------|
| Bradshaw. A fine sort..... | \$0 50 | \$4 00 |
| Burbank. Extra juicy..... | 50 | 4 00 |
| Coe's Golden Drop. Large yellow, late.... | 50 | 4 00 |
| Imperial Gage. Pale green, juicy and rich. | 50 | 4 00 |
| Yellow Gage. Excellent for preserving.... | 50 | 4 00 |

PEACHES.

Plant in light, rich soil. The ground should be kept free from grass or weeds. An occasional top dressing of wood ashes or slaked lime will be advantageous.

| | Each. | Doz. |
|--|--------|--------|
| Alexander. Large, early and fine flavored. | \$0 25 | \$2 50 |
| Crawford's Early. Fine yellow fleshed sort. | 25 | 2 50 |
| “ Late. One of the best varieties. | 25 | 2 50 |
| Early York. The best of its season, large. | 25 | 2 50 |
| Morris' White. A heavy and regular bearer. | 25 | 2 50 |
| Mountain Rose. One of the best early.... | 25 | 2 50 |
| Stump the World. Large and productive.... | 25 | 2 50 |

GRAPES.

Grapes will flourish and bear abundantly in almost any good, dry soil, especially if the vines are trained on trellises.

| | Each. | Doz. |
|---|--------|--------|
| Agawam. Large, red, pleasant flavor..... | \$0 25 | \$2 50 |
| Brighton. Vigorous and hardy, very rich. | 25 | 2 50 |
| Catawba. Late keeper, musky flavor..... | 20 | 2 00 |
| Delaware. Small, light red, juicy and sweet. | 25 | 2 50 |
| Duchess. Greenish white, compact bunch. | 25 | 2 50 |
| Diana. Pale red, fine late variety..... | 25 | 2 50 |
| Iona. Sweet, vigorous and productive... | 20 | 2 00 |
| Lady. Yellowish green, rich, sweet flavor. | 25 | 2 50 |
| Moore's Diamond. Early, greenish white.. | 50 | 4 00 |
| Moore's Early. Best early, berry black.... | 30 | 3 00 |
| Niagara. A hardy grower, greenish white. | 25 | 2 50 |
| Pocklington. Golden yellow, very large... | 25 | 2 50 |
| Salem. Large, reddish brown, very sweet. | 25 | 2 50 |
| Wilder. Bunch and berry large, black.... | 25 | 2 50 |
| Worden. Hardy, fine flavor, black..... | 25 | 2 50 |

FOREIGN GRAPES.

For growing under glass, in hot or cold vineries. One-year-old plants, \$1.00 each. Strong two-year-old vines at \$2 50 to \$5 00.

| |
|---|
| Alcante. Black, very large bunch of fine quality, late. |
| Barbarossa. Very large and late, black. |
| Black Frontignan. Bunches long, flavor rich, black. |
| Black Hamburg. A general favorite, large bunches, black. |
| Champion Hamburg. Splendid, like Black Hamburg. |

FOREIGN GRAPES.—Continued.

- Golden Chasselas.** A large, handsome white grape.
Golden Champion. A superb white grape, berries large.
Golden Hamburg. Bunches large, berries juicy and sweet.
Gros Colman. Very vigorous, berries black and juicy.
Lady Downes. One of the best late black grapes.
Muscat of Alexandria. The finest white grape.
Red Chasselas. A small, early, red grape, excellent.
Royal Muscadine. One of the finest white sorts, sweet.
Syrian. Bunches of immense size, good quality, white.
Trentham Black. Very rich and juicy, prolific, black.
White Frontignan. A white sort of fine quality.

CURRENTS.

Plant in good soil and keep well worked and manured. There are very few fruits that will so thoroughly repay as this for good and proper treatment.

| | Doz. | 100. |
|--|--------|--------|
| Black Naples. Vigorous and productive.... | \$1 00 | \$5 00 |
| Cherry. Deep red, fruit large and acid.... | 1 00 | 5 00 |
| Fay's Prolific. Very prolific, extra large red. | 2 50 | 15 00 |
| Red Dutch. Large bunches, red berries.... | 1 00 | 5 00 |
| Versaillaise. Berries large, bright crimson. | 1 00 | 5 00 |
| White Grape. The best white variety..... | 1 00 | 5 00 |

BLACKBERRIES.

Plant in good soil in rows five feet apart, and plants three or four feet apart in the row. Soon after fruiting season, or early spring, cut out all the dead wood. A good top dressing of stable manure applied annually will be conducive to large crops. Keep the ground well worked and clean.

| | Doz. | 100. |
|--|--------|--------|
| Early Harvest. One of the earliest varieties. | \$0 50 | \$2 00 |
| Erie. Hardy and of good quality..... | 75 | 3 00 |
| Kittatinny. Late, very productive, sweet.. | 50 | 2 00 |
| Snyder. Medium sized berries, fine quality | 50 | 2 00 |
| Wilson, Jr. The largest and best variety.. | 50 | 2 00 |

GOOSEBERRIES.

They do best planted in good, rich ground, kept well worked, and free from grass and weeds. Cut out the old wood as soon as it begins to decline, and shorten all the young shoots to keep the bushes in shape.

| | Each. | Doz. |
|---|--------|--------|
| Industry. Free from mildew, very prolific. | \$0 25 | \$2 50 |
| Smith's Imp. Good, reliable variety..... | 25 | 2 50 |

RASPBERRIES.

Plant in rows about five feet apart and three feet between the plants. They like good, rich soil, with plenty of manure worked into it annually. Immediately after the fruiting season, or early in the spring, cut out the old wood which bore the last crop of fruit.

| | Doz. | 100. |
|---|--------|--------|
| Brandywine. Large bright red, hardy.... | \$0 50 | \$2 00 |
| Cuthbert. Excellent variety, productive.. | 50 | 2 00 |
| Golden Queen. A new yellow variety..... | 75 | 3 00 |
| Gregg (Black Cap). Productive, large fine. | 50 | 2 00 |
| Marlboro. Very hardy, vigorous..... | 50 | 2 00 |
| Souhegan, or Tyler Cap. Productive..... | 50 | 2 00 |
| Turner. Very productive, variety..... | 50 | 2 00 |

STRAWBERRIES.

Ready in August and September.
 See Bulb Catalogue.

FLOWER POTS, STANDARD MAKE.

| | Each. | Doz. | 100. | 1,000 |
|---------------|--------|--------|--------|--------|
| 2 inches..... | \$0 01 | \$0 09 | \$0 60 | \$4 80 |
| 3 " " | 2 | 16 | 1 00 | 8 40 |
| 4 " " | 3 | 25 | 1 60 | 13 00 |
| 5 " " | 4 | 45 | 3 00 | 24 00 |
| 6 " " | 7 | 70 | 4 50 | 36 00 |
| 7 " " | 12 | 1 20 | 7 50 | |
| 8 " " | 15 | 1 60 | 10 00 | |
| 9 " " | 25 | 2 40 | 15 00 | |
| 10 " " | 30 | 3 25 | 20 00 | |
| 12 " " | 50 | 6 00 | 37 50 | |
| 14 " " | 100 | 12 00 | 75 00 | |

Labels, Wooden— Per 1,000,
Painted.

Pot or Garden, 4-inch, pointed. \$0 80

" " 5 " " 1 00

" " 6 " " 1 25

Per 100, Painted.

" " 8 " " \$0 50

" " 12 " " 70

Per 1,000, Painted.

Tree or Plant, notched, 3½ inches. \$0 75

" " copper-wired, 3½ inches. 2 00

" " notched, 6 " 1 75

MATERIALS FOR ORCHID CULTURE.

Per bbl.

Fibrous Peat, picked, ready for use. \$4 50

" " as collected. 2 75

Sphagnum Moss, picked. 4 50

" " as collected. 2 75

NEW ROUND ORCHID CRIBS.

Doz.

4 inch, made of best oak and copper wire. \$1 65

5 " " " " 2 00

6 " " " " 2 25

7 " " " " 3 00

8 " " " " 3 50

10 " " " " 4 50

12 " " " " 5 50

INSECTICIDES (INSECT DESTROYERS).

Fir-Tree Oil.....per pint, \$0 75

Persian Insect Powder.....per lb., 65.

Nicotine.....per bottle, 1 50

SHEEP MANURE.

Pure, natural and most effective Fertilizer for any purpose. 100 lb. bag, \$1.75.

PURE COARSE BONE.

The only safe bone to buy. \$2.25 per 100 lbs.
\$35.00 per ton.

Any Garden Tools and requisites at market price.

Horticultural Books and Papers at publishers' prices.

INDEX.



PAGE.

| | |
|---|--------|
| Seeds | 1 |
| Vegetable Seeds | 2-11 |
| " Roots and Tubers | 11 |
| Grass and Clover Seeds..... | 11, 12 |
| Seeds of Pot, Sweet, and Medicinal Herbs..... | 10 |
| Flower Seeds..... | 12-23 |
| Annual Flower Seeds..... | 12-23 |
| Seeds of Greenhouse Plants..... | 23-26 |
| " Vines and Climbers..... | 26, 27 |
| " Sweet Peas..... | 27, 28 |
| " Hardy Perennials and Biennials..... | 28-32 |
| " Ornamental Fruits..... | 32, 33 |
| " Everlastings | 33 |
| " Ornamental Grasses..... | 33, 34 |
| Roses | 35, 36 |
| Carnations..... | 36 |
| Chrysanthemums | 36, 37 |
| Choice Foliage Plants..... | 37-40 |
| Palms | 40, 41 |
| Cycads..... | 41 |
| Araucarias..... | 41 |
| Ferns | 42, 43 |
| Tree Ferns..... | 43 |
| Selaginellas..... | 43 |
| Flowering Plants | 43-45 |
| Orchids | 45-50 |
| Bromeliads | 50 |
| Greenhouse Vines..... | 51 |
| Bulbs for Spring Planting..... | 52 |
| Hardy Perennials, or Herbaceous Plants..... | 53-57 |
| Conifers..... | 57-60 |
| Deciduous Trees..... | 60-63 |
| " Shrubs..... | 63-66 |
| Evergreen " | 67 |
| Hardy Vines and Climbers..... | 68 |
| Fruits..... | 69-71 |
| Miscellaneous Articles | 72 |

LANDSCAPE GARDENING.

This is a very important subject, and one that should not be neglected or overlooked, especially when building up a new place.

It means that, with a good plan, you can lay out your place to all the advantages it commands naturally, besides making and developing features where the location is disadvantageous. The roads and walks should be laid out, not only to be practical, but also to be in harmony with everything adjacent.

The proper location of trees and shrubs, and the selection of the best and most desirable kinds, are very important, for you are planting for the future, and as it takes years for a shrub or tree to grow, you should plant only such as would be desirable and valuable when grown up. The same applies to the location of vegetable, flower, fruit, rock or wild garden borders or flower beds.

The grouping or massing of either trees, shrubs, plants or bulbs, to produce certain effects at special seasons, either in foliage, flower or fruit, can only be successfully accomplished by having full knowledge of the habits and character of such plants.

Many unsightly corners and spaces could be not only hidden, but actually made beautiful. Thus, outside the general flower garden, barren rocks and stumps of trees can be covered with luxuriant growth.

Dry and sandy hills, where even grass refuses to grow, with proper selection can be made as beautiful as where the soil is rich, while marshes can be turned into handsome objects, and ponds covered with showy water plants. In one word, it is the knowledge of the habits of plants and their adaptability to certain locations that brings the desired success.

Locating and designing greenhouses, graperies, pits or frames on a place are also very important; so are the proper details in the construction of greenhouses, which are generally left to architects, who do not take into consideration the practical points of the greenhouse or conservatory.

Do not lay out your place without a landscape gardener any more than you would build a house without an architect; and you cannot do better than consult

Yours truly,

W. A. MANDA.